



## CPU Mega List

Below is a list of all single and multiple socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

AD



Last Updated: 1st of March 2023

Columns

Show  entries

CPU Name <input type="text" value="Search..."/>	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
	Min... Max...	Min... Max...	Min... Max...	Min... Max...		
<a href="#">AArch64 rev 2 (aarch64)</a>	8	2,267	910	NA	Unknown	Unknown
<a href="#">AArch64 rev 4 (aarch64)</a>	8	1,815	642	NA	Unknown	Unknown
<a href="#">AC8257V/WAB</a>	8	711	478	NA	Unknown	Unknown
<a href="#">AMD 3015Ce</a>	2	2,088	1,340	6	FT5	Mobile/Embedded
<a href="#">AMD 3015e</a>	2	2,691	1,382	6	Unknown	Laptop
<a href="#">AMD 3020e</a>	2	2,445	1,414	6	Unknown	Laptop
<a href="#">AMD 4700S</a>	8	18,034	2,389	NA	Unknown	Desktop
<a href="#">AMD A10 Micro-6700T APU</a>	4	1,426	722	5	FT3b	Laptop
<a href="#">AMD A10 PRO-7350B APU</a>	4	1,926	911	19	FP3	Laptop
<a href="#">AMD A10 PRO-7800B APU</a>	2	3,275	1,514	65	FM2+	Desktop
<a href="#">AMD A10 PRO-7850B APU</a>	2	3,420	1,569	95	FM2+	Desktop
<a href="#">AMD A10-4600M APU</a>	2	1,926	1,068	35	FS1r2	Laptop
<a href="#">AMD A10-4655M APU</a>	2	1,642	899	25	FP2	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD A10-4657M APU</a>	4	1,759	940	35	FP2	Laptop
<a href="#">AMD A10-5700 APU</a>	2	2,748	1,444	65	FM2	Desktop
<a href="#">AMD A10-5745M APU</a>	4	1,746	955	25	FP2	Laptop
<a href="#">AMD A10-5750M APU</a>	4	1,955	1,126	35	FS1r2	Laptop
<a href="#">AMD A10-5757M APU</a>	4	2,031	1,143	35	FP2	Laptop
<a href="#">AMD A10-5800B APU</a>	2	2,936	1,535	100	FM2	Desktop
<a href="#">AMD A10-5800K APU</a>	2	2,956	1,492	100	FM2	Desktop
<a href="#">AMD A10-6700 APU</a>	4	3,119	1,612	65	FM2	Desktop
<a href="#">AMD A10-6700T APU</a>	2	2,299	1,290	45	FM2	Desktop
<a href="#">AMD A10-6790K APU</a>	2	3,069	1,557	100	FM2	Desktop
<a href="#">AMD A10-6800B APU</a>	2	3,015	1,642	100	FM2	Desktop
<a href="#">AMD A10-6800K APU</a>	2	3,180	1,604	100	FM2	Desktop
<a href="#">AMD A10-7300 APU</a>	4	1,732	864	19	FP3	Laptop
<a href="#">AMD A10-7400P</a>	4	2,126	1,052	35	FP3	Laptop
<a href="#">AMD A10-7700K APU</a>	2	3,174	1,430	95	FM2+	Desktop
<a href="#">AMD A10-7800 APU</a>	2	3,177	1,458	65	FM2+	Desktop
<a href="#">AMD A10-7850K APU</a>	2	3,390	1,511	95	FM2+	Desktop
<a href="#">AMD A10-7860K</a>	2	3,262	1,491	65	FM2+	Desktop
<a href="#">AMD A10-7870K</a>	2	3,458	1,509	95	FM2+	Desktop
<a href="#">AMD A10-7890K</a>	2	3,482	1,541	95	FM2+	Desktop
<a href="#">AMD A10-8700P</a>	2	2,226	1,133	35	FP4	Laptop
<a href="#">AMD A10-8750</a>	2	3,241	1,548	65	FM2+	Desktop
<a href="#">AMD A10-8850</a>	2	3,332	1,575	NA	Unknown	Desktop
<a href="#">AMD A10-9600P</a>	4	2,270	1,121	15	FP4	Laptop
<a href="#">AMD A10-9620P</a>	4	2,596	1,320	15	Unknown	Laptop
<a href="#">AMD A10-9630P</a>	4	2,929	1,387	35	FP4	Laptop
<a href="#">AMD A10-9700</a>	4	3,543	1,614	65	AM4	Desktop
<a href="#">AMD A10-9700E</a>	4	3,047	1,418	35	AM4	Desktop
<a href="#">AMD A12-9700P</a>	4	2,455	1,219	15	FP4	Laptop
<a href="#">AMD A12-9720P</a>	4	2,628	1,320	15	FP4	Laptop
<a href="#">AMD A12-9730P</a>	4	3,216	1,503	35	FP4	Laptop
<a href="#">AMD A12-9800</a>	2	3,470	1,622	65	AM4	Desktop
<a href="#">AMD A12-9800E</a>	4	3,447	1,604	35	AM4	Desktop
<a href="#">AMD A4 Micro-6400T APU</a>	4	1,004	530	4.5	FT3b	Laptop
<a href="#">AMD A4 PRO-3340B</a>	4	1,645	676	25	BGA769 (FT3)	Laptop
<a href="#">AMD A4 PRO-7300B APU</a>	1	1,470	1,474	65	Unknown	Desktop
<a href="#">AMD A4 PRO-7350B</a>	1	1,544	1,438	65	FM2+	Desktop
<a href="#">AMD A4-1200 APU</a>	2	369	303	3.9	FT3	Laptop
<a href="#">AMD A4-1250 APU</a>	2	410	336	8	FT3	Laptop
<a href="#">AMD A4-3300 APU</a>	2	960	1,012	65	FM1	Desktop
<a href="#">AMD A4-3300M APU</a>	2	706	788	65	FM1	Laptop
<a href="#">AMD A4-3305M APU</a>	2	718	821	35	FS1	Laptop
<a href="#">AMD A4-3310MX APU</a>	2	769	822	45	FS1	Laptop
<a href="#">AMD A4-3320M APU</a>	2	640	656	35	FS1	Laptop
<a href="#">AMD A4-3330MX APU</a>	2	752	910	45	FS1 uPGA	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD A4-3400 APU</a>	2	1,080	1,083	65	FM1	Desktop
<a href="#">AMD A4-3420 APU</a>	2	1,080	1,146	65	FM1	Desktop
<a href="#">AMD A4-4000 APU</a>	1	1,170	1,184	65	FM2	Desktop
<a href="#">AMD A4-4020 APU</a>	2	1,260	1,232	65	FM2	Desktop
<a href="#">AMD A4-4300M APU</a>	1	1,011	1,035	35	FS1	Laptop
<a href="#">AMD A4-4355M APU</a>	2	806	813	17	FP2	Laptop
<a href="#">AMD A4-5000 APU</a>	4	1,290	509	15	FT3	Laptop
<a href="#">AMD A4-5050 APU</a>	4	1,328	538	13.5	FT3	Laptop
<a href="#">AMD A4-5100 APU</a>	4	1,346	540	15	FT3	Laptop
<a href="#">AMD A4-5150M APU</a>	2	765	800	35	FS1r2	Laptop
<a href="#">AMD A4-5300 APU</a>	2	1,371	1,360	65	FM2	Desktop
<a href="#">AMD A4-5300B APU</a>	2	1,237	1,243	65	FM2	Desktop
<a href="#">AMD A4-6210 APU</a>	4	1,495	610	15	FT3b	Laptop
<a href="#">AMD A4-6250J APU</a>	4	1,656	698	25	Unknown	Unknown
<a href="#">AMD A4-6300 APU</a>	1	1,431	1,411	65	FM2	Desktop
<a href="#">AMD A4-6300B APU</a>	1	1,328	1,373	65	Unknown	Desktop
<a href="#">AMD A4-6320 APU</a>	1	1,543	1,517	65	FM2	Desktop
<a href="#">AMD A4-7210 APU</a>	4	1,686	730	25	BGA	Laptop
<a href="#">AMD A4-7300 APU</a>	1	1,522	1,482	65	FM2	Desktop
<a href="#">AMD A4-9120</a>	2	1,203	1,039	15	BGA	Laptop
<a href="#">AMD A4-9120C</a>	2	825	906	6	FT4	Laptop
<a href="#">AMD A4-9120e</a>	2	844	739	NA	FT4	Laptop
<a href="#">AMD A4-9125</a>	2	1,215	1,046	15	BGA (FT4)	Laptop
<a href="#">AMD A6 Micro-6500T APU</a>	4	1,146	630	NA	Unknown	Laptop
<a href="#">AMD A6 PRO-7050B APU</a>	2	1,027	905	17	FP3	Laptop
<a href="#">AMD A6 PRO-7400B</a>	1	1,654	1,495	65	FM2+	Desktop
<a href="#">AMD A6-1450 APU</a>	4	1,117	468	8	FT3	Laptop
<a href="#">AMD A6-3400M APU</a>	4	1,197	694	35	FS1	Laptop
<a href="#">AMD A6-3410MX APU</a>	4	1,222	711	45	FS1	Laptop
<a href="#">AMD A6-3420M APU</a>	4	1,287	783	35	FS1	Laptop
<a href="#">AMD A6-3430MX APU</a>	4	1,448	822	45	FS1	Laptop
<a href="#">AMD A6-3500 APU</a>	3	1,379	960	65	FM1	Desktop
<a href="#">AMD A6-3600 APU</a>	4	1,648	898	65	FM1	Desktop
<a href="#">AMD A6-3620 APU</a>	4	1,857	989	65	FM1	Desktop
<a href="#">AMD A6-3650 APU</a>	4	2,005	1,014	100	FM1	Desktop
<a href="#">AMD A6-3670 APU</a>	4	2,092	1,142	100	FM1	Desktop
<a href="#">AMD A6-4400M APU</a>	1	994	1,015	35	FS1r2	Laptop
<a href="#">AMD A6-4455M APU</a>	1	785	787	17	FP2	Laptop
<a href="#">AMD A6-5200 APU</a>	4	1,656	662	25	FT3	Laptop
<a href="#">AMD A6-5345M APU</a>	2	1,122	1,094	17	FP2	Laptop
<a href="#">AMD A6-5350M APU</a>	2	1,141	1,199	35	FS1r2	Laptop
<a href="#">AMD A6-5357M APU</a>	2	1,260	1,268	35	FP2	Laptop
<a href="#">AMD A6-5400B APU</a>	1	1,439	1,389	65	FM2	Desktop
<a href="#">AMD A6-5400K APU</a>	1	1,256	1,262	65	FM2	Desktop
<a href="#">AMD A6-6310 APU</a>	4	1,668	746	15	FT3	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD A6-6400B APU</a>	1	1,616	1,608	65	FM2	Desktop
<a href="#">AMD A6-6400K APU</a>	1	1,451	1,426	65	FM2	Desktop
<a href="#">AMD A6-6420B APU</a>	1	1,550	1,629	65	FM2	Desktop
<a href="#">AMD A6-6420K APU</a>	2	1,539	1,557	65	FM2	Desktop
<a href="#">AMD A6-7000</a>	2	1,010	857	17	FP3	Laptop
<a href="#">AMD A6-7310 APU</a>	4	1,735	781	25	Unknown	Laptop
<a href="#">AMD A6-7400K APU</a>	2	1,600	1,432	65	FM2+	Desktop
<a href="#">AMD A6-7470K</a>	1	1,799	1,576	65	FM2+	Desktop
<a href="#">AMD A6-7480</a>	2	1,836	1,564	65	FM2+	Desktop
<a href="#">AMD A6-8500P</a>	2	1,445	1,253	15	BGA (FP4)	Laptop
<a href="#">AMD A6-8550</a>	2	1,604	1,474	65	FM2+	Desktop
<a href="#">AMD A6-9200</a>	2	1,064	927	10	BGA	Laptop
<a href="#">AMD A6-9210</a>	2	1,260	1,101	15	FP4	Laptop
<a href="#">AMD A6-9220</a>	2	1,283	1,149	15	Unknown	Laptop
<a href="#">AMD A6-9220C</a>	2	1,072	996	6	FT4	Laptop
<a href="#">AMD A6-9220e</a>	2	986	871	NA	Unknown	Laptop
<a href="#">AMD A6-9225</a>	2	1,319	1,158	15	BGA (FT4)	Laptop
<a href="#">AMD A6-9230</a>	2	1,279	1,158	15	Unknown	Desktop
<a href="#">AMD A6-9400</a>	2	2,717	1,664	10	FT4	Laptop
<a href="#">AMD A6-9500</a>	2	1,874	1,624	65	AM4	Desktop
<a href="#">AMD A6-9500E</a>	2	1,747	1,483	35	AM4	Desktop
<a href="#">AMD A8 PRO-7150B APU</a>	4	1,501	749	19	FP3	Laptop
<a href="#">AMD A8 PRO-7600B APU</a>	4	2,930	1,385	65	FM2+	Desktop
<a href="#">AMD A8-3500M APU</a>	4	1,430	837	35	FS1	Laptop
<a href="#">AMD A8-3510MX APU</a>	4	1,622	895	45	FS1	Laptop
<a href="#">AMD A8-3520M APU</a>	4	1,431	847	35	FS1	Laptop
<a href="#">AMD A8-3530MX APU</a>	4	1,572	931	45	FS1	Laptop
<a href="#">AMD A8-3550MX APU</a>	4	1,579	938	45	FS1	Laptop
<a href="#">AMD A8-3800 APU</a>	4	1,971	1,081	65	FM1	Desktop
<a href="#">AMD A8-3820 APU</a>	4	2,164	1,138	65	FM1	Desktop
<a href="#">AMD A8-3850 APU</a>	4	2,341	1,215	100	FM1	Desktop
<a href="#">AMD A8-3870K APU</a>	4	2,299	1,219	100	FM1	Desktop
<a href="#">AMD A8-4500M APU</a>	2	1,666	909	35	FS1r2	Laptop
<a href="#">AMD A8-4555M APU</a>	2	1,312	796	19	FP2	Laptop
<a href="#">AMD A8-5500 APU</a>	2	2,567	1,321	65	FM2	Desktop
<a href="#">AMD A8-5500B APU</a>	2	2,643	1,350	65	FM2	Desktop
<a href="#">AMD A8-5545M APU</a>	4	1,584	848	19	FP2	Laptop
<a href="#">AMD A8-5550M APU</a>	4	1,859	1,033	35	FS1r2	Laptop
<a href="#">AMD A8-5557M APU</a>	4	1,734	1,014	35	FP2	Laptop
<a href="#">AMD A8-5600K APU</a>	4	2,815	1,421	100	FM2	Desktop
<a href="#">AMD A8-6410 APU</a>	4	1,775	786	15	BGA769 (FT3b)	Laptop
<a href="#">AMD A8-6500 APU</a>	2	2,808	1,484	65	FM2	Desktop
<a href="#">AMD A8-6500B APU</a>	2	2,868	1,490	65	FM2	Desktop
<a href="#">AMD A8-6500T APU</a>	2	1,816	1,048	45	FM2	Desktop
<a href="#">AMD A8-6600K APU</a>	2	2,984	1,533	100	FM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD A8-7050</a>	2	1,094	913	15	Unknown	Laptop
<a href="#">AMD A8-7100 APU</a>	4	1,644	847	19	FP3	Laptop
<a href="#">AMD A8-7200P</a>	4	2,154	1,054	35	FP3	Laptop
<a href="#">AMD A8-7410 APU</a>	4	1,816	804	25	Unknown	Laptop
<a href="#">AMD A8-7500</a>	2	3,706	1,497	65	FM2+	Desktop
<a href="#">AMD A8-7600 APU</a>	2	3,213	1,450	65	FM2+	Desktop
<a href="#">AMD A8-7650K</a>	2	3,080	1,394	65	FM2+	Desktop
<a href="#">AMD A8-7670K</a>	4	3,182	1,478	95	FM2+	Desktop
<a href="#">AMD A8-7680</a>	4	3,514	1,630	45	FM2+	Laptop
<a href="#">AMD A8-8600P</a>	2	2,240	1,103	15	FP4	Laptop
<a href="#">AMD A8-8650</a>	4	2,774	1,408	65	FM2+	Desktop
<a href="#">AMD A8-9600</a>	4	3,294	1,481	65	AM4	Desktop
<a href="#">AMD A9-9400</a>	2	1,356	1,218	10	FP4	Laptop
<a href="#">AMD A9-9410</a>	2	1,520	1,337	25	FP4	Laptop
<a href="#">AMD A9-9420</a>	2	1,516	1,309	15	Unknown	Laptop
<a href="#">AMD A9-9420e</a>	2	1,103	964	NA	Unknown	Laptop
<a href="#">AMD A9-9425</a>	2	1,520	1,326	15	BGA (FT4)	Laptop
<a href="#">AMD A9-9430</a>	2	1,588	1,373	NA	Unknown	Desktop
<a href="#">AMD A9-9820</a>	8	3,662	798	NA	Unknown	Unknown
<a href="#">AMD Athlon 1500+</a>	1	191	275	NA	Unknown	Unknown
<a href="#">AMD Athlon 1640B</a>	1	412	462	45	AM2	Desktop
<a href="#">AMD Athlon 200GE</a>	2	4,100	1,805	35	AM4	Desktop
<a href="#">AMD Athlon 220GE</a>	2	4,424	1,958	35	AM4	Laptop
<a href="#">AMD Athlon 240GE</a>	2	4,534	1,968	35	AM4	Desktop
<a href="#">AMD Athlon 2650e</a>	1	274	304	15	AM2	Desktop
<a href="#">AMD Athlon 2800+</a>	1	291	439	89	754	Unknown
<a href="#">AMD Athlon 2850e</a>	1	333	337	22	AM2	Desktop
<a href="#">AMD Athlon 3000G</a>	2	4,480	1,994	35	AM4	Desktop
<a href="#">AMD Athlon 300GE</a>	2	4,256	1,870	35	AM4	Desktop
<a href="#">AMD Athlon 300U</a>	2	3,943	1,814	15	FP5	Laptop
<a href="#">AMD Athlon 320GE</a>	2	4,285	1,876	35	AM4	Desktop
<a href="#">AMD Athlon 5000 Dual-Core</a>	2	872	898	65	AM2,AM2+	Desktop
<a href="#">AMD Athlon 5150 APU</a>	4	1,373	546	25	AM1,FS1b	Desktop
<a href="#">AMD Athlon 5200 Dual-Core</a>	2	869	915	75	AM2	Desktop
<a href="#">AMD Athlon 5350 APU</a>	4	1,749	698	25	AM1,FS1B	Desktop
<a href="#">AMD Athlon 5370 APU</a>	4	1,867	755	25	AM1,FS1B	Desktop
<a href="#">AMD Athlon 64 2000+</a>	1	154	173	8	Unknown	Unknown
<a href="#">AMD Athlon 64 2600+</a>	1	243	292	15	Unknown	Unknown
<a href="#">AMD Athlon 64 2800+</a>	1	295	375	89	754	Unknown
<a href="#">AMD Athlon 64 3000+</a>	1	326	570	89	Socket 754	Desktop
<a href="#">AMD Athlon 64 3100+</a>	1	484	600	89	754	Desktop
<a href="#">AMD Athlon 64 3200+</a>	1	301	571	62	AM2	Unknown
<a href="#">AMD Athlon 64 3300+</a>	1	375	477	NA	Unknown	Unknown
<a href="#">AMD Athlon 64 3400+</a>	1	317	547	89	754	Unknown
<a href="#">AMD Athlon 64 3500+</a>	1	396	568	45	AM2	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Athlon 64 3700+</a>	1	394	435	89	939	Desktop
<a href="#">AMD Athlon 64 3800+</a>	1	292	461	45	AM2	Unknown
<a href="#">AMD Athlon 64 4000+</a>	1	340	565	62	AM2	Unknown
<a href="#">AMD Athlon 64 FX-55</a>	1	404	505	104	939	Desktop
<a href="#">AMD Athlon 64 FX-57</a>	1	517	552	104	939	Desktop
<a href="#">AMD Athlon 64 FX-59</a>	1	465	575	NA	939	Desktop
<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	2	709	912	110	939	Desktop
<a href="#">AMD Athlon 64 FX-62 Dual Core</a>	2	943	1,000	125	AM2	Desktop
<a href="#">AMD Athlon 64 FX-74</a>	2	972	617	125	F (1207)	Desktop
<a href="#">AMD Athlon 64 X2 3800+</a>	2	566	745	89	939	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	2	531	505	89	754	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>	2	610	661	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>	2	630	724	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	2	669	729	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	2	679	785	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	2	654	751	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>	2	718	836	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>	2	679	876	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>	2	770	888	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	2	847	933	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	2	907	999	65	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5600+</a>	2	917	1,022	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	2	797	1,008	89	Unknown	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	2	937	1,037	89	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>	2	938	1,122	125	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>	2	594	624	45	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	2	573	674	45	AM2	Desktop
<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	2	577	537	20	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>	2	535	600	31	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>	2	518	609	35	Unknown	Unknown
<a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>	2	620	626	31	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Athlon 64 X2 QL-60</a>	2	547	609	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-62</a>	2	525	623	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-64</a>	2	622	732	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-65</a>	2	589	657	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-66</a>	2	641	751	35	S1	Laptop
<a href="#">AMD Athlon 64 X2 QL-67</a>	2	582	515	35	S1	Laptop
<a href="#">AMD Athlon 7450 Dual-Core</a>	2	789	853	95	AM2+	Desktop
<a href="#">AMD Athlon 7550 Dual-Core</a>	2	900	934	95	AM2+	Desktop
<a href="#">AMD Athlon 7750 Dual-Core</a>	2	960	1,034	95	AM2+	Desktop
<a href="#">AMD Athlon 7850 Dual-Core</a>	2	1,058	1,118	95	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4050e</a>	2	616	732	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 4450B</a>	2	719	798	45	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4450e</a>	2	705	801	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 4850B</a>	2	727	887	45	AM2+	Desktop
<a href="#">AMD Athlon Dual Core 4850e</a>	2	783	903	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5000B</a>	2	856	942	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5050e</a>	2	809	904	45	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5200B</a>	2	823	966	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5400B</a>	2	826	969	65	AM2	Desktop
<a href="#">AMD Athlon Dual Core 5600B</a>	2	737	1,003	65	AM2+	Desktop
<a href="#">AMD Athlon Gold 3150C</a>	2	3,292	1,706	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Athlon Gold 3150G</a>	4	7,093	2,263	65	AM4	Desktop
<a href="#">AMD Athlon Gold 3150U</a>	2	4,015	1,775	15	FP5	Laptop
<a href="#">AMD Athlon Gold PRO 3150G</a>	4	7,702	2,321	65	AM4	Desktop
<a href="#">AMD Athlon Gold PRO 3150GE</a>	4	7,006	2,165	35	AM4	Desktop
<a href="#">AMD Athlon Gold PRO 4150GE</a>	4	8,070	2,377	35	FP6	Laptop
<a href="#">AMD Athlon II 160u</a>	1	358	717	20	Unknown	Desktop
<a href="#">AMD Athlon II 170u</a>	1	340	719	20	AM2+,AM3	Desktop
<a href="#">AMD Athlon II Dual-Core M300</a>	2	658	769	35	Unknown	Unknown
<a href="#">AMD Athlon II Dual-Core M320</a>	2	726	837	35	Unknown	Unknown
<a href="#">AMD Athlon II Dual-Core M340</a>	2	676	774	35	Unknown	Unknown
<a href="#">AMD Athlon II N330 Dual-Core</a>	2	665	813	35	Unknown	Unknown
<a href="#">AMD Athlon II N350 Dual-Core</a>	2	767	945	35	Unknown	Unknown
<a href="#">AMD Athlon II N370 Dual-Core</a>	2	899	913	35	S1g4	Unknown
<a href="#">AMD Athlon II Neo K125</a>	1	302	613	12	S1	Laptop
<a href="#">AMD Athlon II Neo K145</a>	1	298	592	12	S1	Laptop
<a href="#">AMD Athlon II Neo K325 Dual-Core</a>	2	417	486	12	Unknown	Laptop
<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	2	527	552	12	Unknown	Laptop
<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	2	478	521	12	Unknown	Laptop
<a href="#">AMD Athlon II P320 Dual-Core</a>	2	690	819	25	Unknown	Unknown
<a href="#">AMD Athlon II P340 Dual-Core</a>	2	691	837	25	S1g4	Unknown
<a href="#">AMD Athlon II P360 Dual-Core</a>	2	707	874	25	S1g4	Unknown
<a href="#">AMD Athlon II X2 210e</a>	2	1,105	1,105	45	AM3	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Athlon II X2 215</a>	2	952	1,030	65	AM3	Desktop
<a href="#">AMD Athlon II X2 220</a>	2	1,028	1,099	65	AM3	Desktop
<a href="#">AMD Athlon II X2 235e</a>	2	1,084	1,113	45	AM3	Desktop
<a href="#">AMD Athlon II X2 240</a>	2	980	1,054	65	AM3	Desktop
<a href="#">AMD Athlon II X2 240e</a>	2	1,002	1,100	45	AM3	Desktop
<a href="#">AMD Athlon II X2 245</a>	2	1,063	1,133	65	AM2+/AM3	Desktop
<a href="#">AMD Athlon II X2 245e</a>	2	1,131	1,169	45	AM3	Desktop
<a href="#">AMD Athlon II X2 250</a>	2	1,112	1,164	65	AM3	Desktop
<a href="#">AMD Athlon II X2 250e</a>	2	1,155	1,201	45	AM3	Desktop
<a href="#">AMD Athlon II X2 250u</a>	2	592	632	25	AM3	Desktop
<a href="#">AMD Athlon II X2 255</a>	2	1,162	1,243	65	AM3	Desktop
<a href="#">AMD Athlon II X2 260</a>	2	1,114	1,235	65	AM3	Desktop
<a href="#">AMD Athlon II X2 260u</a>	2	663	703	25	AM3	Desktop
<a href="#">AMD Athlon II X2 265</a>	2	1,265	1,352	65	AM3	Desktop
<a href="#">AMD Athlon II X2 270</a>	2	1,257	1,348	65	AM3	Desktop
<a href="#">AMD Athlon II X2 270u</a>	2	675	791	25	AM3	Desktop
<a href="#">AMD Athlon II X2 280</a>	2	1,355	1,462	65	AM3	Unknown
<a href="#">AMD Athlon II X2 4300e</a>	2	990	1,074	13	Unknown	Unknown
<a href="#">AMD Athlon II X2 4400e</a>	2	978	1,069	37	Unknown	Unknown
<a href="#">AMD Athlon II X2 4450e</a>	2	867	1,066	45	AM2	Desktop
<a href="#">AMD Athlon II X2 B22</a>	2	1,045	1,129	65	AM3	Desktop
<a href="#">AMD Athlon II X2 B24</a>	2	1,101	1,203	65	AM3	Desktop
<a href="#">AMD Athlon II X2 B26</a>	2	1,172	1,233	65	Unknown	Unknown
<a href="#">AMD Athlon II X2 B28</a>	2	1,257	1,359	65	AM3	Desktop
<a href="#">AMD Athlon II X3 400e</a>	3	1,320	908	45	AM3	Desktop
<a href="#">AMD Athlon II X3 405e</a>	3	1,331	973	45	AM3	Desktop
<a href="#">AMD Athlon II X3 415e</a>	3	1,441	1,028	45	AM3	Desktop
<a href="#">AMD Athlon II X3 420e</a>	3	1,557	1,058	45	AM3	Desktop
<a href="#">AMD Athlon II X3 425</a>	3	1,551	1,082	95	AM3	Desktop
<a href="#">AMD Athlon II X3 435</a>	3	1,672	1,189	95	AM3	Desktop
<a href="#">AMD Athlon II X3 440</a>	3	1,718	1,224	95	AM3	Desktop
<a href="#">AMD Athlon II X3 445</a>	3	1,797	1,271	95	AM3	Desktop
<a href="#">AMD Athlon II X3 450</a>	3	1,811	1,299	95	AM3	Desktop
<a href="#">AMD Athlon II X3 455</a>	3	1,860	1,342	95	AM3	Desktop
<a href="#">AMD Athlon II X3 460</a>	3	1,985	1,393	95	AM3	Desktop
<a href="#">AMD Athlon II X4 553</a>	4	2,418	1,204	NA	Unknown	Unknown
<a href="#">AMD Athlon II X4 555</a>	4	2,439	1,248	NA	Unknown	Unknown
<a href="#">AMD Athlon II X4 557</a>	4	2,567	1,345	160	AM3	Desktop
<a href="#">AMD Athlon II X4 559</a>	4	2,602	1,399	NA	Unknown	Unknown
<a href="#">AMD Athlon II X4 600e</a>	4	1,711	913	45	AM3	Desktop
<a href="#">AMD Athlon II X4 605e</a>	4	1,957	1,005	45	AM3	Desktop
<a href="#">AMD Athlon II X4 610e</a>	4	1,871	999	45	AM3	Desktop
<a href="#">AMD Athlon II X4 615e</a>	4	1,967	1,037	45	AM3	Desktop
<a href="#">AMD Athlon II X4 620</a>	4	1,940	1,054	95	AM3	Desktop
<a href="#">AMD Athlon II X4 630</a>	4	2,124	1,141	95	AM3	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Athlon II X4 631 Quad-Core</a>	4	2,136	1,120	100	FM1	Desktop
<a href="#">AMD Athlon II X4 635</a>	4	2,163	1,155	95	AM3	Desktop
<a href="#">AMD Athlon II X4 638 Quad-Core</a>	4	2,250	1,163	65	FM1	Desktop
<a href="#">AMD Athlon II X4 640</a>	4	2,208	1,207	95	AM3	Desktop
<a href="#">AMD Athlon II X4 641 Quad-Core</a>	4	2,258	1,203	100	FM1	Desktop
<a href="#">AMD Athlon II X4 645</a>	4	2,323	1,259	95	AM3	Desktop
<a href="#">AMD Athlon II X4 650</a>	4	2,453	1,326	95	Unknown	Unknown
<a href="#">AMD Athlon II X4 651 Quad-Core</a>	4	2,338	1,296	100	FM1	Unknown
<a href="#">AMD Athlon II X4 655</a>	4	2,078	1,473	95	AM2+ (940-pin)	Unknown
<a href="#">AMD Athlon L110</a>	1	197	223	13	Unknown	Unknown
<a href="#">AMD Athlon LE-1600</a>	1	412	430	45	AM2	Desktop
<a href="#">AMD Athlon LE-1620</a>	1	421	475	45	AM2	Desktop
<a href="#">AMD Athlon LE-1640</a>	1	430	489	45	AM2	Desktop
<a href="#">AMD Athlon LE-1660</a>	1	416	428	45	AM2	Desktop
<a href="#">AMD Athlon Neo MV-40</a>	1	270	464	15	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	2	456	566	22	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core L325</a>	2	476	527	18	Unknown	Unknown
<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	2	529	570	18	Unknown	Unknown
<a href="#">AMD Athlon PRO 200GE</a>	2	4,139	1,821	35	AM4	Desktop
<a href="#">AMD Athlon PRO 300GE</a>	2	4,432	1,913	35	AM4	Desktop
<a href="#">AMD Athlon PRO 3045B</a>	2	1,487	1,009	15	FP5	Laptop
<a href="#">AMD Athlon Silver 3050e</a>	2	3,010	1,472	6	Unknown	Laptop
<a href="#">AMD Athlon Silver 3050GE</a>	2	4,545	2,016	35	AM4	Laptop
<a href="#">AMD Athlon Silver 3050U</a>	2	2,997	1,702	15	FP5	Laptop
<a href="#">AMD Athlon Silver PRO 3125GE</a>	2	4,633	2,074	35	AM4	Desktop
<a href="#">AMD Athlon TF-20</a>	1	265	454	15	Unknown	Unknown
<a href="#">AMD Athlon TF-36</a>	1	338	349	25	Unknown	Unknown
<a href="#">AMD Athlon X2 215</a>	2	996	1,107	65	Unknown	Unknown
<a href="#">AMD Athlon X2 240</a>	2	921	1,017	65	Unknown	Unknown
<a href="#">AMD Athlon X2 240e</a>	2	1,015	1,092	45	Unknown	Unknown
<a href="#">AMD Athlon X2 250</a>	2	855	1,099	65	Unknown	Unknown
<a href="#">AMD Athlon X2 255</a>	2	938	1,095	65	AM2+/AM3	Unknown
<a href="#">AMD Athlon X2 280</a>	2	1,327	1,258	65	AM3	Unknown
<a href="#">AMD Athlon X2 340 Dual Core</a>	2	1,301	1,314	65	Unknown	Unknown
<a href="#">AMD Athlon X2 370K Dual Core</a>	1	1,504	1,514	65	Unknown	Unknown
<a href="#">AMD Athlon X2 450</a>	2	1,295	878	65	FM2+	Desktop
<a href="#">AMD Athlon X2 Dual Core 3250e</a>	2	357	458	22	Unknown	Unknown
<a href="#">AMD Athlon X2 Dual Core 6850e</a>	2	564	623	22	Unknown	Unknown
<a href="#">AMD Athlon X2 Dual Core BE-2300</a>	2	570	644	45	AM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

AMD Athlon X2 Dual Core BE-2350	2	591	705	45	AM2	Desktop
AMD Athlon X2 Dual Core BE-2400	2	674	749	18	FT1	Desktop
AMD Athlon X2 Dual Core L310	2	324	384	13	S1	Laptop
AMD Athlon X3 425	3	1,516	845	95	Unknown	Unknown
AMD Athlon X3 435	3	1,781	1,192	95	Unknown	Unknown
AMD Athlon X3 440	3	1,438	1,129	95	Unknown	Unknown
AMD Athlon X3 445	3	1,626	1,270	95	Unknown	Unknown
AMD Athlon X3 455	3	1,783	1,227	95	AM2+/AM3	Unknown
AMD Athlon X4 530	4	1,786	690	25	AM1	Desktop
AMD Athlon X4 620	4	1,810	1,033	95	Unknown	Unknown
AMD Athlon X4 640	4	2,115	1,224	95	Unknown	Unknown
AMD Athlon X4 730	2	2,113	767	65	FM2	Desktop
AMD Athlon X4 740 Quad Core	2	2,700	1,372	65	FM2	Desktop
AMD Athlon X4 750 Quad Core	4	2,459	1,487	65	FM2	Desktop
AMD Athlon X4 750K Quad Core	2	2,783	1,441	100	FM2	Unknown
AMD Athlon X4 760K Quad Core	2	2,927	1,520	100	FM2	Desktop
AMD Athlon X4 830	2	2,901	1,292	65	FM2+	Desktop
AMD Athlon X4 840	2	3,302	1,488	65	FM2+	Desktop
AMD Athlon X4 845	2	3,789	1,678	65	FM2+	Desktop
AMD Athlon X4 860K	2	3,415	1,524	95	FM2+	Desktop
AMD Athlon X4 870K	2	3,392	1,546	95	FM2+	Desktop
AMD Athlon X4 880K	2	3,663	1,632	95	FM2+	Desktop
AMD Athlon X4 950	4	3,558	1,635	65	AM4	Desktop
AMD Athlon XP 1500+	1	167	251	NA	Unknown	Unknown
AMD Athlon XP 1600+	1	174	265	NA	Unknown	Unknown
AMD Athlon XP 1700+	1	176	272	64	Socket A (462)	Desktop
AMD Athlon XP 1800+	1	195	301	66	Socket A	Desktop
AMD Athlon XP 1900+	1	203	312	NA	Unknown	Unknown
AMD Athlon XP 2000+	1	195	311	70	Socket A	Desktop
AMD Athlon XP 2100+	1	210	327	NA	Unknown	Unknown
AMD Athlon XP 2200+	1	214	335	NA	Unknown	Unknown
AMD Athlon XP 2400+	1	234	375	NA	Unknown	Unknown
AMD Athlon XP 2500+	1	231	353	NA	Unknown	Unknown
AMD Athlon XP 2600+	1	242	380	NA	Unknown	Unknown
AMD Athlon XP 2700+	1	256	398	NA	Unknown	Unknown
AMD Athlon XP 2800+	1	260	408	89	754	Unknown
AMD Athlon XP 2900+	1	276	410	NA	Unknown	Unknown
AMD Athlon XP 3000+	1	262	396	62	Socket A	Desktop
AMD Athlon XP 3100+	1	282	431	NA	Unknown	Unknown
AMD Athlon XP 3200+	1	281	430	62	AM2	Unknown
AMD Athlon XP1600+	1	183	272	NA	Unknown	Unknown
AMD Athlon XP2400+	1	243	390	NA	Unknown	Unknown
AMD Athlon64 X2 Dual Core 4600+	2	803	755	110	AM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD C-30</a>	1	178	375	9	FT1	Laptop
<a href="#">AMD C-50</a>	2	266	312	9	FT1	Laptop
<a href="#">AMD C-60</a>	2	290	354	9	Unknown	Unknown
<a href="#">AMD C-60 APU</a>	2	309	354	9	Unknown	Unknown
<a href="#">AMD C-70 APU</a>	2	314	368	9	Unknown	Unknown
<a href="#">AMD E-240</a>	1	192	406	18	FT1	Laptop
<a href="#">AMD E-300 APU</a>	2	341	393	18	FT1	Laptop
<a href="#">AMD E-350</a>	2	418	486	18	FT1	Desktop, Laptop
<a href="#">AMD E-350 APU</a>	2	423	490	18	FT1 BGA	Desktop, Laptop
<a href="#">AMD E-350D APU</a>	2	486	523	18	Unknown	Unknown
<a href="#">AMD E-450 APU</a>	2	429	496	18	FT1	Laptop
<a href="#">AMD E1 Micro-6200T APU</a>	2	600	498	3.95	FT3b	Laptop
<a href="#">AMD E1-1200 APU</a>	2	376	429	18	FT1	Laptop
<a href="#">AMD E1-1500 APU</a>	2	395	460	18	FT1	Laptop
<a href="#">AMD E1-2100 APU</a>	2	408	326	9	FT3	Laptop
<a href="#">AMD E1-2200 APU</a>	2	474	368	9	FT3	Laptop
<a href="#">AMD E1-2500 APU</a>	2	601	462	15	FT3	Laptop
<a href="#">AMD E1-6010 APU</a>	2	539	425	10	FT3b	Laptop
<a href="#">AMD E1-6015 APU</a>	2	570	449	NA	BGA769 (FT3b)	Laptop
<a href="#">AMD E1-6050J APU</a>	2	1,385	787	10	Unknown	Unknown
<a href="#">AMD E1-7010 APU</a>	2	584	495	10	BGA769 (FT3b)	Laptop
<a href="#">AMD E2-1800 APU</a>	2	444	525	18	FT1	Desktop
<a href="#">AMD E2-2000 APU</a>	2	492	532	18	BGA413,FT1	Laptop
<a href="#">AMD E2-3000 APU</a>	2	726	547	15	FT3	Laptop
<a href="#">AMD E2-3000M APU</a>	2	674	736	35	FS1	Laptop
<a href="#">AMD E2-3200 APU</a>	2	953	964	65	FM1	Desktop
<a href="#">AMD E2-3800 APU</a>	4	1,108	429	15	FT3	Laptop
<a href="#">AMD E2-6110 APU</a>	4	1,094	473	15	AM1,FT3b	Laptop
<a href="#">AMD E2-7015</a>	2	572	472	NA	Unknown	Laptop
<a href="#">AMD E2-7015 APU</a>	2	672	510	NA	Unknown	Laptop
<a href="#">AMD E2-7110 APU</a>	4	1,521	614	15	FP4 BGA	Laptop
<a href="#">AMD E2-9000</a>	2	926	787	10	Unknown	Laptop
<a href="#">AMD E2-9000e</a>	2	866	741	6	Unknown	Laptop
<a href="#">AMD E2-9010</a>	2	991	871	15	FP4	Laptop
<a href="#">AMD E2-9030</a>	2	983	860	NA	BGA (FT4)	Desktop
<a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a>	2	1,044	848	10	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a>	2	1,271	1,119	15	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a>	4	1,554	820	16.1	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-216GD</a>	2	1,628	1,313	15	BGA (FP4)	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	4	3,426	1,467	35	FP4	Laptop, Mobile/Embedded
<a href="#">AMD Embedded R-Series RX-421BD</a>	4	3,302	1,477	35	BGA (FP4)	Laptop, Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Embedded R-Series RX-421ND</a>	4	3,575	1,536	35	FP4	Mobile/Embedded
<a href="#">AMD EPYC 3101 4-Core</a>	4	6,050	1,787	NA	Unknown	Unknown
<a href="#">AMD EPYC 3151 4-Core</a>	4	7,660	1,790	NA	Unknown	Unknown
<a href="#">AMD EPYC 3201</a>	8	8,545	1,500	30	SP4r2	Server
<a href="#">AMD EPYC 3251</a>	8	13,993	1,875	50	SP4r2	Server
<a href="#">AMD EPYC 7232P</a>	8	17,017	1,549	120	SP3	Server
<a href="#">AMD EPYC 7251</a>	8	14,935	1,671	120	SP3	Server
<a href="#">AMD EPYC 7252</a>	8	19,616	2,028	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7252</a>	8	34,833	2,093	120	SP3	Server
<a href="#">AMD EPYC 7262</a>	8	20,827	2,026	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7262</a>	8	34,227	2,023	155	SP3	Server
<a href="#">AMD EPYC 7272</a>	12	26,446	2,013	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7272</a>	12	44,270	2,019	120	SP3	Server
<a href="#">AMD EPYC 7281</a>	16	21,981	1,636	155	SP3	Server
<a href="#">AMD EPYC 7282</a>	16	29,489	1,840	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7282</a>	16	51,676	1,985	120	SP3	Server
<a href="#">AMD EPYC 72F3</a>	8	27,252	3,070	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 72F3</a>	8	49,204	3,023	180	SP3	Server
<a href="#">AMD EPYC 7301</a>	16	14,991	1,363	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7301</a>	16	34,148	1,654	155	SP3	Server
<a href="#">AMD EPYC 7302</a>	16	34,074	2,068	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7302</a>	16	50,204	1,850	155	SP3	Server
<a href="#">AMD EPYC 7302P</a>	16	32,543	1,846	155	SP3	Server
<a href="#">AMD EPYC 7313</a>	16	41,060	2,644	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7313</a>	16	66,230	2,746	155	SP3	Server
<a href="#">AMD EPYC 7313P</a>	16	42,057	2,736	155	SP3	Server
<a href="#">AMD EPYC 7343</a>	16	44,930	2,692	190	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7343</a>	16	75,422	2,920	190	SP3	Server
<a href="#">AMD EPYC 7351</a>	16	23,566	1,821	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7351</a>	16	25,431	1,747	155	SP3	Server
<a href="#">AMD EPYC 7351P</a>	16	25,484	1,809	155	SP3	Server
<a href="#">AMD EPYC 7352</a>	24	39,999	1,932	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7352</a>	24	66,239	2,051	155	SP3	Server
<a href="#">AMD EPYC 7371</a>	16	31,094	2,377	NA	SP3	Server
<a href="#">AMD EPYC 73F3</a>	16	46,085	2,878	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 73F3</a>	16	65,909	2,671	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7401</a>	24	55,280	1,850	155	SP3	Server
<a href="#">AMD EPYC 7401P</a>	24	28,282	1,698	155	SP3	Server
<a href="#">AMD EPYC 7402</a>	24	47,668	2,092	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7402</a>	24	61,886	1,873	180	SP3	Server
<a href="#">AMD EPYC 7402P</a>	24	42,019	1,980	180	SP3	Server
<a href="#">AMD EPYC 7413</a>	24	50,223	2,365	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7413</a>	24	74,417	2,201	180	SP3	Server
<a href="#">AMD EPYC 7443</a>	24	51,764	2,987	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7443</a>	24	87,675	2,979	200	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD EPYC 7443P</a>	24	57,613	2,953	200	SP3	Server
<a href="#">AMD EPYC 7451</a>	24	20,471	1,975	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7451</a>	24	58,534	1,945	180	SP3	Server
<a href="#">AMD EPYC 7452</a>	32	41,871	1,689	155	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7452</a>	32	78,639	2,186	155	SP3	Server
<a href="#">AMD EPYC 7453</a>	28	50,209	2,581	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7453</a>	28	79,338	2,345	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7473X</a>	24	83,530	2,290	240	SP3	Server
<a href="#">AMD EPYC 74F3</a>	24	60,587	2,939	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 74F3</a>	24	95,545	2,983	240	SP3	Server
<a href="#">AMD EPYC 7501</a>	32	24,925	1,925	155	SP3	Server
<a href="#">AMD EPYC 7502</a>	32	49,178	1,843	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7502</a>	32	80,226	2,188	180	SP3	Server
<a href="#">AMD EPYC 7502P</a>	32	49,191	1,907	180	SP3	Server
<a href="#">AMD EPYC 7513</a>	32	59,988	2,467	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7513</a>	32	96,107	2,731	200	SP3	Server
<a href="#">AMD EPYC 7532</a>	32	55,483	2,144	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7532</a>	32	82,917	2,160	200	SP3	Server
<a href="#">AMD EPYC 7542</a>	32	56,728	2,207	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7542</a>	32	73,993	2,049	225	SP3	Server
<a href="#">AMD EPYC 7543</a>	32	56,562	2,563	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7543</a>	32	101,710	2,767	240	SP3	Server
<a href="#">AMD EPYC 7543P</a>	32	67,081	2,738	225	SP3	Server
<a href="#">AMD EPYC 7551</a>	32	22,005	1,736	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7551</a>	32	55,708	1,696	180	SP3	Server
<a href="#">AMD EPYC 7551P</a>	32	41,150	1,864	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7552</a>	48	72,235	1,527	200	SP3	Server
<a href="#">AMD EPYC 7571</a>	32	27,445	1,934	120	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7573X</a>	32	103,531	2,650	280	SP3	Server
<a href="#">AMD EPYC 75F3</a>	32	68,505	2,775	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 75F3</a>	32	99,758	2,616	280	SP3	Server
<a href="#">AMD EPYC 7601</a>	32	42,244	1,941	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7601</a>	32	56,414	1,841	180	SP3	Server
<a href="#">AMD EPYC 7642</a>	48	60,115	2,129	225	SP3	Server
<a href="#">AMD EPYC 7643</a>	48	76,455	2,695	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7643</a>	48	115,676	2,689	225	SP3	Server
<a href="#">AMD EPYC 7662</a>	64	73,143	2,100	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7662</a>	64	97,178	2,089	225	SP3	Server
<a href="#">AMD EPYC 7702</a>	64	70,628	2,069	200	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7702</a>	64	93,706	2,091	200	SP3	Server
<a href="#">AMD EPYC 7702P</a>	64	62,007	2,104	200	SP3	Server
<a href="#">AMD EPYC 7713</a>	64	85,521	2,718	225	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7713</a>	64	112,602	2,475	225	SP3	Server
<a href="#">AMD EPYC 7713P</a>	64	83,439	2,742	225	SP3	Server
<a href="#">AMD EPYC 7742</a>	64	65,629	2,152	225	SP3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Dual CPU] AMD EPYC 7742</a>	64	99,760	2,143	225	SP3	Server
<a href="#">AMD EPYC 7763</a>	64	85,944	2,576	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7763</a>	64	118,612	2,532	280	SP3	Server
<a href="#">AMD EPYC 7773X</a>	64	90,731	2,513	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7773X</a>	64	106,234	2,280	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7B12</a>	64	103,462	2,150	240	SP3	Server
<a href="#">AMD EPYC 7B13</a>	60	77,460	2,564	NA	Unknown	Server
<a href="#">AMD EPYC 7D12</a>	32	35,853	1,760	85	Unknown	Server
<a href="#">AMD EPYC 7F32</a>	8	23,311	2,443	180	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7F32</a>	8	41,230	2,429	180	SP3	Server
<a href="#">AMD EPYC 7F52</a>	16	41,023	2,444	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7F52</a>	16	65,659	2,407	240	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7H12</a>	64	97,449	2,014	280	SP3	Server
<a href="#">AMD EPYC 7J13</a>	64	85,661	2,449	NA	Unknown	Server
<a href="#">[Dual CPU] AMD EPYC 7J13</a>	64	119,134	2,594	NA	Unknown	Server
<a href="#">AMD EPYC 7K62</a>	48	40,487	2,121	NA	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7K62</a>	48	92,462	2,137	NA	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7K83</a>	64	102,053	2,458	NA	Unknown	Server
<a href="#">AMD EPYC 7R32</a>	48	64,727	1,922	NA	Unknown	Server
<a href="#">[Dual CPU] AMD EPYC 7R32</a>	48	74,520	1,918	NA	Unknown	Server
<a href="#">AMD EPYC 7T83</a>	64	74,892	2,259	280	SP3	Server
<a href="#">[Dual CPU] AMD EPYC 7T83</a>	64	114,203	2,521	280	SP3	Server
<a href="#">AMD EPYC 7V13</a>	64	82,878	2,729	240	SP3	Server
<a href="#">AMD EPYC 9354P</a>	32	79,341	2,989	280	SP5	Server
<a href="#">AMD EPYC 9654</a>	96	124,119	2,893	360	Unknown	Server
<a href="#">[Dual CPU] AMD EPYC 9654</a>	96	158,404	2,894	360	Unknown	Server
<a href="#">AMD EPYC Embedded 7292P</a>	16	30,542	2,091	NA	Unknown	Server
<a href="#">AMD FirePro A320 APU</a>	4	2,153	1,193	100	FM2	Desktop
<a href="#">AMD FX-4100 Quad-Core</a>	2	2,578	1,280	95	AM3+	Desktop
<a href="#">AMD FX-4130 Quad-Core</a>	2	2,643	1,321	125	AM3+	Desktop
<a href="#">AMD FX-4150 Quad-Core</a>	4	3,327	1,465	125	AM3+	Desktop
<a href="#">AMD FX-4170 Quad-Core</a>	2	3,064	1,456	125	AM3+	Desktop
<a href="#">AMD FX-4200 Quad-Core</a>	4	3,109	1,301	125	AM3+	Desktop
<a href="#">AMD FX-4300 Quad-Core</a>	2	2,971	1,489	95	AM3+	Desktop
<a href="#">AMD FX-4320</a>	2	3,043	1,545	95	AM3+	Desktop
<a href="#">AMD FX-4330</a>	2	3,225	1,565	95	AM3+	Desktop
<a href="#">AMD FX-4350 Quad-Core</a>	2	3,259	1,601	125	AM3+	Desktop
<a href="#">AMD FX-6100 Six-Core</a>	3	3,685	1,321	95	AM3+	Desktop
<a href="#">AMD FX-6120 Six-Core</a>	3	3,857	1,420	95	AM3+	Desktop
<a href="#">AMD FX-6130 Six-Core</a>	3	4,353	1,390	125	AM3+	Desktop
<a href="#">AMD FX-6200 Six-Core</a>	3	4,088	1,399	125	AM3+	Desktop
<a href="#">AMD FX-6300 Six-Core</a>	3	4,184	1,487	95	AM3+	Desktop
<a href="#">AMD FX-6330 Six-Core</a>	3	4,190	1,500	95	AM3+	Desktop
<a href="#">AMD FX-6350 Six-Core</a>	3	4,511	1,551	125	AM3+	Desktop
<a href="#">AMD FX-670K Quad-Core</a>	2	2,980	1,578	65	FM2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD FX-7500 APU</a>	4	1,901	936	19	FP3	Laptop
<a href="#">AMD FX-7600P</a>	4	2,611	1,265	35	FP3	Laptop
<a href="#">AMD FX-7600P APU</a>	4	2,856	1,436	35	FP3	Laptop
<a href="#">AMD FX-770K Quad-Core</a>	2	2,874	1,442	65	FM2+	Desktop
<a href="#">AMD FX-8100 Eight-Core</a>	4	4,037	1,120	95	AM3+	Desktop
<a href="#">AMD FX-8120 Eight-Core</a>	4	4,657	1,334	125	AM3+	Desktop
<a href="#">AMD FX-8140 Eight-Core</a>	4	4,860	1,273	95	AM3+	Desktop
<a href="#">AMD FX-8150 Eight-Core</a>	4	5,227	1,427	125	AM3+	Desktop
<a href="#">AMD FX-8300 Eight-Core</a>	4	5,285	1,491	95	AM3+	Desktop
<a href="#">AMD FX-8310 Eight-Core</a>	4	5,165	1,416	95	AM3+	Desktop
<a href="#">AMD FX-8320 Eight-Core</a>	4	5,420	1,471	125	AM3+	Desktop
<a href="#">AMD FX-8320E Eight-Core</a>	4	5,064	1,427	95	AM3+	Desktop
<a href="#">AMD FX-8350 Eight-Core</a>	4	6,025	1,580	125	AM3+	Desktop
<a href="#">AMD FX-8370 Eight-Core</a>	4	6,178	1,632	125	AM3+	Desktop
<a href="#">AMD FX-8370E Eight-Core</a>	4	5,273	1,438	95	AM3+	Desktop
<a href="#">AMD FX-870K Quad Core</a>	2	3,199	1,420	NA	Unknown	Unknown
<a href="#">AMD FX-8800P</a>	2	2,813	1,374	35	FP4	Laptop
<a href="#">AMD FX-9370 Eight-Core</a>	4	6,043	1,686	220	AM3+	Desktop
<a href="#">AMD FX-9590 Eight-Core</a>	4	6,763	1,815	220	AM3+	Desktop
<a href="#">AMD FX-9800P</a>	4	2,434	1,196	15	Unknown	Laptop
<a href="#">AMD FX-9830P</a>	4	3,314	1,580	35	FP4	Laptop
<a href="#">AMD FX-B4150 Quad-Core</a>	2	3,369	1,425	95	AM3+	Desktop
<a href="#">AMD G-T40E</a>	2	289	313	6.4	FT1	Laptop
<a href="#">AMD G-T40N</a>	2	299	323	9	FT1	Laptop
<a href="#">AMD G-T40R</a>	1	120	327	5.5	FT1	Laptop
<a href="#">AMD G-T44R</a>	1	130	328	9	FT1	Laptop
<a href="#">AMD G-T48E</a>	2	432	459	18	FT1	Laptop
<a href="#">AMD G-T52R</a>	1	177	381	18	FT1	Laptop
<a href="#">AMD G-T56E</a>	2	442	522	18	FT1	Laptop
<a href="#">AMD G-T56N</a>	2	485	527	18	FT1	Laptop
<a href="#">AMD Geode NX 2400+</a>	1	400	634	NA	Unknown	Unknown
<a href="#">AMD GX-210JA SOC</a>	2	248	231	6	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-212JC SOC</a>	2	629	448	6	FT3b	Laptop
<a href="#">AMD GX-217GA SOC</a>	2	773	561	15	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-218GL SOC</a>	2	754	627	15	BGA769 (FT3b)	Laptop
<a href="#">AMD GX-222GC SOC</a>	2	1,042	788	15	BGA769 (FT3b)	Laptop, Mobile/Embedded
<a href="#">AMD GX-412HC</a>	4	1,065	412	7	FT3b	Laptop
<a href="#">AMD GX-412TC SOC</a>	4	645	266	6	FT3b	Mobile/Embedded
<a href="#">AMD GX-415GA SOC</a>	4	1,395	518	15	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-416RA SOC</a>	4	1,604	561	NA	FT3	Mobile/Embedded
<a href="#">AMD GX-420CA SOC</a>	4	1,787	674	25	FT3 (769-BGA)	Laptop
<a href="#">AMD GX-420MC SOC</a>	4	1,796	695	17.5	FTB3b	Laptop
<a href="#">AMD GX-424CC SOC</a>	4	1,761	805	25	FT3b	Laptop
<a href="#">AMD Opteron 1212</a>	2	593	729	103	AM2	Server
<a href="#">AMD Opteron 1212 HE</a>	2	771	731	65	AM2	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

AMD Opteron 1214	2	696	830	103	AM2	Server
AMD Opteron 1214 HE	2	806	811	65	AM2	Server
AMD Opteron 1216	2	781	810	103	AM2	Server
AMD Opteron 1216 HE	2	727	847	65	AM2	Server
AMD Opteron 1218	2	910	962	103	AM2	Server
AMD Opteron 1218 HE	2	979	940	65	AM2	Server
AMD Opteron 1220	2	1,036	1,077	103	AM2	Server
AMD Opteron 1222	2	1,089	1,128	103	AM2	Server
AMD Opteron 1352	4	1,547	857	75	AM2	Server
AMD Opteron 1354	4	1,620	864	75	AM2	Server
AMD Opteron 1356	4	1,703	918	75	AM2	Server
AMD Opteron 1381	4	1,797	1,011	75	AM3	Server
AMD Opteron 1385	4	1,898	1,035	115	AM2+,AM3	Server
AMD Opteron 1389	4	2,079	1,102	75	AM2	Server
AMD Opteron 144	1	316	376	67	939	Server
AMD Opteron 146	1	346	400	67	939	Server
AMD Opteron 148	1	392	443	85.3	939	Server
AMD Opteron 150	1	393	471	85.3	939	Server
AMD Opteron 152	1	428	487	104	939	Server
AMD Opteron 154	1	457	534	104	939	Server
AMD Opteron 165	2	531	638	110	939	Server
AMD Opteron 170	2	648	715	110	939	Server
AMD Opteron 175	2	682	773	110	939	Server
AMD Opteron 180	2	746	874	110	939	Server
AMD Opteron 185	2	695	884	110	939	Server
AMD Opteron 2218	2	1,036	491	95	F (1207)	Server
[Dual CPU] AMD Opteron 2218	2	1,994	964	95	F (1207)	Server
AMD Opteron 2220	2	1,106	553	95	F (1207)	Server
[Dual CPU] AMD Opteron 2220	2	1,533	1,013	95	F (1207)	Server
AMD Opteron 2220 SE	2	909	519	119	F (1207)	Server
AMD Opteron 2222	2	1,198	618	95	F (1207)	Server
[Dual CPU] AMD Opteron 2222	2	2,123	1,084	95	F (1207)	Server
AMD Opteron 2354	4	1,509	857	115	F (1207)	Server
[Dual CPU] AMD Opteron 2354	4	3,242	899	115	F (1207)	Server
AMD Opteron 2356	4	1,733	849	75	F (1207)	Server
[Dual CPU] AMD Opteron 2356	4	3,009	894	75	F (1207)	Server
AMD Opteron 2373 EE	4	1,635	814	60	F (1207)	Server
[Dual CPU] AMD Opteron 2373 EE	4	3,415	847	60	F (1207)	Server
[Dual CPU] AMD Opteron 2374 HE	4	3,667	915	55	F (1207)	Server
AMD Opteron 2378	4	1,864	936	75	F (1207)	Server
[Dual CPU] AMD Opteron 2382	4	4,516	1,157	115	F (1207)	Server
AMD Opteron 2384	4	2,074	1,074	75	F (1207)	Server
[Dual CPU] AMD Opteron 2387	4	4,105	1,107	75	F (1207)	Server
AMD Opteron 2393 SE	2	1,317	1,237	105	F (1207)	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

AMD Opteron 2419 EE	6	1,902	396	60	F (1207)	Server
AMD Opteron 2427	6	1,995	386	75	F (1207)	Server
[Dual CPU] AMD Opteron 2427	6	4,499	906	75	F (1207)	Server
AMD Opteron 2431	6	2,936	570	75	F (1207)	Server
AMD Opteron 2435	6	3,061	593	75	F (1207)	Server
[Dual CPU] AMD Opteron 2435	6	5,260	1,122	75	F (1207)	Server
AMD Opteron 254	1	451	578	68	940	Server
AMD Opteron 270	2	736	587	95	940	Server
AMD Opteron 275	2	839	445	95	940	Server
AMD Opteron 280	2	765	430	95	940	Server
AMD Opteron 285	2	956	509	95	940	Server
[Dual CPU] AMD Opteron 285	2	1,441	989	95	940	Server
AMD Opteron 290	2	952	570	95	940	Server
[Dual CPU] AMD Opteron 290	2	1,430	1,046	95	940	Server
AMD Opteron 3250 HE	2	2,061	1,003	45	AM3+	Server
AMD Opteron 3260 HE	2	2,283	900	45	AM3+	Server
AMD Opteron 3280	8	3,723	1,036	65	AM3+	Server
AMD Opteron 3320 EE	2	1,918	838	25	AM3+	Server
AMD Opteron 3350 HE	4	2,825	1,362	45	Unknown	Server
AMD Opteron 3365	4	4,005	1,101	65	AM3+	Server
AMD Opteron 3380	8	4,134	1,107	65	Unknown	Server
AMD Opteron 4130	4	2,347	1,149	95	F (1207)	Server
[Dual CPU] AMD Opteron 4130	4	4,200	1,086	95	F (1207)	Server
AMD Opteron 4162 EE	6	2,058	382	35	F (1207)	Server
AMD Opteron 4170 HE	6	2,382	476	65	C32	Server
AMD Opteron 4184	6	2,872	630	95	C32	Server
AMD Opteron 4226	3	3,400	1,157	95	Socket C32	Server
AMD Opteron 4274 HE	4	5,776	1,060	65	C32	Server
AMD Opteron 4280	4	4,504	1,141	95	Socket C32	Server
AMD Opteron 4284	4	4,665	1,181	95	Socket C32	Server
[Dual CPU] AMD Opteron 4284	4	8,560	1,369	95	Socket C32	Server
AMD Opteron 4332 HE	6	3,906	1,413	65	Socket C32	Server
AMD Opteron 4334	3	3,949	1,269	95	Socket C32	Server
AMD Opteron 4365 EE	4	3,485	958	40	Socket C32	Server
AMD Opteron 4386	4	4,378	1,012	95	C32	Server
[Dual CPU] AMD Opteron 4386	4	9,304	1,319	95	C32	Server
AMD Opteron 6128	8	2,826	447	115	G34	Server
[Dual CPU] AMD Opteron 6128	8	6,307	866	115	G34	Server
AMD Opteron 6128 HE	8	2,932	823	85	Socket G34	Server
[Dual CPU] AMD Opteron 6128 HE	8	6,339	883	85	Socket G34	Server
[Dual CPU] AMD Opteron 6134	8	6,053	898	115	G34	Server
AMD Opteron 6136	8	3,381	549	115	Socket G34	Server
[Dual CPU] AMD Opteron 6136	8	7,964	1,059	115	Socket G34	Server
AMD Opteron 6164 HE	12	3,478	399	85	Socket G34	Server
AMD Opteron 6172	12	2,615	564	115	G34	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Opteron 6174</a>	12	3,697	488	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6174</a>	12	12,607	939	115	Socket G34	Server
<a href="#">AMD Opteron 6176 SE</a>	12	3,564	507	140	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6176 SE</a>	12	7,818	963	140	G34	Server
<a href="#">AMD Opteron 6212</a>	4	4,007	1,085	115	Socket G34	Server
<a href="#">AMD Opteron 6220</a>	4	4,753	1,203	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6220</a>	4	7,951	1,235	115	Socket G34	Server
<a href="#">AMD Opteron 6234</a>	6	4,072	547	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6234</a>	6	8,644	887	115	G34	Server
<a href="#">AMD Opteron 6238</a>	6	5,625	1,157	115	Socket G34	Server
<a href="#">AMD Opteron 6272</a>	8	5,240	753	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6272</a>	8	9,328	1,061	115	G34	Server
<a href="#">AMD Opteron 6274</a>	8	5,286	849	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6274</a>	8	10,313	974	115	G34	Server
<a href="#">AMD Opteron 6276</a>	8	6,245	1,005	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6276</a>	8	10,763	969	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6276</a>	8	9,817	1,031	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6278</a>	16	13,733	1,007	115	Unknown	Server
<a href="#">AMD Opteron 6281</a>	8	7,279	1,129	NA	Socket G34	Server
<a href="#">AMD Opteron 6282 SE</a>	16	6,385	953	140	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6282 SE</a>	16	7,130	517	140	Unknown	Server
<a href="#">AMD Opteron 6287 SE</a>	16	6,925	1,091	NA	G34	Server
<a href="#">AMD Opteron 6328</a>	4	5,306	1,419	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6328</a>	4	10,076	1,252	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6328</a>	4	9,926	1,467	115	G34	Server
<a href="#">AMD Opteron 6344</a>	6	6,069	1,231	115	Unknown	Server
<a href="#">AMD Opteron 6348</a>	6	8,030	1,302	115	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6348</a>	6	13,072	1,293	115	Unknown	Server
<a href="#">AMD Opteron 6366 HE</a>	8	5,613	1,003	85	Unknown	Server
<a href="#">[Dual CPU] AMD Opteron 6366 HE</a>	8	10,265	1,167	85	Unknown	Server
<a href="#">AMD Opteron 6376</a>	8	5,572	1,165	115	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 6376</a>	8	19,717	1,138	115	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6376</a>	8	10,978	1,049	115	Socket G34	Server
<a href="#">AMD Opteron 6378</a>	8	5,889	1,127	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6378</a>	8	13,236	1,065	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6378</a>	8	11,468	923	115	G34	Server
<a href="#">AMD Opteron 6380</a>	8	6,738	1,091	115	G34	Server
<a href="#">[Quad CPU] AMD Opteron 6380</a>	8	14,622	1,334	115	G34	Server
<a href="#">[Dual CPU] AMD Opteron 6380</a>	8	12,061	1,133	115	G34	Server
<a href="#">AMD Opteron 6386 SE</a>	16	8,320	1,340	140	Socket G34	Server
<a href="#">[Dual CPU] AMD Opteron 6386 SE</a>	16	12,165	1,284	140	Socket G34	Server
<a href="#">[Quad CPU] AMD Opteron 8356</a>	4	5,397	929	75	F (1207)	Server
<a href="#">[Quad CPU] AMD Opteron 8378</a>	4	7,788	1,056	115	F (1207)	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Opteron 8439 SE</a>	6	2,479	590	105	F (1207)	Server
<a href="#">[Dual CPU] AMD Opteron 8439 SE</a>	6	6,340	1,204	105	F (1207)	Server
<a href="#">[Quad CPU] AMD Opteron 885</a>	2	2,696	NA	95	949	Server
<a href="#">AMD Opteron X2170 APU</a>	4	1,911	832	25	FT3	Server
<a href="#">AMD Opteron X3216 APU</a>	2	1,447	1,251	15	Unknown	Server
<a href="#">AMD Opteron X3418 APU</a>	4	3,043	1,427	25	Unknown	Server
<a href="#">AMD Opteron X3421 APU</a>	4	3,375	1,497	35	Unknown	Server
<a href="#">AMD Phenom 8250 Triple-Core</a>	3	1,114	752	65	Unknown	Desktop
<a href="#">AMD Phenom 8250e Triple-Core</a>	3	1,084	729	65	940	Desktop
<a href="#">AMD Phenom 8400 Triple-Core</a>	3	1,147	810	95	AM2+	Desktop
<a href="#">AMD Phenom 8450 Triple-Core</a>	3	1,225	833	95	AM2+	Desktop
<a href="#">AMD Phenom 8450e Triple-Core</a>	3	1,225	811	65	AM2+	Desktop
<a href="#">AMD Phenom 8600 Triple-Core</a>	3	1,210	898	95	AM2+	Desktop
<a href="#">AMD Phenom 8600B Triple-Core</a>	3	1,447	976	95	AM2+	Desktop
<a href="#">AMD Phenom 8650 Triple-Core</a>	3	1,237	870	95	AM2+	Desktop
<a href="#">AMD Phenom 8750 Triple-Core</a>	3	1,343	974	95	AM2+	Desktop
<a href="#">AMD Phenom 8750B Triple-Core</a>	3	1,188	901	95	AM2+	Desktop
<a href="#">AMD Phenom 8850 Triple-Core</a>	3	1,142	982	95	AM2+	Desktop
<a href="#">AMD Phenom 8850B Triple-Core</a>	3	1,281	972	95	Unknown	Desktop
<a href="#">AMD Phenom 9100e Quad-Core</a>	4	1,279	734	65	AM2+	Desktop
<a href="#">AMD Phenom 9150e Quad-Core</a>	4	1,414	721	65	AM2+	Desktop
<a href="#">AMD Phenom 9350e Quad-Core</a>	4	1,501	792	65	AM2+	Desktop
<a href="#">AMD Phenom 9450e Quad-Core</a>	4	1,455	841	65	AM2+	Desktop
<a href="#">AMD Phenom 9500 Quad-Core</a>	4	1,549	861	95	AM2+	Desktop
<a href="#">AMD Phenom 9550 Quad-Core</a>	4	1,618	846	95	AM2+	Desktop
<a href="#">AMD Phenom 9600 Quad-Core</a>	4	1,526	869	95	AM2+	Desktop
<a href="#">AMD Phenom 9600B Quad-Core</a>	4	1,764	926	95	AM2+	Desktop
<a href="#">AMD Phenom 9650 Quad-Core</a>	4	1,710	915	95	AM2+	Desktop
<a href="#">AMD Phenom 9750 Quad-Core</a>	4	1,830	945	125	AM2+	Desktop
<a href="#">AMD Phenom 9750B Quad-Core</a>	4	1,520	913	95	AM2+	Desktop
<a href="#">AMD Phenom 9850 Quad-Core</a>	4	1,673	925	125	AM2+	Desktop
<a href="#">AMD Phenom 9850B Quad-Core</a>	4	1,946	992	95	Unknown	Unknown
<a href="#">AMD Phenom 9950 Quad-Core</a>	4	1,884	1,027	125	AM2+	Desktop
<a href="#">AMD Phenom FX-5000 Quad-Core</a>	4	1,599	826	65	AM2+	Unknown
<a href="#">AMD Phenom FX-5200 Quad-Core</a>	4	1,699	919	65	AM3	Unknown
<a href="#">AMD Phenom II N620 Dual-Core</a>	2	1,014	1,088	35	S1	Laptop
<a href="#">AMD Phenom II N640 Dual-Core</a>	2	965	1,039	35	S1	Laptop
<a href="#">AMD Phenom II N660 Dual-Core</a>	2	1,068	1,106	35	S1	Laptop
<a href="#">AMD Phenom II N830 3+1</a>	4	1,768	935	35	S1	Laptop
<a href="#">AMD Phenom II N830 Triple-Core</a>	3	1,200	820	35	S1	Laptop
<a href="#">AMD Phenom II N850 Triple-Core</a>	3	1,253	882	35	S1	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

AMD Phenom II N870 Triple-Core	3	1,255	883	35	S1	Laptop
AMD Phenom II N930 Quad-Core	4	1,584	817	35	S1	Laptop
AMD Phenom II N950 Quad-Core	4	1,515	852	35	S1	Laptop
AMD Phenom II N970 Quad-Core	4	1,662	903	35	S1	Laptop
AMD Phenom II P650 Dual-Core	2	933	985	35	S1	Laptop
AMD Phenom II P820 Triple-Core	3	1,068	717	25	S1	Laptop
AMD Phenom II P840 Triple-Core	3	1,116	790	35	S1	Laptop
AMD Phenom II P860 Triple-Core	3	1,225	831	35	S1	Laptop
AMD Phenom II P920 Quad-Core	4	1,160	598	25	S1	Laptop
AMD Phenom II P940 Quad-Core	4	1,319	679	35	S1	Laptop
AMD Phenom II P960 Quad-Core	4	1,386	737	35	S1	Laptop
AMD Phenom II X2 511	2	1,265	1,295	65	AM2+/AM3	Unknown
AMD Phenom II X2 521	2	1,341	1,395	65	AM2+/AM3	Unknown
AMD Phenom II X2 545	2	1,151	1,117	80	AM2+/AM3	Desktop
AMD Phenom II X2 550	2	1,160	1,228	80	AM2+/AM3	Desktop
AMD Phenom II X2 555	2	1,300	1,296	80	AM2+/AM3	Desktop
AMD Phenom II X2 560	2	1,417	1,412	80	AM2+/AM3	Unknown
AMD Phenom II X2 565	2	1,368	1,373	80	AM2+/AM3	Desktop
AMD Phenom II X2 570	2	1,360	1,408	80	AM3	Desktop
AMD Phenom II X2 B53	2	1,137	1,161	80	AM3	Desktop
AMD Phenom II X2 B55	2	1,151	1,244	80	AM3	Desktop
AMD Phenom II X2 B57	2	1,099	1,231	80	Unknown	Unknown
AMD Phenom II X2 B59	2	1,431	1,395	80	AM2+/AM3	Unknown
AMD Phenom II X3 700e	3	1,451	961	65	AM3	Desktop
AMD Phenom II X3 705e	3	1,222	962	65	AM3	Desktop
AMD Phenom II X3 710	3	1,551	1,070	95	AM3	Desktop
AMD Phenom II X3 720	3	1,536	1,099	95	AM3	Desktop
AMD Phenom II X3 740	3	1,424	982	95	Unknown	Unknown
AMD Phenom II X3 B73	3	1,538	1,056	95	AM3	Desktop
AMD Phenom II X3 B75	3	1,560	1,161	95	AM3	Desktop
AMD Phenom II X3 B77	3	1,844	1,310	95	AM2+/AM3	Unknown
AMD Phenom II X4 805	4	1,931	1,013	95	AM3	Desktop
AMD Phenom II X4 810	4	1,914	1,025	95	AM3	Desktop
AMD Phenom II X4 820	4	2,065	1,116	95	AM3	Desktop
AMD Phenom II X4 830	4	2,082	1,097	95	AM2+/AM3	Unknown
AMD Phenom II X4 840	4	2,373	1,314	95	AM2+/AM3	Desktop
AMD Phenom II X4 840T	4	2,305	1,282	95	AM2+/AM3	Unknown
AMD Phenom II X4 850	4	2,307	1,194	95	AM2+/AM3	Unknown
AMD Phenom II X4 900e	4	1,505	917	65	AM3	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Phenom II X4 905e</a>	4	1,955	1,032	65	AM3	Desktop
<a href="#">AMD Phenom II X4 910</a>	4	1,776	988	95	AM3	Desktop
<a href="#">AMD Phenom II X4 910e</a>	4	2,072	1,079	65	AM3	Desktop
<a href="#">AMD Phenom II X4 920</a>	4	2,031	1,096	125	AM2+	Desktop
<a href="#">AMD Phenom II X4 925</a>	4	2,232	1,146	95	AM3	Desktop
<a href="#">AMD Phenom II X4 940</a>	4	2,285	1,211	125	AM2+	Desktop
<a href="#">AMD Phenom II X4 945</a>	4	2,327	1,229	125	AM3	Desktop
<a href="#">AMD Phenom II X4 955</a>	4	2,477	1,301	125	AM3	Desktop
<a href="#">AMD Phenom II X4 960T</a>	4	2,307	1,315	95	AM3	Desktop
<a href="#">AMD Phenom II X4 965</a>	4	2,583	1,359	125	AM3	Desktop
<a href="#">AMD Phenom II X4 970</a>	4	2,649	1,412	125	AM3	Unknown
<a href="#">AMD Phenom II X4 973</a>	4	2,204	1,180	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 975</a>	4	2,433	1,327	125	AM3	Unknown
<a href="#">AMD Phenom II X4 977</a>	4	2,377	1,368	95	Unknown	Unknown
<a href="#">AMD Phenom II X4 980</a>	4	2,839	1,511	125	AM3	Unknown
<a href="#">AMD Phenom II X4 B05e</a>	4	1,906	974	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 B15e</a>	4	1,825	1,069	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B25</a>	4	2,108	1,040	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B35</a>	4	2,341	1,215	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B40</a>	4	2,238	1,231	NA	Unknown	Desktop
<a href="#">AMD Phenom II X4 B45</a>	4	2,233	1,235	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 B50</a>	4	2,336	1,273	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B55</a>	4	2,501	1,321	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B60</a>	4	2,546	1,336	NA	Unknown	Unknown
<a href="#">AMD Phenom II X4 B65</a>	4	2,690	1,370	NA	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B70</a>	4	2,303	1,209	65	AM2+ (938-pin)	Desktop
<a href="#">AMD Phenom II X4 B93</a>	4	2,136	1,140	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B95</a>	4	2,353	1,240	95	AM3	Desktop
<a href="#">AMD Phenom II X4 B97</a>	4	2,499	1,322	95	AM2+/AM3	Desktop
<a href="#">AMD Phenom II X4 B99</a>	4	2,536	1,377	95	Unknown	Unknown
<a href="#">AMD Phenom II X6 1035T</a>	6	2,949	1,226	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1045T</a>	6	3,072	1,281	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1055T</a>	6	3,259	1,322	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1065T</a>	6	3,370	1,360	95	AM3	Desktop
<a href="#">AMD Phenom II X6 1075T</a>	6	3,339	1,408	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1090T</a>	6	3,714	1,456	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1100T</a>	6	3,785	1,499	125	AM3	Desktop
<a href="#">AMD Phenom II X6 1405T</a>	6	3,335	1,247	95	AM2+,AM3	Desktop
<a href="#">AMD Phenom II X620 Dual-Core</a>	2	1,262	1,339	45	S1	Laptop
<a href="#">AMD Phenom II X640 Dual-Core</a>	2	1,165	1,142	45	S1	Unknown
<a href="#">AMD Phenom II X920 Quad-Core</a>	4	1,669	944	45	S1	Laptop
<a href="#">AMD Phenom II X940 Quad-Core</a>	4	1,797	785	45	S1	Laptop
<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	2	1,566	1,053	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Phenom X2 Dual-Core GE-6060</a>	2	1,722	1,160	NA	Unknown	Unknown
<a href="#">AMD Phenom X2 Dual-Core GE-7060</a>	2	1,010	1,332	NA	Unknown	Unknown
<a href="#">AMD Phenom X2 Dual-Core GP-7730</a>	2	884	1,047	NA	Unknown	Unknown
<a href="#">AMD Phenom X3 8550</a>	3	1,079	835	95	AM2/AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	4	1,297	711	95	AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9530</a>	4	1,228	417	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9600</a>	4	1,649	764	95	AM2+	Desktop
<a href="#">AMD Phenom X4 Quad-Core GP-9730</a>	4	1,784	957	NA	AM2+ (940-pin)	Desktop
<a href="#">AMD Phenom X4 Quad-Core GS-6560</a>	4	1,063	282	NA	Unknown	Unknown
<a href="#">AMD PRO A10-8700B</a>	2	2,306	1,161	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A10-8730B</a>	4	2,392	1,244	15	FP4	Laptop
<a href="#">AMD PRO A10-8750B</a>	2	2,911	1,308	65	FM2+	Desktop
<a href="#">AMD PRO A10-8770</a>	4	3,524	1,562	65	AM4	Desktop
<a href="#">AMD PRO A10-8770E</a>	4	3,104	1,482	35	AM4	Desktop
<a href="#">AMD PRO A10-8850B</a>	2	3,752	1,611	95	FM2+	Desktop
<a href="#">AMD PRO A10-9700</a>	2	3,664	1,665	65	AM4	Desktop
<a href="#">AMD PRO A10-9700B</a>	4	2,634	1,301	15	FP4	Laptop
<a href="#">AMD PRO A10-9700E</a>	2	2,966	1,384	35	AM4	Desktop
<a href="#">AMD PRO A12-8800B</a>	2	2,580	1,315	15	FP4	Laptop
<a href="#">AMD PRO A12-8830B</a>	4	2,297	1,224	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A12-8870</a>	4	3,887	1,770	65	AM4	Desktop
<a href="#">AMD PRO A12-8870E</a>	4	3,070	1,448	35	AM4	Desktop
<a href="#">AMD PRO A12-9800</a>	4	3,758	1,685	65	AM4	Desktop
<a href="#">AMD PRO A12-9800B</a>	4	2,741	1,402	15	FP4	Laptop
<a href="#">AMD PRO A12-9800E</a>	4	3,165	1,517	35	AM4	Desktop
<a href="#">AMD PRO A4-3350B APU</a>	4	1,784	795	15	FT3b	Laptop
<a href="#">AMD PRO A4-4350B</a>	2	1,109	936	15	FT4	Laptop
<a href="#">AMD PRO A4-8350B</a>	1	1,552	1,365	65	FM2+	Desktop
<a href="#">AMD PRO A6-7350B</a>	2	1,679	1,535	15	FMA4	Laptop
<a href="#">AMD PRO A6-8500B</a>	2	1,572	1,316	15	FP4	Laptop
<a href="#">AMD PRO A6-8530B</a>	2	1,498	1,271	15	FP4	Laptop
<a href="#">AMD PRO A6-8550B</a>	1	1,885	1,623	65	FM2+	Desktop
<a href="#">AMD PRO A6-8570</a>	2	1,887	1,639	65	AM4	Desktop
<a href="#">AMD PRO A6-8570E</a>	2	1,559	1,264	35	Unknown	Desktop
<a href="#">AMD PRO A6-9500</a>	2	1,754	1,502	65	AM4	Desktop
<a href="#">AMD PRO A6-9500B</a>	2	1,371	1,235	15	FP4	Laptop
<a href="#">AMD PRO A6-9500E</a>	2	1,662	1,493	35	AM4	Desktop
<a href="#">AMD PRO A8-8600B</a>	4	2,150	1,080	15	BGA (FP4)	Laptop
<a href="#">AMD PRO A8-8650B</a>	4	3,221	1,488	65	FM2+	Desktop
<a href="#">AMD PRO A8-8670E</a>	4	2,989	1,382	35	AM4	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD PRO A8-9600</a>	2	3,285	1,498	65	AM4	Desktop
<a href="#">AMD PRO A8-9600B</a>	4	2,387	1,286	15	FP4	Laptop
<a href="#">AMD QC-4000</a>	4	1,155	449	15	FT3	Laptop
<a href="#">AMD R-260H APU</a>	2	954	902	17	BGA827 (FP2)	Laptop
<a href="#">AMD R-272F APU</a>	2	1,215	1,087	35	FS1	Desktop, Laptop
<a href="#">AMD R-460L APU</a>	4	1,183	776	25	BGA827 (FP2)	Laptop
<a href="#">AMD R-464L APU</a>	4	1,773	1,123	35	FS1r2	Unknown
<a href="#">AMD RX-425BB</a>	4	2,724	1,282	35	FP3	Mobile/Embedded
<a href="#">AMD RX-427BB</a>	4	2,753	1,302	35	FP3	Laptop
<a href="#">AMD Ryzen 3 1200</a>	4	6,312	1,933	65	AM4	Desktop
<a href="#">AMD Ryzen 3 1300X</a>	4	6,954	2,110	65	AM4	Desktop
<a href="#">AMD Ryzen 3 2200G</a>	4	6,771	2,059	65	AM4	Desktop
<a href="#">AMD Ryzen 3 2200GE</a>	4	6,031	1,917	35	AM4	Desktop
<a href="#">AMD Ryzen 3 2200U</a>	2	3,687	1,686	15	FP5	Laptop
<a href="#">AMD Ryzen 3 2300U</a>	4	5,518	1,754	15	FP5	Laptop
<a href="#">AMD Ryzen 3 2300X</a>	4	7,584	2,363	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3100</a>	4	11,645	2,422	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3200G</a>	4	7,177	2,218	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3200GE</a>	4	7,312	2,205	35	AM4	Desktop
<a href="#">AMD Ryzen 3 3200U</a>	2	3,860	1,822	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3250C</a>	2	3,044	1,882	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 3 3250U</a>	2	3,894	1,805	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3300U</a>	4	5,660	1,855	15	FP5	Laptop
<a href="#">AMD Ryzen 3 3300X</a>	4	12,690	2,677	65	AM4	Desktop
<a href="#">AMD Ryzen 3 3350U</a>	4	5,890	1,954	15	Unknown	Laptop
<a href="#">AMD Ryzen 3 4100</a>	4	11,148	2,527	65	AM4	Desktop
<a href="#">AMD Ryzen 3 4300G</a>	4	11,041	2,557	65	AM4	Desktop
<a href="#">AMD Ryzen 3 4300GE</a>	4	11,211	2,550	35	AM4	Desktop
<a href="#">AMD Ryzen 3 4300U</a>	4	7,505	2,320	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5300G</a>	4	13,025	3,033	65	AM4	Desktop
<a href="#">AMD Ryzen 3 5300GE</a>	4	13,636	3,099	35	AM4	Desktop
<a href="#">AMD Ryzen 3 5300U</a>	4	9,940	2,374	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5400U</a>	4	10,612	2,652	15	FP6	Laptop
<a href="#">AMD Ryzen 3 5425U</a>	4	11,632	2,940	15	FP6	Laptop
<a href="#">AMD Ryzen 3 7320U</a>	4	9,162	2,480	15	FP7	Laptop
<a href="#">AMD Ryzen 3 7330U</a>	4	11,816	3,084	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 1200</a>	4	6,307	1,931	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 1300</a>	4	7,234	2,187	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2100GE</a>	2	4,131	1,856	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2200G</a>	4	6,767	2,048	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	4	6,066	2,024	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 2300U</a>	4	5,836	1,833	15	FP5	Laptop
<a href="#">AMD Ryzen 3 PRO 3200G</a>	4	6,985	2,210	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 3200GE</a>	4	7,071	2,189	35	AM4	Laptop
<a href="#">AMD Ryzen 3 PRO 3300U</a>	4	6,137	2,051	15	FP5	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen 3 PRO 4200G</a>	4	11,315	2,564	65	FP6	Desktop
<a href="#">AMD Ryzen 3 PRO 4200GE</a>	4	10,930	2,540	35	Unknown	Laptop
<a href="#">AMD Ryzen 3 PRO 4350G</a>	4	10,986	2,551	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 4350GE</a>	4	11,079	2,528	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 4450U</a>	4	10,077	2,355	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 5350G</a>	4	13,898	3,100	65	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 5350GE</a>	4	13,685	3,104	35	AM4	Desktop
<a href="#">AMD Ryzen 3 PRO 5450U</a>	4	11,316	2,819	15	FP6	Laptop
<a href="#">AMD Ryzen 3 PRO 5475U</a>	4	11,337	2,838	15	FP6	Laptop
<a href="#">AMD Ryzen 5 1400</a>	4	7,752	1,898	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1500X</a>	4	9,105	2,116	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1600</a>	6	12,302	2,068	65	AM4	Desktop
<a href="#">AMD Ryzen 5 1600X</a>	6	13,064	2,200	95	AM4	Desktop
<a href="#">AMD Ryzen 5 2400G</a>	4	8,739	2,163	65	AM4	Desktop
<a href="#">AMD Ryzen 5 2400GE</a>	4	7,472	2,132	35	AM4	Desktop
<a href="#">AMD Ryzen 5 2500U</a>	4	6,525	1,821	15	FP5	Laptop
<a href="#">AMD Ryzen 5 2500X</a>	4	9,495	2,316	65	AM4	Desktop
<a href="#">AMD Ryzen 5 2600</a>	6	13,234	2,248	65	AM4	Desktop
<a href="#">AMD Ryzen 5 2600H</a>	4	7,876	2,116	45	FP5	Laptop
<a href="#">AMD Ryzen 5 2600X</a>	6	13,981	2,390	95	AM4	Desktop
<a href="#">AMD Ryzen 5 3350G</a>	4	9,104	2,277	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3350GE</a>	4	9,343	2,322	35	Unknown	Desktop
<a href="#">AMD Ryzen 5 3400G</a>	4	9,316	2,351	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3400GE</a>	4	8,892	2,305	35	AM4	Desktop
<a href="#">AMD Ryzen 5 3450U</a>	4	6,790	1,928	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500</a>	6	12,837	2,513	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3500C</a>	4	5,207	1,931	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500U</a>	4	7,022	1,962	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3500X</a>	6	13,238	2,513	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3550H</a>	4	7,901	2,057	35	FP5	Laptop
<a href="#">AMD Ryzen 5 3550U</a>	4	7,681	2,053	15	Unknown	Unknown
<a href="#">AMD Ryzen 5 3580U</a>	4	7,272	1,959	15	FP5	Laptop
<a href="#">AMD Ryzen 5 3600</a>	6	17,795	2,569	65	AM4	Desktop
<a href="#">AMD Ryzen 5 3600X</a>	6	18,260	2,657	95	AM4	Desktop
<a href="#">AMD Ryzen 5 3600XT</a>	6	18,712	2,770	95	AM4	Desktop
<a href="#">AMD Ryzen 5 4500</a>	6	16,178	2,596	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4500U</a>	6	11,050	2,448	15	FP6	Laptop
<a href="#">AMD Ryzen 5 4600G</a>	6	15,792	2,659	65	AM4	Desktop
<a href="#">AMD Ryzen 5 4600GE</a>	6	15,641	2,612	35	AM4	Desktop
<a href="#">AMD Ryzen 5 4600H</a>	6	14,633	2,451	45	FP6	Laptop
<a href="#">AMD Ryzen 5 4600HS</a>	6	14,588	2,457	35	FP6	Laptop
<a href="#">AMD Ryzen 5 4600U</a>	6	13,500	2,429	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5500</a>	6	19,549	3,058	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5500U</a>	6	13,162	2,456	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5560U</a>	6	15,175	2,813	15	AM4	Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen 5 5600</a>	6	21,552	3,252	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5600G</a>	6	19,880	3,184	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5600GE</a>	6	18,818	3,226	35	AM4	Desktop
<a href="#">AMD Ryzen 5 5600H</a>	6	17,172	2,968	45	FP6	Laptop
<a href="#">AMD Ryzen 5 5600U</a>	6	15,419	2,910	15	FP6	Laptop
<a href="#">AMD Ryzen 5 5600X</a>	6	21,933	3,357	65	AM4	Desktop
<a href="#">AMD Ryzen 5 5625U</a>	6	15,051	2,899	15	FP6	Laptop
<a href="#">AMD Ryzen 5 6600H</a>	6	18,942	3,242	45	FP7	Laptop
<a href="#">AMD Ryzen 5 6600HS Creator Edition</a>	6	19,053	3,187	35	FP7	Laptop
<a href="#">AMD Ryzen 5 6600U</a>	6	17,699	3,211	25	FP7	Laptop
<a href="#">AMD Ryzen 5 7520U</a>	4	9,657	2,579	15	FP6	Laptop
<a href="#">AMD Ryzen 5 7530U</a>	6	16,583	3,176	28	AM4	Laptop
<a href="#">AMD Ryzen 5 7600</a>	6	27,566	3,973	65	AM5 (LGA 1718)	Desktop
<a href="#">AMD Ryzen 5 7600X</a>	6	28,770	4,215	105	AM5	Desktop
<a href="#">AMD Ryzen 5 PRO 1500</a>	4	9,279	2,148	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 1600</a>	6	10,401	1,685	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2400G</a>	4	8,395	2,141	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2400GE</a>	4	7,448	2,101	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 2500U</a>	4	6,666	1,777	15	FP5	Laptop
<a href="#">AMD Ryzen 5 PRO 2600</a>	6	13,250	2,263	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3350G</a>	4	9,354	2,306	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3350GE</a>	4	9,643	2,340	35	Unknown	Desktop
<a href="#">AMD Ryzen 5 PRO 3400G</a>	4	9,214	2,322	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3400GE</a>	4	8,267	2,258	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 3500U</a>	4	6,985	1,953	15	FP5	Laptop
<a href="#">AMD Ryzen 5 PRO 3600</a>	6	17,807	2,598	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4400G</a>	6	16,354	2,647	NA	Unknown	Desktop
<a href="#">AMD Ryzen 5 PRO 4400GE</a>	6	14,795	2,664	35	Unknown	Laptop
<a href="#">AMD Ryzen 5 PRO 4500U</a>	6	12,049	2,486	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 4650G</a>	6	16,315	2,658	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4650GE</a>	6	15,612	2,629	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 4650U</a>	6	12,800	2,454	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 5645</a>	6	21,904	3,441	NA	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5650G</a>	6	20,075	3,171	65	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5650GE</a>	6	18,576	3,198	35	AM4	Desktop
<a href="#">AMD Ryzen 5 PRO 5650U</a>	6	15,064	2,967	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 5675U</a>	6	14,347	2,890	15	FP6	Laptop
<a href="#">AMD Ryzen 5 PRO 6650H</a>	6	20,103	3,318	45	FP7	Laptop
<a href="#">AMD Ryzen 5 PRO 6650U</a>	6	16,611	3,145	28	FP7	Laptop
<a href="#">AMD Ryzen 7 1700</a>	8	14,844	1,999	65	AM4	Desktop
<a href="#">AMD Ryzen 7 1700X</a>	8	15,682	2,095	95	AM4	Desktop
<a href="#">AMD Ryzen 7 1800X</a>	8	16,407	2,193	95	AM4	Desktop
<a href="#">AMD Ryzen 7 2700</a>	8	15,747	2,188	65	AM4	Desktop
<a href="#">AMD Ryzen 7 2700E</a>	8	14,657	2,410	45	AM4	Desktop
<a href="#">AMD Ryzen 7 2700U</a>	4	6,899	1,823	15	FP5	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen 7 2700X</a>	8	17,594	2,425	105	AM4	Desktop
<a href="#">AMD Ryzen 7 2800H</a>	4	7,656	2,164	45	FP5	Laptop
<a href="#">AMD Ryzen 7 3700C</a>	4	7,145	2,301	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen 7 3700U</a>	4	7,224	1,996	15	FP5	Laptop
<a href="#">AMD Ryzen 7 3700X</a>	8	22,685	2,665	65	AM4	Desktop
<a href="#">AMD Ryzen 7 3750H</a>	4	8,226	2,097	35	FP5	Laptop
<a href="#">AMD Ryzen 7 3780U</a>	4	6,729	1,913	15	FP5	Laptop
<a href="#">AMD Ryzen 7 3800X</a>	8	23,272	2,721	105	AM4	Desktop
<a href="#">AMD Ryzen 7 3800XT</a>	8	23,731	2,809	105	AM4	Desktop
<a href="#">AMD Ryzen 7 4700G</a>	8	20,231	2,741	65	AM4	Desktop
<a href="#">AMD Ryzen 7 4700GE</a>	8	20,218	2,701	35	AM4	Desktop
<a href="#">AMD Ryzen 7 4700U</a>	8	13,517	2,534	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4800H</a>	8	18,840	2,627	45	FP6	Laptop
<a href="#">AMD Ryzen 7 4800HS</a>	8	18,683	2,596	45	FP6	Laptop
<a href="#">AMD Ryzen 7 4800U</a>	8	16,970	2,600	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4850U Mobile</a>	8	15,920	2,654	15	FP6	Laptop
<a href="#">AMD Ryzen 7 4980U Microsoft Surface Edition</a>	8	17,469	2,752	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5700</a>	8	23,725	3,289	NA	AM4	Desktop
<a href="#">AMD Ryzen 7 5700G</a>	8	24,612	3,282	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5700GE</a>	8	22,196	3,346	35	AM4	Desktop
<a href="#">AMD Ryzen 7 5700U</a>	8	15,863	2,593	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5700X</a>	8	26,784	3,379	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5800</a>	8	25,954	3,399	65	AM4	Desktop
<a href="#">AMD Ryzen 7 5800H</a>	8	21,298	3,070	45	FP6	Laptop
<a href="#">AMD Ryzen 7 5800HS</a>	8	20,670	3,060	35	FP6	Laptop
<a href="#">AMD Ryzen 7 5800HS Creator Edition</a>	8	21,166	3,100	NA	Unknown	Laptop
<a href="#">AMD Ryzen 7 5800U</a>	8	18,722	3,053	15	FP6	Laptop
<a href="#">AMD Ryzen 7 5800X</a>	8	28,081	3,447	105	AM4	Desktop
<a href="#">AMD Ryzen 7 5800X3D</a>	8	27,875	3,198	105	AM4	Desktop
<a href="#">AMD Ryzen 7 5825U</a>	8	18,446	3,066	15	AM4	Laptop
<a href="#">AMD Ryzen 7 6800H</a>	8	23,754	3,278	45	FP7	Laptop
<a href="#">AMD Ryzen 7 6800HS</a>	8	22,935	3,182	35	FP7	Laptop
<a href="#">AMD Ryzen 7 6800HS Creator Edition</a>	8	23,084	3,295	35	FP7	Laptop
<a href="#">AMD Ryzen 7 6800U</a>	8	20,578	3,227	28	Unknown	Laptop
<a href="#">AMD Ryzen 7 7700</a>	8	35,109	4,134	65	AM5	Desktop
<a href="#">AMD Ryzen 7 7700X</a>	8	36,495	4,277	105	AM5	Desktop
<a href="#">AMD Ryzen 7 7730U</a>	8	19,034	3,186	15	FP6	Laptop
<a href="#">AMD Ryzen 7 7735HS</a>	8	24,383	3,443	54	FP7	Laptop
<a href="#">AMD Ryzen 7 7736U</a>	8	23,860	3,444	28	FP7	Laptop
<a href="#">AMD Ryzen 7 Extreme Edition</a>	8	18,261	2,643	NA	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 1700</a>	8	14,502	2,010	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 1700X</a>	8	15,695	2,148	95	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 2700</a>	8	15,267	2,166	65	AM4	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen 7 PRO 2700U</a>	4	7,328	2,015	15	FP5	Laptop
<a href="#">AMD Ryzen 7 PRO 2700X</a>	8	16,846	2,244	105	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 3700</a>	8	23,016	2,679	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 3700U</a>	4	7,302	1,999	15	FP5	Laptop
<a href="#">AMD Ryzen 7 PRO 4700G</a>	8	20,848	2,700	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750G</a>	8	20,580	2,712	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750GE</a>	8	18,497	2,698	35	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 4750U</a>	8	15,280	2,518	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 5750G</a>	8	24,537	3,323	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5750GE</a>	8	22,130	3,302	35	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5845</a>	8	26,777	3,440	65	AM4	Desktop
<a href="#">AMD Ryzen 7 PRO 5850U</a>	8	17,347	3,042	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 5875U</a>	8	15,430	2,882	15	FP6	Laptop
<a href="#">AMD Ryzen 7 PRO 6850H</a>	8	23,229	3,239	45	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6850HS</a>	8	21,785	3,272	35	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6850U</a>	8	20,952	3,255	28	FP7	Laptop
<a href="#">AMD Ryzen 7 PRO 6860Z</a>	8	20,965	3,192	28	Unknown	Laptop
<a href="#">AMD Ryzen 9 3900</a>	12	30,623	2,602	65	AM4	Desktop
<a href="#">AMD Ryzen 9 3900X</a>	12	32,736	2,707	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3900XT</a>	12	32,823	2,757	105	AM4	Desktop
<a href="#">AMD Ryzen 9 3950X</a>	16	39,008	2,711	105	AM4	Desktop
<a href="#">AMD Ryzen 9 4900H</a>	8	19,266	2,722	45	FP6	Laptop
<a href="#">AMD Ryzen 9 4900HS</a>	8	19,264	2,618	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5900</a>	12	34,564	3,452	65	AM4	Desktop
<a href="#">AMD Ryzen 9 5900H</a>	8	20,960	3,312	NA	AM4	Laptop
<a href="#">AMD Ryzen 9 5900HS</a>	8	22,060	3,195	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5900HS Creator Edition</a>	8	22,138	3,275	35	Unknown	Unknown
<a href="#">AMD Ryzen 9 5900HX</a>	8	22,891	3,214	45	FP6	Laptop
<a href="#">AMD Ryzen 9 5900X</a>	12	39,263	3,471	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5950X</a>	16	45,889	3,469	105	AM4	Desktop
<a href="#">[5-Way CPU] AMD Ryzen 9 5950X</a>	16	13,220	2,972	105	AM4	Desktop
<a href="#">AMD Ryzen 9 5980HS</a>	8	21,058	3,166	35	FP6	Laptop
<a href="#">AMD Ryzen 9 5980HX</a>	8	23,673	3,354	45	FP6	Laptop
<a href="#">AMD Ryzen 9 6900HS</a>	8	24,033	3,336	35	FP7	Laptop
<a href="#">AMD Ryzen 9 6900HS Creator Edition</a>	8	22,399	3,360	35	FP7	Laptop
<a href="#">AMD Ryzen 9 6900HX</a>	8	24,681	3,432	45	FP7	Laptop
<a href="#">AMD Ryzen 9 7845HX</a>	12	46,791	4,003	55	FL1	Laptop
<a href="#">AMD Ryzen 9 7900</a>	12	48,628	4,213	65	AM5	Desktop
<a href="#">AMD Ryzen 9 7900X</a>	12	52,174	4,323	170	AM5	Desktop
<a href="#">AMD Ryzen 9 7950X</a>	16	63,461	4,317	170	AM5	Desktop
<a href="#">AMD Ryzen 9 PRO 3900</a>	12	31,446	2,658	65	AM4	Desktop
<a href="#">AMD Ryzen 9 PRO 5945</a>	12	34,271	3,495	NA	AM4	Desktop
<a href="#">AMD Ryzen 9 PRO 6950H</a>	8	23,053	3,243	45	FP7	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen 9 PRO 6950HS</a>	8	23,295	3,444	35	FP7	Laptop
<a href="#">AMD Ryzen Embedded R1305G</a>	2	3,109	1,665	8	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded R1505G</a>	2	3,925	1,864	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded R1600</a>	2	3,147	1,727	25	FC-BGA1140	Mobile/Embedded
<a href="#">AMD Ryzen Embedded R1606G</a>	2	4,186	1,890	15	FP5	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded R2312</a>	2	3,720	1,867	25	FP5	Mobile/Embedded
<a href="#">AMD Ryzen Embedded R2314</a>	4	6,584	1,996	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1202B</a>	2	3,532	1,600	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1404I</a>	4	6,007	1,621	15	Unknown	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1500B</a>	4	4,584	1,186	16	BGA1140	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1500B Quad-core @ 2.20GHz</a>	4	5,417	1,286	NA	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1605B</a>	4	6,706	1,934	15	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1756B</a>	4	8,216	2,145	45	FP5	Desktop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V1807B</a>	4	8,491	2,209	45	FP5	Laptop, Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2516</a>	6	13,225	2,485	15	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2718</a>	8	16,500	2,226	15	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V2748</a>	8	17,166	2,659	54	FP6	Mobile/Embedded
<a href="#">AMD Ryzen Embedded V3C48</a>	8	18,361	2,802	45	Unknown	Mobile/Embedded
<a href="#">AMD Ryzen Threadripper 1900X</a>	8	17,033	2,345	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1920</a>	12	22,066	2,299	140	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1920X</a>	12	22,658	2,306	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 1950X</a>	16	27,761	2,279	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2920X</a>	12	24,951	2,463	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2950X</a>	16	29,436	2,460	180	sTR4	Desktop
<a href="#">AMD Ryzen Threadripper 2970WX</a>	24	29,990	2,331	250	sTR4	Desktop, Server
<a href="#">AMD Ryzen Threadripper 2990WX</a>	32	32,075	2,290	250	sTR4	Desktop, Server
<a href="#">AMD Ryzen Threadripper 2990X</a>	32	26,469	2,285	250	TR4	Desktop
<a href="#">AMD Ryzen Threadripper 3960X</a>	24	54,795	2,676	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 3970X</a>	32	63,477	2,681	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper 3990X</a>	64	81,109	2,567	280	sTRX4	Desktop
<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	12	33,413	2,701	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 3955WX</a>	16	40,310	2,688	280	sWRX8	Desktop, Server
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3955WX</a>	16	63,885	2,439	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	32	62,862	2,668	280	sWRX8	Desktop, Server
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3975WX</a>	32	98,811	2,676	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	64	83,097	2,601	280	sWRX8	Desktop, Server
<a href="#">[Dual CPU] AMD Ryzen Threadripper PRO 3995WX</a>	64	113,693	2,559	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5945WX</a>	12	40,807	3,338	280	sWRX8	Desktop, Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Ryzen Threadripper PRO 5955WX</a>	16	49,585	3,347	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5965WX</a>	24	66,337	3,358	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5975WX</a>	32	76,421	3,307	280	sWRX8	Desktop, Server
<a href="#">AMD Ryzen Threadripper PRO 5995WX</a>	64	94,757	3,306	280	sWRX8	Desktop, Server
<a href="#">AMD Sempron 130</a>	1	501	1,064	45	AM2+/AM3	Unknown
<a href="#">AMD Sempron 140</a>	1	472	1,025	45	AM3	Desktop
<a href="#">AMD Sempron 145</a>	1	506	1,001	45	AM3	Desktop
<a href="#">AMD Sempron 150</a>	1	597	1,117	45	AM3	Desktop
<a href="#">AMD Sempron 200U</a>	1	125	311	8	Unknown	Unknown
<a href="#">AMD Sempron 210U</a>	1	267	299	15	Unknown	Unknown
<a href="#">AMD Sempron 2200+</a>	1	184	279	NA	Socket A	Desktop
<a href="#">AMD Sempron 2300+</a>	1	207	314	NA	Socket A	Desktop
<a href="#">AMD Sempron 240</a>	2	1,278	1,300	65	FM2	Desktop
<a href="#">AMD Sempron 2400+</a>	1	205	321	NA	Socket A	Desktop
<a href="#">AMD Sempron 2500+</a>	1	207	405	NA	Socket A	Desktop
<a href="#">AMD Sempron 2600+</a>	1	253	325	NA	Socket A	Desktop
<a href="#">AMD Sempron 2650 APU</a>	2	561	475	25	AM1,FSB1	Desktop
<a href="#">AMD Sempron 2800+</a>	1	243	408	62	AM2	Desktop
<a href="#">AMD Sempron 3000+</a>	1	268	333	62	AM2	Desktop
<a href="#">AMD Sempron 3100+</a>	1	298	383	62	754	Desktop
<a href="#">AMD Sempron 3200+</a>	1	251	456	62	AM2	Desktop
<a href="#">AMD Sempron 3300+</a>	1	315	394	62	754	Desktop
<a href="#">AMD Sempron 3400+</a>	1	292	346	62	AM2	Desktop
<a href="#">AMD Sempron 3500+</a>	1	232	264	62	AM2	Desktop
<a href="#">AMD Sempron 3600+</a>	1	364	377	62	AM2	Desktop
<a href="#">AMD Sempron 3800+</a>	1	360	422	62	AM2	Desktop
<a href="#">AMD Sempron 3850 APU</a>	4	1,153	448	25	AM1,FS1b	Desktop
<a href="#">AMD Sempron Dual Core 2100</a>	2	533	596	65	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2200</a>	2	563	649	65	Unknown	Unknown
<a href="#">AMD Sempron Dual Core 2300</a>	2	555	697	65	Unknown	Unknown
<a href="#">AMD Sempron LE-1100</a>	1	315	509	45	AM2	Desktop
<a href="#">AMD Sempron LE-1150</a>	1	251	477	45	AM2	Desktop
<a href="#">AMD Sempron LE-1200</a>	1	349	551	45	AM2	Desktop
<a href="#">AMD Sempron LE-1250</a>	1	301	508	45	AM2	Desktop
<a href="#">AMD Sempron LE-1300</a>	1	400	389	45	AM2	Desktop
<a href="#">AMD Sempron M100</a>	1	338	587	NA	Unknown	Unknown
<a href="#">AMD Sempron M120</a>	1	247	559	25	S1	Laptop
<a href="#">AMD Sempron SI-40</a>	1	288	631	25	S1	Laptop
<a href="#">AMD Sempron SI-42</a>	1	268	634	25	S1	Laptop
<a href="#">AMD Sempron X2 180</a>	2	826	865	45	Unknown	Unknown
<a href="#">AMD Sempron X2 190</a>	2	879	977	45	AM2+/AM3	Unknown
<a href="#">AMD Sempron X2 198 Dual-Core</a>	2	930	1,070	65	FM1	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Turion 64 Mobile MK-36</a>	1	334	735	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile MK-38</a>	1	362	801	31	S1	Laptop
<a href="#">AMD Turion 64 Mobile ML-28</a>	1	254	314	25	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-30</a>	1	277	314	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-32</a>	1	285	321	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-34</a>	1	277	329	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-37</a>	1	334	510	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-40</a>	1	336	662	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-42</a>	1	400	455	35	754	Laptop
<a href="#">AMD Turion 64 Mobile ML-44</a>	1	384	469	35	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-30</a>	1	246	294	25	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-32</a>	1	286	367	24	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-34</a>	1	279	328	24	754	Laptop
<a href="#">AMD Turion 64 Mobile MT-37</a>	1	315	379	25	754	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-50</a>	2	455	532	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	2	523	558	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-56</a>	2	451	547	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	2	447	541	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-60</a>	2	606	694	31	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-62</a>	2	756	775	35	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-64</a>	2	675	702	35	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-66</a>	2	696	846	35	S1	Laptop
<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	2	866	882	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-70</a>	2	561	548	31	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-72</a>	2	649	725	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-74</a>	2	588	595	35	S1	Laptop
<a href="#">AMD Turion Dual-Core RM-75</a>	2	659	444	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M500</a>	2	735	840	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M520</a>	2	835	924	35	S1	Laptop
<a href="#">AMD Turion II Dual-Core Mobile M540</a>	2	912	967	35	S1	Laptop
<a href="#">AMD Turion II N530 Dual-Core</a>	2	855	968	35	S1	Laptop
<a href="#">AMD Turion II N550 Dual-Core</a>	2	877	891	35	S1	Laptop
<a href="#">AMD Turion II Neo K625 Dual-Core</a>	2	565	596	15	S1	Laptop
<a href="#">AMD Turion II Neo K685 Dual-Core</a>	2	684	729	15	BGA812	Laptop
<a href="#">AMD Turion II Neo N40L Dual-Core</a>	2	602	620	15	BGA812	Laptop
<a href="#">AMD Turion II Neo N54L Dual-Core</a>	2	825	881	25	BGA812	Laptop
<a href="#">AMD Turion II P520 Dual-Core</a>	2	799	887	25	S1	Laptop
<a href="#">AMD Turion II P540 Dual-Core</a>	2	960	921	35	S1	Laptop
<a href="#">AMD Turion II P560 Dual-Core</a>	2	818	931	25	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>	2	955	987	35	S1	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">AMD Turion II Ultra Dual-Core Mobile M620</a>	2	814	945	35	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>	2	1,016	1,063	35	S1	Laptop
<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	2	1,011	1,103	35	S1	Laptop
<a href="#">AMD Turion Neo X2 Dual Core L625</a>	2	432	486	18	ASB1	Laptop
<a href="#">AMD Turion X2 Dual Core L510</a>	2	603	593	20	ASB1	Laptop
<a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>	2	497	504	31	S1	Laptop
<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	2	691	729	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	2	624	663	31	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	2	666	751	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	2	613	723	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	2	708	770	35	S1	Laptop
<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	2	635	753	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	2	506	618	32	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a>	2	707	800	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	2	793	778	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a>	2	799	855	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a>	2	695	820	35	S1	Laptop
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a>	2	689	680	35	S1	Laptop
<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	2	536	674	31	S1	Laptop
<a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>	2	471	392	35	S1	Laptop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	2	841	686	35	S1	Laptop
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-87</a>	2	599	770	35	S1	Mobile/Embedded
<a href="#">AMD V105</a>	1	184	452	9	BGA812	Laptop
<a href="#">AMD V120</a>	1	352	806	25	S1	Laptop
<a href="#">AMD V140</a>	1	379	869	25	S1	Laptop
<a href="#">AMD V160</a>	1	337	838	25	S1	Laptop
<a href="#">AMD Z-01</a>	2	305	294	NA	Unknown	Unknown
<a href="#">AMD Z-60 APU</a>	2	262	318	4.5	FT1	Laptop
<a href="#">Amlogic</a>	4	564	406	NA	Unknown	Unknown
<a href="#">Apple A11 Bionic</a>	6	4,349	1,276	NA	Unknown	Mobile/Embedded
<a href="#">Apple A12 Bionic</a>	6	4,830	1,954	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Apple A12X Bionic</a>	8	10,870	2,623	NA	Unknown	Mobile/Embedded
<a href="#">Apple A13 Bionic</a>	6	5,344	2,220	NA	Unknown	Mobile/Embedded
<a href="#">Apple A14 Bionic</a>	6	8,520	3,403	NA	Unknown	Mobile/Embedded
<a href="#">Apple A8</a>	2	1,533	914	NA	Unknown	Mobile/Embedded
<a href="#">Apple A8X</a>	3	2,355	934	NA	Unknown	Mobile/Embedded
<a href="#">Apple A9</a>	2	2,054	1,187	NA	Unknown	Mobile/Embedded
<a href="#">Apple A9X</a>	2	2,507	1,514	NA	Unknown	Mobile/Embedded
<a href="#">Apple M1 8 Core 3200 MHz</a>	8	14,231	3,726	15.1	Unknown	Desktop, Laptop, Mobile/Embedded
<a href="#">Apple M1 Max 10 Core 3200 MHz</a>	10	22,143	3,847	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Pro 10 Core 3200 MHz</a>	10	21,942	3,825	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Pro 8 Core 3200 MHz</a>	8	17,206	3,784	NA	Unknown	Desktop, Laptop
<a href="#">Apple M1 Ultra 20 Core</a>	20	40,918	3,868	60	Unknown	Desktop
<a href="#">Apple M2 8 Core 3500 MHz</a>	8	15,369	4,007	NA	Unknown	Desktop, Laptop
<a href="#">Apple M2 Max 12 Core 3680 MHz</a>	12	26,095	4,140	NA	Unknown	Laptop
<a href="#">Apple M2 Pro 10 Core 3480 MHz</a>	10	21,987	4,181	NA	Unknown	Desktop, Laptop
<a href="#">Apple M2 Pro 12 Core 3480 MHz</a>	12	26,483	4,149	NA	Unknown	Laptop
<a href="#">ARM - 8 Core 1766 MHz</a>	8	4,080	1,205	NA	Unknown	Unknown
<a href="#">ARM ARMv7 rev 3 (v7I) 4 Core 2065 MHz</a>	4	984	593	NA	Unknown	Unknown
<a href="#">ARM ARMv7 rev 4 (v7I) 4 Core 1200 MHz</a>	4	396	272	NA	Unknown	Unknown
<a href="#">ARM ARMv7 rev 4 (v7I) 4 Core 1400 MHz</a>	4	399	273	NA	Unknown	Unknown
<a href="#">[3-Way CPU] ARM ARMv8 rev 1 (v8I) 12 Core 2201 MHz</a>	12	7,371	1,183	NA	Unknown	Unknown
<a href="#">ARM Cortex-A15 8 Core 1400 MHz</a>	8	1,160	563	NA	Unknown	Unknown
<a href="#">ARM Cortex-A17 4 Core 1800 MHz</a>	4	662	458	NA	Unknown	Unknown
<a href="#">ARM Cortex-A35 4 Core 1200 MHz</a>	4	329	157	NA	Unknown	Unknown
<a href="#">ARM Cortex-A35 4 Core 1296 MHz</a>	4	334	166	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1000 MHz</a>	4	248	183	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	4	343	151	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	4	290	203	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>	4	426	184	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1368 MHz</a>	4	322	145	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1392 MHz</a>	4	397	189	NA	Unknown	Unknown



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	4	326	229	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1500 MHz</a>	4	432	178	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1512 MHz</a>	4	436	209	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1536 MHz</a>	4	202	192	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1600 MHz</a>	4	400	163	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1704 MHz</a>	4	552	243	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>	4	482	227	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 4 Core 1908 MHz</a>	4	638	274	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>	6	1,851	751	NA	Unknown	Unknown
<a href="#">ARM Cortex-A53 8 Core 1512 MHz</a>	8	648	134	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 1800 MHz</a>	4	659	298	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 1992 MHz</a>	4	709	313	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 2100 MHz</a>	4	719	328	NA	Unknown	Unknown
<a href="#">ARM Cortex-A55 4 Core 2124 MHz</a>	4	742	336	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>	4	952	376	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 1734 MHz</a>	4	1,170	387	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>	4	1,200	432	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 4 Core 2091 MHz</a>	4	1,311	449	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 8 Core 1500 MHz</a>	8	1,022	346	NA	Unknown	Unknown
<a href="#">ARM Cortex-A57 8 Core 1766 MHz</a>	8	3,766	1,153	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 2 Core 1080 MHz</a>	2	142	200	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 2 Core 960 MHz</a>	2	93	140	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 2 Core 996 MHz</a>	2	133	182	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 1008 MHz</a>	4	269	198	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>	4	270	208	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 1300 MHz</a>	4	341	245	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 1368 MHz</a>	4	353	266	NA	Unknown	Unknown
<a href="#">ARM Cortex-A7 4 Core 900 MHz</a>	4	238	171	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">ARM Cortex-A72 16 Core 2200 MHz</a>	16	5,470	601	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1200 MHz</a>	4	174	178	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1500 MHz</a>	4	662	461	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1600 MHz</a>	4	552	425	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1750 MHz</a>	4	335	463	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>	4	783	548	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1850 MHz</a>	4	199	343	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 1900 MHz</a>	4	984	645	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>	4	748	569	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2100 MHz</a>	4	648	552	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	4	812	607	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2300 MHz</a>	4	1,004	700	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2394 MHz</a>	4	1,254	800	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 2400 MHz</a>	4	1,295	830	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 4 Core 800 MHz</a>	4	279	214	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 6 Core 1416 MHz</a>	6	1,046	452	NA	Unknown	Unknown
<a href="#">ARM Cortex-A72 6 Core 1512 MHz</a>	6	1,167	529	NA	Unknown	Unknown
<a href="#">ARM Cortex-A73 6 Core 1992 MHz</a>	6	1,311	454	NA	Unknown	Unknown
<a href="#">ARM Cortex-A73 6 Core 2016 MHz</a>	6	1,428	614	NA	Unknown	Unknown
<a href="#">ARM D2000/8 8 Core 2300 MHz</a>	8	2,674	589	NA	Unknown	Unknown
<a href="#">ARM Falkor V1/Kryo 8 Core 1900 MHz</a>	8	1,652	542	NA	Unknown	Unknown
<a href="#">ARM FT-2000/4 4 Core 2200 MHz</a>	4	881	565	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 128 Core 3000 MHz</a>	128	46,271	1,304	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 64 Core 0 MHz</a>	64	28,079	1,085	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 80 Core 2600 MHz</a>	80	18,823	1,127	NA	Unknown	Unknown
<a href="#">ARM Neoverse-N1 80 Core 3000 MHz</a>	80	36,400	1,328	NA	Unknown	Unknown
<a href="#">ARM phytium FT1500a 4 Core 2000 MHz</a>	4	1,579	716	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">ARM Phytium,D2000/8 8 Core 2300 MHz</a>	8	2,665	592	NA	Unknown	Unknown
<a href="#">ARM Phytium,D2000/8 E8C 8 Core 2300 MHz</a>	8	2,005	587	NA	Unknown	Unknown
<a href="#">ARM Phytium,FT-2000/4 8 Core 2300 MHz</a>	8	2,720	603	NA	Unknown	Unknown
<a href="#">ARM X-Gene 32 Core 3000 MHz</a>	32	8,202	608	NA	Unknown	Unknown
<a href="#">ARM X-Gene 32 Core 3300 MHz</a>	32	8,684	583	NA	Unknown	Unknown
<a href="#">ASUS Tinker Board 2/2S</a>	6	1,771	910	NA	Unknown	Mobile/Embedded
<a href="#">Athlon 64 Dual Core 3800+</a>	2	736	653	35	Unknown	Unknown
<a href="#">Athlon 64 Dual Core 5000+</a>	2	850	924	89	Unknown	Desktop
<a href="#">Athlon 64 Dual Core 5600+</a>	2	875	993	65	AM2	Desktop
<a href="#">Athlon Dual Core 4050e</a>	2	670	744	45	AM2	Desktop
<a href="#">Athlon Dual Core 4450e</a>	2	681	792	45	AM2	Desktop
<a href="#">Athlon Dual Core 4850e</a>	2	769	861	45	AM2	Desktop
<a href="#">BCM2711</a>	4	852	607	NA	Unknown	Mobile/Embedded
<a href="#">BCM2835</a>	4	1,231	696	NA	Unknown	Mobile/Embedded
<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	2	681	748	35	PGA478	Laptop
<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	2	572	625	35	BGA479	Laptop
<a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>	2	620	701	35	¼FCPGA-478	Laptop
<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	2	756	863	35	PGA478	Laptop
<a href="#">CentaurHauls @2500MHz</a>	8	7,969	1,364	NA	Unknown	Unknown
<a href="#">DG1301SML87HY</a>	8	3,624	727	NA	Unknown	Unknown
<a href="#">DO-Regular</a>	1	819	1,055	NA	Unknown	Unknown
<a href="#">Dual-Core AMD Opteron 1220 SE</a>	2	748	900	103	AM2	Server
<a href="#">Generic DT based system</a>	4	612	453	NA	Unknown	Mobile/Embedded
<a href="#">Hardkernel ODROID-N2Plus</a>	6	2,115	888	NA	Unknown	Mobile/Embedded
<a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a>	8	5,359	1,892	NA	Unknown	Mobile/Embedded
<a href="#">hi6210sft</a>	8	796	269	NA	Unknown	Mobile/Embedded
<a href="#">High Performance Datacenter v</a>	1	2,012	1,862	NA	Unknown	Unknown
<a href="#">HiSilicon Kirin 659</a>	8	1,703	665	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 930</a>	8	1,415	430	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 935</a>	8	1,291	328	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 950</a>	8	2,457	857	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 955</a>	8	2,936	756	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 960</a>	8	2,809	1,093	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 970</a>	8	2,908	1,110	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin 990</a>	8	3,794	1,634	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin710</a>	8	2,407	947	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin810</a>	8	2,945	1,515	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin820</a>	8	3,974	1,690	NA	Unknown	Mobile/Embedded
<a href="#">HiSilicon Kirin9000</a>	8	5,083	2,490	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Hisilicon Kirin970</a>	8	2,664	918	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin980</a>	8	4,316	1,742	NA	Unknown	Mobile/Embedded
<a href="#">Hisilicon Kirin985</a>	8	4,162	1,823	NA	Unknown	Mobile/Embedded
<a href="#">HP Hexa-Core 2.0GHz</a>	4	1,741	804	NA	Unknown	Unknown
<a href="#">Hygon C86 3185 8-core</a>	8	9,627	1,878	95	Unknown	Unknown
<a href="#">Hygon C86 7255 16-core</a>	16	18,831	1,490	NA	Unknown	Unknown
<a href="#">Intel 2.80GHz</a>	2	341	456	NA	Unknown	Unknown
<a href="#">Intel Atom 230 @ 1.60GHz</a>	1	210	167	4	BGA437	Desktop
<a href="#">Intel Atom 330 @ 1.60GHz</a>	2	307	210	8	BGA437	Desktop
<a href="#">Intel Atom C2338 @ 1.74GHz</a>	2	584	233	7	FCBGA1283	Laptop
<a href="#">Intel Atom C2350 @ 1.74GHz</a>	2	523	492	6	FCBGA1283	Server
<a href="#">Intel Atom C2358 @ 1.74GHz</a>	2	578	391	7	FCBGA1283	Laptop
<a href="#">Intel Atom C2538 @ 2.40GHz</a>	4	960	491	15	FCBGA1283	Laptop
<a href="#">Intel Atom C2550 @ 2.40GHz</a>	4	1,422	554	14	FCBGA1283	Server
<a href="#">Intel Atom C2558 @ 2.40GHz</a>	4	1,424	512	15	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Atom C2750 @ 2.40GHz</a>	8	2,778	674	20	FCBGA1283	Server
<a href="#">Intel Atom C2750 @ 2.41GHz</a>	8	2,174	291	20	BGA 1283	Server
<a href="#">Intel Atom C2758 @ 2.40GHz</a>	8	2,128	501	20	BGA 1283	Laptop, Mobile/Embedded
<a href="#">Intel Atom C3338 @ 1.50GHz</a>	2	915	786	8.5	FCBGA1310	Server, Mobile/Embedded
<a href="#">Intel Atom C3538 @ 2.10GHz</a>	4	1,960	723	15	FCBGA1310	Server
<a href="#">Intel Atom C3558 @ 2.20GHz</a>	4	2,417	852	16	FCBGA1310	Server
<a href="#">Intel Atom C3758 @ 2.20GHz</a>	8	4,750	868	25	FCBGA1310	Server
<a href="#">Intel Atom C3858 @ 2.00GHz</a>	12	4,707	652	25	FCBGA1310	Server
<a href="#">Intel Atom C3958 @ 2.00GHz</a>	16	4,281	514	31	FCBGA1310	Server
<a href="#">Intel Atom C5125</a>	8	8,631	1,486	50	FCBGA2106	Server
<a href="#">Intel Atom D2500 @ 1.86GHz</a>	2	233	322	10	BGA559	Desktop
<a href="#">Intel Atom D2550 @ 1.86GHz</a>	2	434	324	10	BGA559	Desktop
<a href="#">Intel Atom D2560 @ 2.00GHz</a>	2	433	353	10	Unknown	Desktop
<a href="#">Intel Atom D2700 @ 2.13GHz</a>	2	461	380	10	BGA559	Desktop
<a href="#">Intel Atom D2701 @ 2.13GHz</a>	2	511	384	10	BGA559	Laptop
<a href="#">Intel Atom D410 @ 1.66GHz</a>	1	177	254	10	BGA559	Desktop
<a href="#">Intel Atom D425 @ 1.80GHz</a>	1	222	320	10	BGA559	Desktop
<a href="#">Intel Atom D510 @ 1.66GHz</a>	2	406	293	13	BGA559	Desktop
<a href="#">Intel Atom D525 @ 1.80GHz</a>	2	398	303	13	BGA559	Desktop
<a href="#">Intel Atom E3805 @ 1.33GHz</a>	2	406	376	3	FCBGA1170	Mobile/Embedded
<a href="#">Intel Atom E3815 @ 1.46GHz</a>	1	184	266	5	FCBGA1170	Desktop
<a href="#">Intel Atom E3825 @ 1.33GHz</a>	2	378	309	6	FCBGA1170	Desktop
<a href="#">Intel Atom E3826 @ 1.46GHz</a>	2	304	395	7	FCBGA1170	Laptop
<a href="#">Intel Atom E3827 @ 1.74GHz</a>	2	460	455	8	FCBGA1170	Laptop
<a href="#">Intel Atom E3840 @ 1.91GHz</a>	4	704	477	NA	Unknown	Unknown
<a href="#">Intel Atom E3845 @ 1.91GHz</a>	4	1,058	536	10	FCBGA1170	Desktop
<a href="#">Intel Atom E3900 @ 1.60GHz</a>	4	1,953	675	NA	Unknown	Laptop
<a href="#">Intel Atom E3940 @ 1.60GHz</a>	4	1,973	679	9.5	Unknown	Laptop
<a href="#">Intel Atom E3950 @ 1.60GHz</a>	4	2,103	741	12	BGA1296	Laptop
<a href="#">Intel Atom N2100 @ 1.60GHz</a>	1	188	310	NA	BGA559	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Atom N2600 @ 1.60GHz</a>	2	323	292	3.5	BGA559	Laptop
<a href="#">Intel Atom N270 @ 1.60GHz</a>	1	175	164	2.5	BGA437	Laptop
<a href="#">Intel Atom N280 @ 1.66GHz</a>	1	175	226	2.5	BGA437	Laptop
<a href="#">Intel Atom N2800 @ 1.86GHz</a>	2	438	314	6.5	BGA559	Laptop
<a href="#">Intel Atom N435 @ 1.33GHz</a>	1	153	220	NA	Unknown	Unknown
<a href="#">Intel Atom N450 @ 1.66GHz</a>	1	201	276	5.5	BGA559	Laptop
<a href="#">Intel Atom N455 @ 1.66GHz</a>	1	179	257	6.5	BGA559	Laptop
<a href="#">Intel Atom N470 @ 1.83GHz</a>	1	224	308	6.5	BGA559	Laptop
<a href="#">Intel Atom N475 @ 1.83GHz</a>	1	179	281	6.5	BGA559	Laptop
<a href="#">Intel Atom N550 @ 1.50GHz</a>	2	295	240	8.5	BGA559	Laptop
<a href="#">Intel Atom N570 @ 1.66GHz</a>	2	323	265	8.5	BGA559	Laptop
<a href="#">Intel Atom S1260 @ 2.00GHz</a>	2	540	289	8.5	FCBGA1283	Server
<a href="#">Intel Atom T5700 @ 1.70GHz</a>	4	2,363	906	NA	Unknown	Laptop
<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	2	928	642	6.5	BGA1296	Laptop
<a href="#">Intel Atom x5-E8000 @ 1.04GHz</a>	4	1,033	519	5	FCBGA1170	Laptop
<a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a>	4	816	459	4	UTFCBGA592	Laptop, Mobile/Embedded
<a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a>	4	815	461	4	Unknown	Laptop
<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	4	909	480	4	UTFCBGA592	Laptop
<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	4	1,237	632	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a>	4	1,179	679	4	UTFCBGA1380	Laptop, Mobile/Embedded
<a href="#">Intel Atom x6211E @ 1.20GHz</a>	2	1,695	1,304	6	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6211E @ 1.30GHz</a>	2	1,833	1,208	6	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6413E @ 1.50GHz</a>	4	4,228	1,567	9	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6425E @ 2.00GHz</a>	4	3,829	1,555	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x6425RE @ 1.90GHz</a>	4	2,903	1,021	12	FCBGA1493	Mobile/Embedded
<a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>	4	1,344	652	4	BGA1380	Laptop
<a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>	4	1,335	707	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z2760 @ 1.80GHz</a>	2	298	206	NA	FC-MB4760	Laptop
<a href="#">Intel Atom Z3530 @ 1.33GHz</a>	4	565	368	NA	FC-MB5T1064	Mobile/Embedded
<a href="#">Intel Atom Z3560 @ 1.00GHz</a>	4	749	486	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3560 @ 1.83GHz</a>	4	690	476	NA	Unknown	Mobile/Embedded
<a href="#">Intel Atom Z3580 @ 1.33GHz</a>	4	837	574	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Intel Atom Z3735D @ 1.33GHz</a>	4	761	591	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3735E @ 1.33GHz</a>	4	557	478	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	4	534	384	4.4	UTFCBGA592	Laptop
<a href="#">Intel Atom Z3735G @ 1.33GHz</a>	4	772	476	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	4	502	419	4.4	UTFCBGA592	Laptop
<a href="#">Intel Atom Z3740 @ 1.33GHz</a>	4	642	420	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	4	614	459	4.4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3745 @ 1.33GHz</a>	4	621	435	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3745D @ 1.33GHz</a>	4	599	415	4.4	Unknown	Laptop
<a href="#">Intel Atom Z3770 @ 1.46GHz</a>	4	739	539	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	4	488	361	4.4	BGA1380	Laptop
<a href="#">Intel Atom Z3775 @ 1.46GHz</a>	4	703	504	4	UTFCBGA1380	Laptop
<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	4	794	646	4.4	UTFCBGA1380	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Atom Z3795 @ 1.60GHz	4	1,197	655	4	UTFCBGA1380	Laptop
Intel Atom Z520 @ 1.33GHz	1	122	151	2	BGA441	Laptop
Intel Atom Z530 @ 1.60GHz	1	183	161	2	BGA441	Laptop
Intel Atom Z670 @ 1.50GHz	1	158	95	3	BGA518	Laptop
Intel Celeron 1.70GHz	1	101	190	NA	Unknown	Unknown
Intel Celeron 1.80GHz	1	96	307	66.1	PPGA478	Desktop
Intel Celeron 1000M @ 1.80GHz	2	1,071	975	35	FCPGA988	Laptop
Intel Celeron 1000MHz	1	139	174	NA	Unknown	Unknown
Intel Celeron 1005M @ 1.90GHz	2	1,075	1,013	35	FCPGA988	Laptop
Intel Celeron 1007U @ 1.50GHz	2	829	771	17	FCBGA1023	Laptop
Intel Celeron 1017U @ 1.60GHz	2	890	809	17	FCBGA1023	Laptop
Intel Celeron 1019Y @ 1.00GHz	2	576	521	10	FCBGA1023	Desktop
Intel Celeron 1020E @ 2.20GHz	2	1,406	1,224	35	FCBGA1023, FCP	Laptop
Intel Celeron 1020M @ 2.10GHz	2	1,275	1,176	35	FCPGA988	Laptop
Intel Celeron 1037U @ 1.80GHz	2	976	919	17	FCBGA1023	Laptop
Intel Celeron 1047UE @ 1.40GHz	2	748	526	17	FCBGA1023	Desktop
Intel Celeron 1100MHz	1	113	183	NA	Unknown	Unknown
Intel Celeron 1200MHz	1	159	212	NA	Unknown	Unknown
Intel Celeron 2.00GHz	1	125	338	52.8	PPGA478	Desktop
Intel Celeron 2.13GHz	1	166	361	NA	Unknown	Unknown
Intel Celeron 2.20GHz	1	139	349	NA	Unknown	Unknown
Intel Celeron 2.26GHz	1	182	382	NA	Unknown	Unknown
Intel Celeron 2.30GHz	1	148	364	NA	Unknown	Unknown
Intel Celeron 2.40GHz	1	143	397	NA	Unknown	Unknown
Intel Celeron 2.50GHz	1	164	431	NA	Unknown	Unknown
Intel Celeron 2.53GHz	1	222	396	NA	Unknown	Unknown
Intel Celeron 2.60GHz	1	143	353	NA	Unknown	Unknown
Intel Celeron 2.66GHz	1	154	417	NA	Unknown	Unknown
Intel Celeron 2.70GHz	1	159	386	NA	Unknown	Unknown
Intel Celeron 2.80GHz	1	190	425	68.4	PPGA478	Desktop
Intel Celeron 2.93GHz	1	230	396	NA	Unknown	Unknown
Intel Celeron 2000E @ 2.20GHz	2	1,607	1,282	37	FCBGA1364	Laptop
Intel Celeron 2002E @ 1.50GHz	2	1,091	871	25	FCBGA1364	Laptop
Intel Celeron 215 @ 1.33GHz	1	174	440	27	BGA479	Laptop
Intel Celeron 220 @ 1.20GHz	1	209	255	19	BGA479	Desktop
Intel Celeron 2950M @ 2.00GHz	2	1,264	1,144	37	FCPGA946	Laptop
Intel Celeron 2955U @ 1.40GHz	2	860	775	15	FCBGA1168	Laptop
Intel Celeron 2957U @ 1.40GHz	2	839	770	15	FCBGA1168	Laptop
Intel Celeron 2961Y @ 1.10GHz	2	732	641	11.5	Unknown	Laptop
Intel Celeron 2970M @ 2.20GHz	2	1,501	1,245	37	FCPGA946	Laptop
Intel Celeron 2980U @ 1.60GHz	2	1,056	929	15	FCBGA1168	Laptop
Intel Celeron 2981U @ 1.60GHz	2	991	871	15	BGA1168	Laptop
Intel Celeron 3.06GHz	1	279	542	NA	Unknown	Unknown
Intel Celeron 3.20GHz	1	267	599	NA	Unknown	Unknown
Intel Celeron 3.33GHz	1	263	528	NA	Unknown	Unknown

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Celeron 3205U @ 1.50GHz</a>	2	941	912	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3215U @ 1.70GHz</a>	2	1,147	1,061	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	2	1,182	1,022	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	2	1,252	1,171	15	FCBGA1168	Laptop
<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	2	1,256	944	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	2	1,272	1,032	15	BGA1356	Laptop
<a href="#">Intel Celeron 3867U @ 1.80GHz</a>	2	1,488	1,097	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	2	1,490	1,202	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	2	1,735	1,355	15	FCBGA1356	Laptop
<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	2	1,179	889	6	FCBGA1515	Laptop
<a href="#">Intel Celeron 420 @ 1.60GHz</a>	1	235	471	35	LGA775	Desktop
<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	2	1,340	1,039	15	FCBGA1528	Laptop
<a href="#">Intel Celeron 430 @ 1.80GHz</a>	1	293	630	35	LGA775	Desktop
<a href="#">Intel Celeron 4305U @ 2.20GHz</a>	2	1,807	1,365	15	FCBGA1528	Mobile/Embedded
<a href="#">Intel Celeron 4305UE @ 2.00GHz</a>	2	1,699	1,163	15	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Celeron 440 @ 2.00GHz</a>	1	368	444	35	LGA775	Desktop
<a href="#">Intel Celeron 450 @ 2.20GHz</a>	1	410	687	35	LGA775	Desktop
<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	2	1,462	1,104	15	FCBGA1528	Laptop
<a href="#">Intel Celeron 530 @ 1.73GHz</a>	1	268	468	27	PGA478	Laptop
<a href="#">Intel Celeron 540 @ 1.86GHz</a>	1	283	496	30	PGA478	Laptop
<a href="#">Intel Celeron 550 @ 2.00GHz</a>	1	319	641	31	BGA479	Laptop
<a href="#">Intel Celeron 560 @ 2.13GHz</a>	1	339	632	31	PGA478	Laptop
<a href="#">Intel Celeron 570 @ 2.26GHz</a>	1	344	431	31	PGA478	Laptop
<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2	2,071	1,194	NA	FCBGA1449	Laptop
<a href="#">Intel Celeron 6305E @ 1.80GHz</a>	2	1,953	1,166	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Celeron 723 @ 1.20GHz</a>	1	213	460	10	BGA956	Laptop
<a href="#">Intel Celeron 7305</a>	5	2,189	826	15	FCBGA1744	Laptop
<a href="#">Intel Celeron 743 @ 1.30GHz</a>	1	268	529	10	BGA956	Laptop
<a href="#">Intel Celeron 807 @ 1.50GHz</a>	1	392	608	17	BGA-1023	Laptop
<a href="#">Intel Celeron 807UE @ 1.00GHz</a>	1	241	421	10	BGA-1023	Laptop
<a href="#">Intel Celeron 827E @ 1.40GHz</a>	1	371	674	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 847 @ 1.10GHz</a>	2	474	477	17	BGA1023	Laptop
<a href="#">Intel Celeron 847E @ 1.10GHz</a>	2	584	520	17	FCBGA1023	Laptop
<a href="#">Intel Celeron 857 @ 1.20GHz</a>	2	569	476	17	BGA1023	Laptop
<a href="#">Intel Celeron 867 @ 1.30GHz</a>	2	562	584	17	BGA1023	Laptop
<a href="#">Intel Celeron 877 @ 1.40GHz</a>	2	664	629	17	BGA1023	Laptop
<a href="#">Intel Celeron 887 @ 1.50GHz</a>	2	745	700	17	BGA1023	Laptop
<a href="#">Intel Celeron 900 @ 2.20GHz</a>	1	396	831	34.8	PGA478	Laptop
<a href="#">Intel Celeron 925 @ 2.30GHz</a>	1	477	910	35	Unknown	Laptop
<a href="#">Intel Celeron @ 1.30GHz</a>	1	548	611	NA	Unknown	Unknown
<a href="#">Intel Celeron B710 @ 1.60GHz</a>	1	106	101	35	rPGA988B	Laptop
<a href="#">Intel Celeron B800 @ 1.50GHz</a>	2	644	643	35	PGA988B	Laptop
<a href="#">Intel Celeron B810 @ 1.60GHz</a>	2	775	754	35	PGA988B	Laptop
<a href="#">Intel Celeron B815 @ 1.60GHz</a>	2	720	694	35	PGA988B	Laptop
<a href="#">Intel Celeron B820 @ 1.70GHz</a>	2	806	761	35	PGA988B	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Celeron B830 @ 1.80GHz</a>	2	810	819	35	rPGA988B	Laptop
<a href="#">Intel Celeron B840 @ 1.90GHz</a>	2	978	917	35	PGA988B	Laptop
<a href="#">Intel Celeron D 347 @ 3.06GHz</a>	1	232	565	86	PLGA775	Desktop
<a href="#">Intel Celeron D 352 @ 3.20GHz</a>	1	283	674	86	PLGA775	Desktop
<a href="#">Intel Celeron D 356 @ 3.33GHz</a>	1	251	619	86	PLGA775	Desktop
<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	1	372	712	65	PLGA775	Desktop
<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	1	313	388	35	LGA775	Desktop
<a href="#">Intel Celeron E1200 @ 1.60GHz</a>	2	551	588	65	LGA775	Desktop
<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	2	671	746	65	LGA775	Desktop
<a href="#">Intel Celeron E1500 @ 2.20GHz</a>	2	626	764	65	LGA775	Desktop
<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	2	840	916	65	LGA775	Desktop
<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	2	839	970	65	LGA775	Desktop
<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	2	822	1,019	65	LGA775	Desktop
<a href="#">Intel Celeron E3400 @ 2.60GHz</a>	2	848	1,012	65	LGA775	Desktop
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	2	935	1,154	65	LGA775	Desktop
<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	2	1,086	929	73	FCLGA1156	Desktop
<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	2	1,504	1,379	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	2	1,373	1,230	35	LGA1155	Desktop
<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	2	1,539	1,432	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	2	1,540	1,335	35	LGA1155	Desktop
<a href="#">Intel Celeron G1630 @ 2.80GHz</a>	2	1,707	1,553	55	FCLGA1155	Desktop
<a href="#">Intel Celeron G1820 @ 2.70GHz</a>	2	1,691	1,533	53	FCLGA1150	Desktop
<a href="#">Intel Celeron G1820T @ 2.40GHz</a>	2	1,614	1,396	35	LGA1150	Desktop
<a href="#">Intel Celeron G1820TE @ 2.20GHz</a>	2	1,115	728	35	LGA1150	Desktop
<a href="#">Intel Celeron G1830 @ 2.80GHz</a>	2	1,560	1,513	53	LGA1150	Desktop
<a href="#">Intel Celeron G1840 @ 2.80GHz</a>	2	1,762	1,580	53	FCLGA1150	Desktop
<a href="#">Intel Celeron G1840T @ 2.50GHz</a>	2	1,576	1,431	35	LGA1150	Desktop
<a href="#">Intel Celeron G1850 @ 2.90GHz</a>	2	1,899	1,691	54	FCLGA1150	Desktop
<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2	2,189	1,718	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2	2,034	1,499	35	FCBGA1440	Laptop
<a href="#">Intel Celeron G3900T @ 2.60GHz</a>	2	2,081	1,556	35	Unknown	Desktop
<a href="#">Intel Celeron G3900TE @ 2.30GHz</a>	2	1,850	1,402	35	FCLGA1151	Laptop
<a href="#">Intel Celeron G3920 @ 2.90GHz</a>	2	2,346	1,768	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G3930 @ 2.90GHz</a>	2	2,253	1,787	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2	2,059	1,673	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2	2,218	1,706	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G3950 @ 3.00GHz</a>	2	2,412	1,839	51	FCLGA1151	Desktop
<a href="#">Intel Celeron G440 @ 1.60GHz</a>	1	425	743	35	LGA1155	Desktop
<a href="#">Intel Celeron G460 @ 1.80GHz</a>	1	469	699	35	LGA1155	Desktop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Celeron G465 @ 1.90GHz</a>	1	547	819	35	LGA1155	Desktop
<a href="#">Intel Celeron G470 @ 2.00GHz</a>	1	599	836	35	LGA1155	Desktop
<a href="#">Intel Celeron G4900 @ 3.10GHz</a>	2	2,422	1,888	54	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4900T @ 2.90GHz</a>	2	2,290	1,752	35	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4920 @ 3.20GHz</a>	2	2,406	1,965	54	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2	2,571	1,999	54	FCLGA1151-2	Desktop
<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2	2,284	1,758	35	FCLGA1151	Desktop
<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2	2,714	2,041	54	FCLGA1151	Desktop
<a href="#">Intel Celeron G530 @ 2.40GHz</a>	2	1,092	1,094	65	LGA1155	Desktop
<a href="#">Intel Celeron G530T @ 2.00GHz</a>	2	1,056	962	35	LGA1155	Desktop
<a href="#">Intel Celeron G540 @ 2.50GHz</a>	2	1,160	1,140	65	LGA1155	Desktop
<a href="#">Intel Celeron G540T @ 2.10GHz</a>	2	1,137	995	35	LGA1155	Desktop
<a href="#">Intel Celeron G550 @ 2.60GHz</a>	2	1,214	1,196	65	LGA1155	Desktop
<a href="#">Intel Celeron G550T @ 2.20GHz</a>	2	1,102	1,026	35	LGA1155	Desktop
<a href="#">Intel Celeron G555 @ 2.70GHz</a>	2	1,268	1,275	65	LGA1155	Desktop
<a href="#">Intel Celeron G5900 @ 3.40GHz</a>	2	2,684	2,110	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5900T @ 3.20GHz</a>	2	2,620	2,028	35	FCLGA1200	Desktop
<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2	2,849	2,202	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5905T @ 3.30GHz</a>	2	2,070	1,718	35	FCLGA1200	Desktop
<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2	2,482	2,151	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G5925 @ 3.60GHz</a>	2	2,708	2,198	58	FCLGA1200	Desktop
<a href="#">Intel Celeron G6900</a>	2	4,440	2,700	46	LGA1700,BGA1700	Desktop
<a href="#">Intel Celeron G6900T</a>	2	4,024	2,348	35	FCLGA1700	Desktop
<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	2	595	659	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	2	588	666	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	4	942	455	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	4	1,143	649	10	FCBGA1170	Desktop
<a href="#">Intel Celeron J3060 @ 1.60GHz</a>	2	677	634	6	BGA1170	Desktop
<a href="#">Intel Celeron J3160 @ 1.60GHz</a>	4	1,266	608	6	BGA1170	Desktop
<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	2	1,189	819	10	FCBGA1296	Desktop, Laptop
<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	4	2,254	807	10	FCBGA1296	Desktop
<a href="#">Intel Celeron J3455E @ 1.50GHz</a>	4	2,157	839	10	FCBGA1296	Desktop
<a href="#">Intel Celeron J4005 @ 2.00GHz</a>	2	1,586	1,097	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4025 @ 2.00GHz</a>	2	1,714	1,226	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	4	2,904	1,093	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	4	2,708	1,070	NA	Unknown	Desktop
<a href="#">Intel Celeron J4125 @ 2.00GHz</a>	4	2,984	1,168	10	FCBGA1090	Desktop
<a href="#">Intel Celeron J6412 @ 2.00GHz</a>	4	3,907	1,390	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4	4,276	1,520	10	FCBGA1296	Mobile/Embedded
<a href="#">Intel Celeron M 1.00GHz</a>	1	149	197	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.30GHz</a>	1	205	284	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.50GHz</a>	1	216	280	21	PPGA478, H-PBGA4	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Celeron M 1.60GHz</a>	1	190	433	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1.70GHz</a>	1	252	370	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1300MHz</a>	1	197	274	NA	Unknown	Laptop
<a href="#">Intel Celeron M 1500MHz</a>	1	217	297	NA	Unknown	Laptop
<a href="#">Intel Celeron M 360 1.40GHz</a>	1	221	305	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Celeron M 410 @ 1.46GHz</a>	1	123	301	27	PPGA478	Laptop
<a href="#">Intel Celeron M 420 @ 1.60GHz</a>	1	139	391	27	PPGA478	Laptop
<a href="#">Intel Celeron M 430 @ 1.73GHz</a>	1	169	466	27	PPGA478	Laptop
<a href="#">Intel Celeron M 440 @ 1.86GHz</a>	1	169	485	27	PBGA479, PPGA478	Laptop
<a href="#">Intel Celeron M 443 @ 1.20GHz</a>	1	125	288	5.5	PBGA479	Laptop
<a href="#">Intel Celeron M 450 @ 2.00GHz</a>	1	230	598	27	PPGA478	Laptop
<a href="#">Intel Celeron M 520 @ 1.60GHz</a>	1	215	522	30	PPGA478	Laptop
<a href="#">Intel Celeron M 530 @ 1.73GHz</a>	1	291	552	30	PBGA479, PPGA478	Laptop
<a href="#">Intel Celeron M 723 @ 1.20GHz</a>	1	267	507	10	BGA956	Laptop
<a href="#">Intel Celeron M 900MHz</a>	1	123	155	NA	Unknown	Laptop
<a href="#">Intel Celeron N2805 @ 1.46GHz</a>	2	335	394	4.3	FCBGA1170	Laptop
<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	2	487	532	4.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	2	493	564	4.3	FCBGA1170	Laptop
<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	2	509	587	4.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2810 @ 2.00GHz</a>	2	420	512	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	2	499	562	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2820 @ 2.13GHz</a>	2	495	597	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2830 @ 2.16GHz</a>	2	554	633	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2840 @ 2.16GHz</a>	2	583	670	7	FCBGA1170	Laptop
<a href="#">Intel Celeron N2910 @ 1.60GHz</a>	4	773	447	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2920 @ 1.86GHz</a>	4	932	550	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	4	994	581	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N2940 @ 1.83GHz</a>	4	1,047	616	7.5	FCBGA1170	Laptop
<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	2	608	565	4	FCBGA1170	Laptop
<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	2	576	589	4	FCBGA1170	Laptop
<a href="#">Intel Celeron N3050 @ 1.60GHz</a>	2	594	563	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3060 @ 1.60GHz</a>	2	656	624	6	Unknown	Laptop
<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	4	1,207	574	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	4	1,159	559	6	FCBGA1170	Laptop
<a href="#">Intel Celeron N3350 @ 1.10GHz</a>	2	1,113	803	6	FCBGA1296	Laptop
<a href="#">Intel Celeron N3450 @ 1.10GHz</a>	4	1,979	768	6	FCBGA1296	Laptop
<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	2	1,421	1,039	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4000C @ 1.10GHz</a>	2	1,409	996	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4020 @ 1.10GHz</a>	2	1,573	1,161	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4020C @ 1.10GHz</a>	2	1,606	1,191	6	FCBGA1090	Laptop, Mobile/Embedded
<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	4	2,443	1,007	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4120 @ 1.10GHz</a>	4	2,529	1,101	6	FCBGA1090	Laptop
<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	2	1,998	1,361	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Celeron N4505 @ 2.00GHz</a>	2	2,331	1,520	10	FCBGA1338	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Celeron N5095 @ 2.00GHz</a>	4	4,040	1,517	15	FCBGA1338	Desktop
<a href="#">Intel Celeron N5095A @ 2.00GHz</a>	4	4,217	1,535	15	FCBGA1338	Desktop
<a href="#">Intel Celeron N5100 @ 1.10GHz</a>	4	3,340	1,404	6	FCBGA1338	Laptop
<a href="#">Intel Celeron N5105 @ 2.00GHz</a>	4	4,086	1,517	10	FCBGA1338	Mobile/Embedded
<a href="#">Intel Celeron N6210 @ 1.20GHz</a>	2	1,652	1,255	6.5	Unknown	Mobile/Embedded
<a href="#">Intel Celeron N6211 @ 1.20GHz</a>	2	2,245	1,586	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Celeron P4500 @ 1.87GHz</a>	2	816	707	35	PGA988A	Laptop
<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	2	689	820	35	BGA1288	Laptop
<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	2	870	814	35	PGA988A	Laptop
<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	2	460	503	10	BGA956	Laptop
<a href="#">Intel Celeron T1600 @ 1.66GHz</a>	2	545	630	35	Unknown	Laptop
<a href="#">Intel Celeron U1900 @ 1.99GHz</a>	4	1,028	527	NA	Unknown	Unknown
<a href="#">Intel Celeron U3400 @ 1.07GHz</a>	2	473	441	18	BGA1288	Laptop
<a href="#">Intel Celeron U3600 @ 1.20GHz</a>	2	560	520	18	BGA1288	Laptop
<a href="#">Intel Core 860 @ 2.80GHz</a>	4	2,754	1,142	NA	Unknown	Unknown
<a href="#">Intel Core Duo L2300 @ 1.50GHz</a>	2	387	442	15	BGA479	Desktop
<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	2	348	501	15	BGA479	Laptop
<a href="#">Intel Core Duo L2500 @ 1.83GHz</a>	2	404	578	15	BGA479	Laptop
<a href="#">Intel Core Duo T2050 @ 1.60GHz</a>	2	320	493	31	PGA478	Desktop
<a href="#">Intel Core Duo T2250 @ 1.73GHz</a>	2	347	529	31	PGA478	Laptop
<a href="#">Intel Core Duo T2300 @ 1.66GHz</a>	2	320	512	31	BGA479	Laptop
<a href="#">Intel Core Duo T2350 @ 1.86GHz</a>	2	384	572	31	PGA478	Laptop
<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	2	361	525	31	BGA479	Laptop
<a href="#">Intel Core Duo T2450 @ 2.00GHz</a>	2	404	603	31	PGA478	Laptop
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	2	408	613	31	BGA479	Laptop
<a href="#">Intel Core Duo T2600 @ 2.16GHz</a>	2	450	667	31	BGA479	Laptop
<a href="#">Intel Core Duo T2700 @ 2.33GHz</a>	2	498	652	31	BGA479	Laptop
<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	2	255	342	9	BGA479	Laptop
<a href="#">Intel Core Duo U2500 @ 1.20GHz</a>	2	220	362	9	BGA479	Laptop
<a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a>	2	3,806	1,871	9	BGA1526	Laptop
<a href="#">Intel Core i3-1005G1 @ 1.20GHz</a>	2	5,026	2,220	15	FCBGA1526	Laptop
<a href="#">Intel Core i3-10100 @ 3.60GHz</a>	4	8,725	2,624	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10100E @ 3.20GHz</a>	4	8,229	2,297	65	FCLGA1200	Desktop, Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	4	8,846	2,603	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10100T @ 3.00GHz</a>	4	7,365	2,312	35	FCLGA1200	Laptop
<a href="#">Intel Core i3-10100TE @ 2.30GHz</a>	4	6,683	1,849	35	LGA 1200	Mobile/Embedded
<a href="#">Intel Core i3-10100Y @ 1.30GHz</a>	2	2,950	1,697	5	BGA 1528	Mobile/Embedded
<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	4	8,685	2,699	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	4	9,076	2,669	NA	FCLGA1200	Desktop
<a href="#">Intel Core i3-10105T @ 3.00GHz</a>	4	7,967	2,360	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	2	3,970	2,235	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-10110Y @ 1.00GHz</a>	2	3,269	2,090	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	4	9,429	2,695	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10300T @ 3.00GHz</a>	4	8,205	2,384	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10305 @ 3.80GHz</a>	4	9,108	2,797	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10305T @ 3.00GHz</a>	4	8,136	2,457	35	FCLGA1200	Desktop
<a href="#">Intel Core i3-10320 @ 3.80GHz</a>	4	10,068	2,850	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-10325 @ 3.90GHz</a>	4	10,354	2,875	65	FCLGA1200	Desktop
<a href="#">Intel Core i3-11100B @ 3.60GHz</a>	4	11,357	2,912	65	Unknown	Desktop
<a href="#">Intel Core i3-1110G4 @ 1.80GHz</a>	2	4,407	2,215	NA	FCBGA1598	Mobile/Embedded
<a href="#">Intel Core i3-1115G4 @ 3.00GHz</a>	2	6,187	2,669	NA	FCBGA1449	Laptop
<a href="#">Intel Core i3-1115G4E @ 3.00GHz</a>	2	5,826	2,609	15	BGA 1449	Mobile/Embedded
<a href="#">Intel Core i3-1115GRE @ 3.00GHz</a>	2	4,421	2,129	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	4	9,901	2,511	28	FCBGA1449	Laptop
<a href="#">Intel Core i3-12100</a>	4	13,829	3,487	60	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100F</a>	4	14,326	3,504	58	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100T</a>	4	13,004	3,325	35	FCLGA1700	Desktop
<a href="#">Intel Core i3-12100TE</a>	4	12,961	3,334	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i3-1210U</a>	6	11,087	3,554	9	BGA1781	Laptop
<a href="#">Intel Core i3-1215U</a>	6	11,506	3,431	15	FCBGA1744	Laptop
<a href="#">Intel Core i3-1215UE</a>	6	8,987	3,055	28	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i3-1220P</a>	10	15,309	3,460	28	FCBGA1744	Laptop
<a href="#">Intel Core i3-12300</a>	4	14,843	3,618	60	LGA 1700	Desktop
<a href="#">Intel Core i3-12300T</a>	4	13,898	3,216	35	FCLGA1700	Desktop
<a href="#">Intel Core i3-13100</a>	4	15,219	3,742	60	FCLGA1700	Desktop
<a href="#">Intel Core i3-13100F</a>	4	15,275	3,691	58	FCLGA1700	Desktop
<a href="#">Intel Core i3-2100 @ 3.10GHz</a>	2	1,838	1,422	65	LGA1155	Desktop
<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	2	1,488	1,088	35	LGA1155	Desktop
<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2	2,029	1,400	65	FCLGA1155	Desktop
<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	2	1,883	1,433	65	LGA1155	Desktop
<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2	2,193	1,429	NA	Unknown	Unknown
<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	2	1,946	1,515	65	LGA1155	Desktop
<a href="#">Intel Core i3-2120T @ 2.60GHz</a>	2	1,493	1,148	35	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i3-2125 @ 3.30GHz</a>	2	2,093	1,550	65	LGA1155	Desktop
<a href="#">Intel Core i3-2130 @ 3.40GHz</a>	2	2,020	1,561	65	LGA1155	Desktop
<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2	2,307	1,535	65	Unknown	Unknown
<a href="#">Intel Core i3-2310E @ 2.10GHz</a>	2	1,845	733	35	FCBGA1023	Laptop
<a href="#">Intel Core i3-2310M @ 2.10GHz</a>	2	1,213	948	35	BGA1023	Laptop
<a href="#">Intel Core i3-2312M @ 2.10GHz</a>	2	1,138	927	35	PGA988B	Laptop
<a href="#">Intel Core i3-2328M @ 2.20GHz</a>	2	1,228	985	35	PGA988	Laptop
<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	2	1,823	1,063	35	rPGA988	Desktop
<a href="#">Intel Core i3-2330M @ 2.20GHz</a>	2	1,225	967	35	BGA1023	Laptop
<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	2	1,353	936	35	rPGA988B	Laptop
<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	2	976	620	17	BGA-1023	Laptop
<a href="#">Intel Core i3-2348M @ 2.30GHz</a>	2	1,272	1,023	35	rPGA988B	Laptop
<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	2	1,250	985	35	PGA988B	Laptop
<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	2	763	581	17	Unknown	Laptop
<a href="#">Intel Core i3-2365M @ 1.40GHz</a>	2	825	616	17	BGA1023	Laptop
<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	2	827	607	17	BGA1023	Laptop
<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	2	1,362	1,064	35	PGA988B	Laptop
<a href="#">Intel Core i3-2375M @ 1.50GHz</a>	2	896	688	17	BGA1023	Laptop
<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	2	823	610	17	BGA1023	Laptop
<a href="#">Intel Core i3-3110M @ 2.40GHz</a>	2	1,632	1,252	35	BGA1023	Laptop
<a href="#">Intel Core i3-3120M @ 2.50GHz</a>	2	1,678	1,282	35	PGA988	Laptop
<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	2	1,900	1,285	35	BGA1023	Laptop
<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2	2,176	1,712	55	LGA1155	Desktop
<a href="#">Intel Core i3-3217U @ 1.80GHz</a>	2	1,204	905	17	BGA1023	Laptop
<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	2	1,362	711	17	BGA1023	Laptop
<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2	2,246	1,733	55	LGA1155	Desktop
<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	2	1,936	1,487	35	LGA1155	Desktop
<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2	2,235	1,705	55	LGA1155	Desktop
<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	2	1,275	947	17	BGA1023	Laptop
<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	2	1,004	678	13	BGA1023	Desktop
<a href="#">Intel Core i3-3240 @ 3.40GHz</a>	2	2,299	1,793	55	LGA1155	Desktop
<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	2	2,025	1,550	35	LGA1155	Desktop
<a href="#">Intel Core i3-3245 @ 3.40GHz</a>	2	2,295	1,736	55	LGA1155	Desktop
<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2	2,421	1,819	55	LGA1155	Desktop
<a href="#">Intel Core i3-3250T @ 3.00GHz</a>	2	2,650	1,684	35	FCLGA1155	Desktop
<a href="#">Intel Core i3-330E @ 2.13GHz</a>	2	1,260	934	35	BGA1288	Laptop
<a href="#">Intel Core i3-330M @ 2.13GHz</a>	2	1,010	815	35	BGA1288	Laptop
<a href="#">Intel Core i3-330UM @ 1.20GHz</a>	2	484	339	18	BGA1288	Laptop
<a href="#">Intel Core i3-350M @ 2.27GHz</a>	2	1,064	873	35	BGA1288	Laptop
<a href="#">Intel Core i3-370M @ 2.40GHz</a>	2	1,131	971	35	PGA988A	Laptop
<a href="#">Intel Core i3-380M @ 2.53GHz</a>	2	1,179	1,022	35	PGA988A	Laptop
<a href="#">Intel Core i3-380UM @ 1.33GHz</a>	2	734	576	18	BGA1288	Laptop
<a href="#">Intel Core i3-390M @ 2.67GHz</a>	2	1,178	1,096	35	BGA1288	Laptop
<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	2	1,772	1,265	37	FCPGA946	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	2	1,652	913	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4010U @ 1.70GHz</a>	2	1,637	894	15	BGA1168	Laptop
<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	2	1,358	748	11.5	BGA1168	Desktop
<a href="#">Intel Core i3-4012Y @ 1.50GHz</a>	2	1,219	693	11.5	FCBGA1168	Laptop
<a href="#">Intel Core i3-4020Y @ 1.50GHz</a>	2	1,447	783	11.5	BGA1168	Desktop
<a href="#">Intel Core i3-4025U @ 1.90GHz</a>	2	1,952	1,090	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4030U @ 1.90GHz</a>	2	1,869	1,024	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4030Y @ 1.60GHz</a>	2	1,654	901	11.5	FCBGA1168	Laptop
<a href="#">Intel Core i3-4100E @ 2.40GHz</a>	2	1,848	1,390	37	FCBGA1364	Mobile/Embedded
<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2	2,484	1,389	37	FCPGA946	Laptop
<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2	2,678	1,389	37	FCPGA946	Laptop
<a href="#">Intel Core i3-4110U @ 1.90GHz</a>	2	1,853	1,119	NA	Unknown	Laptop
<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	2	1,948	1,177	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	2	3,309	1,891	54	LGA1150	Desktop
<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2	2,882	1,637	35	LGA1150	Desktop
<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	2	3,362	1,928	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2	2,914	1,635	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-4158U @ 2.00GHz</a>	2	1,718	1,005	28	FCBGA1168	Laptop
<a href="#">Intel Core i3-4160 @ 3.60GHz</a>	2	3,514	2,008	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4160T @ 3.10GHz</a>	2	3,155	1,769	35	LGA1150	Desktop
<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	2	3,574	2,062	54	LGA1150	Desktop
<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	2	3,188	1,823	35	LGA1150	Desktop
<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	2	3,537	1,983	54	LGA1150	Desktop
<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	2	3,098	1,717	35	LGA1150	Desktop
<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2	2,012	1,300	35	LGA1150	Desktop
<a href="#">Intel Core i3-4340 @ 3.60GHz</a>	2	3,545	2,041	54	LGA1150	Desktop
<a href="#">Intel Core i3-4350 @ 3.60GHz</a>	2	3,459	1,902	54	LGA1150	Desktop
<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2	2,888	1,656	35	LGA1150	Laptop
<a href="#">Intel Core i3-4360 @ 3.70GHz</a>	2	3,578	2,065	54	FCLGA1150	Desktop
<a href="#">Intel Core i3-4360T @ 3.20GHz</a>	2	3,393	1,923	35	LGA1150	Desktop
<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	2	3,837	2,150	54	LGA1150	Desktop
<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	2	3,361	1,911	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	2	3,244	1,693	35	FCLGA1150	Desktop
<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2	2,023	1,148	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2	2,176	1,232	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5015U @ 2.10GHz</a>	2	1,865	1,029	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2	2,244	1,264	15	FCBGA1168	Laptop
<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2	2,588	1,325	28	FCBGA1168	Laptop
<a href="#">Intel Core i3-530 @ 2.93GHz</a>	2	1,474	1,176	73	LGA1156	Desktop
<a href="#">Intel Core i3-540 @ 3.07GHz</a>	2	1,514	1,256	73	LGA1156	Desktop
<a href="#">Intel Core i3-550 @ 3.20GHz</a>	2	1,596	1,339	73	LGA1156	Desktop
<a href="#">Intel Core i3-560 @ 3.33GHz</a>	2	1,722	1,357	73	LGA1156	Desktop
<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2	2,280	1,163	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	2	4,154	2,179	54	LGA 1151	Desktop
<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	2	4,148	2,204	51	LGA 1151	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	2	3,315	1,688	35	LGA 1151	Laptop
<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	2	3,041	1,543	35	LGA 1151	Laptop
<a href="#">Intel Core i3-6100T @ 3.20GHz</a>	2	3,625	1,881	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6100TE @ 2.70GHz</a>	2	3,085	1,615	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6100U @ 2.30GHz</a>	2	2,633	1,336	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2	2,349	1,068	25	FCBGA1440	Laptop
<a href="#">Intel Core i3-6157U @ 2.40GHz</a>	2	2,796	1,444	28	BGA1356	Laptop
<a href="#">Intel Core i3-6167U @ 2.70GHz</a>	2	3,156	1,653	28	FCBGA1356	Laptop
<a href="#">Intel Core i3-6300 @ 3.80GHz</a>	2	4,363	2,298	51	LGA 1151	Desktop
<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	2	4,029	2,031	35	LGA 1151	Desktop
<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	2	4,398	2,351	51	LGA 1151	Desktop
<a href="#">Intel Core i3-7020U @ 2.30GHz</a>	2	2,566	1,326	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7100 @ 3.90GHz</a>	2	4,359	2,324	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-7100H @ 3.00GHz</a>	2	3,430	1,668	35	FCBGA1440	Laptop
<a href="#">Intel Core i3-7100T @ 3.40GHz</a>	2	3,795	1,991	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7100U @ 2.40GHz</a>	2	2,718	1,389	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7101E @ 3.90GHz</a>	2	4,430	2,407	54	FCLGA1151	Desktop
<a href="#">Intel Core i3-7101TE @ 3.40GHz</a>	2	3,911	1,997	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2	2,521	1,292	25	FCBGA1440	Laptop
<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2	2,987	1,572	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-7167U @ 2.80GHz</a>	2	3,368	1,705	28	Unknown	Laptop
<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	2	4,555	2,407	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	2	4,159	2,128	35	FCLGA1151	Desktop
<a href="#">Intel Core i3-7320 @ 4.10GHz</a>	2	4,853	2,507	51	FCLGA1151	Desktop
<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	2	4,922	2,558	60	FCLGA1151	Desktop
<a href="#">Intel Core i3-8100 @ 3.60GHz</a>	4	6,166	2,234	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	4	6,053	2,353	65	FCBGA1440	Laptop
<a href="#">Intel Core i3-8100T @ 3.10GHz</a>	4	5,314	1,918	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	2	4,279	2,131	28	FCBGA1528	Laptop
<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	2	4,393	1,937	15	Unknown	Laptop
<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	2	3,620	1,924	15	FCBGA1356	Laptop
<a href="#">Intel Core i3-8140U @ 2.10GHz</a>	2	4,227	2,135	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8145U @ 2.10GHz</a>	2	3,858	2,140	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8145UE @ 2.20GHz</a>	2	4,074	2,338	15	FCBGA1528	Laptop
<a href="#">Intel Core i3-8300 @ 3.70GHz</a>	4	6,269	2,272	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	4	5,867	1,974	25	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	4	6,956	2,497	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	4	6,682	2,515	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100F @ 3.60GHz</a>	4	6,771	2,511	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100T @ 3.10GHz</a>	4	5,529	2,106	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9100TE @ 2.20GHz</a>	4	4,501	1,585	35	FCLGA1151-2	Laptop
<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	4	7,279	2,666	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9300T @ 3.20GHz</a>	4	6,162	2,318	35	FCLGA1151-2	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i3-9320 @ 3.70GHz</a>	4	7,358	2,711	62	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-9350K @ 4.00GHz</a>	4	7,722	2,801	91	FCLGA1151	Desktop
<a href="#">Intel Core i3-9350KF @ 4.00GHz</a>	4	7,547	2,690	91	FCLGA1151-2	Desktop
<a href="#">Intel Core i3-N305</a>	8	10,475	2,286	15	FCBGA1264	Laptop, Mobile/Embedded
<a href="#">Intel Core i5 750S @ 2.40GHz</a>	4	1,326	1,039	82	LGA1156	Desktop
<a href="#">Intel Core i5 E 520 @ 2.40GHz</a>	2	1,619	1,032	35	BGA1288	Desktop
<a href="#">Intel Core i5 M 430 @ 2.27GHz</a>	2	1,418	1,109	NA	Unknown	Unknown
<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	4	8,334	2,463	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	4	6,319	2,202	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4	4,764	1,923	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	4	8,590	2,598	45	FCBGA1440	Desktop, Laptop
<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	4	5,927	1,776	10	BGA1526	Laptop
<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	4	6,515	2,240	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	4	7,557	2,270	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>	4	8,057	2,236	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	4	8,560	2,298	15	FCBGA1526	Laptop
<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	4	9,403	2,275	28	FCBGA1344	Laptop
<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	6	12,269	2,581	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	6	12,350	2,564	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	4	8,774	2,691	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	6	9,955	2,159	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-10500 @ 3.10GHz</a>	6	12,895	2,774	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10500E @ 3.10GHz</a>	6	10,827	2,436	65	FCLGA1200	Mobile/Embedded
<a href="#">Intel Core i5-10500H @ 2.50GHz</a>	6	11,514	2,621	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-10500T @ 2.30GHz</a>	6	10,216	2,325	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-10500TE @ 2.30GHz</a>	6	9,960	2,145	35	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-10505 @ 3.20GHz</a>	6	12,268	2,847	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	6	13,768	2,925	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	6	14,468	2,932	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600KF @ 4.10GHz</a>	6	14,474	2,945	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-10600T @ 2.40GHz</a>	6	11,210	2,422	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-11260H @ 2.60GHz</a>	6	15,711	2,958	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11300H @ 3.10GHz</a>	4	11,053	2,830	35	FCBGA1449	Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>	4	8,990	2,437	15	BGA 1449	Laptop
<a href="#">Intel Core i5-11320H @ 3.20GHz</a>	4	10,952	2,954	35	FCBGA1449	Laptop
<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	4	9,986	2,714	15	BGA1526	Laptop
<a href="#">Intel Core i5-11400 @ 2.60GHz</a>	6	17,049	3,044	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11400F @ 2.60GHz</a>	6	17,205	3,017	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11400H @ 2.70GHz</a>	6	15,909	3,043	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11400T @ 1.30GHz</a>	6	13,354	2,570	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	4	9,816	2,649	15	FCBGA1598	Server
<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	4	10,074	2,796	28	FCBGA1449	Laptop
<a href="#">Intel Core i5-1145G7E @ 2.60GHz</a>	4	10,098	2,685	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i5-1145GRE @ 2.60GHz</a>	4	9,272	2,311	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i5-11500 @ 2.70GHz</a>	6	17,518	3,144	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11500B @ 3.30GHz</a>	6	17,801	3,231	65	Unknown	Desktop
<a href="#">Intel Core i5-11500H @ 2.90GHz</a>	6	16,052	3,066	45	FCBGA1787	Laptop
<a href="#">Intel Core i5-11500T @ 1.50GHz</a>	6	13,347	2,655	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1155G7 @ 2.50GHz</a>	4	10,200	2,911	28	FCBGA1449	Laptop
<a href="#">Intel Core i5-11600 @ 2.80GHz</a>	6	18,188	3,297	65	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600K @ 3.90GHz</a>	6	19,747	3,367	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600KF @ 3.90GHz</a>	6	19,747	3,361	125	FCLGA1200	Desktop
<a href="#">Intel Core i5-11600T @ 1.70GHz</a>	6	14,713	2,887	35	FCLGA1200	Desktop
<a href="#">Intel Core i5-1230U</a>	10	10,886	2,702	9	FCBGA1781	Laptop
<a href="#">Intel Core i5-1235U</a>	10	13,650	3,302	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-12400</a>	6	19,547	3,546	65	LGA 1700	Desktop
<a href="#">Intel Core i5-12400F</a>	6	19,755	3,550	65	FCLGA1700	Desktop
<a href="#">[Dual CPU] Intel Core i5-12400F</a>	6	19,680	3,630	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-12400T</a>	6	16,832	3,466	74	FCLGA1700	Desktop
<a href="#">Intel Core i5-1240P</a>	12	17,305	3,273	28	FCBGA1744	Laptop
<a href="#">Intel Core i5-1240U</a>	10	14,323	3,224	29	FCBGA1744	Laptop
<a href="#">Intel Core i5-12450H</a>	8	18,071	3,546	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-1245U</a>	10	13,296	3,191	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-1245UE</a>	10	11,372	3,061	15	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i5-12490F</a>	6	20,777	3,757	65	LGA1700	Desktop
<a href="#">Intel Core i5-12500</a>	6	19,915	3,715	65	LGA 1700	Desktop
<a href="#">Intel Core i5-12500E</a>	6	20,699	3,735	65	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i5-12500H</a>	12	21,761	3,552	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-12500T</a>	6	17,141	3,579	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-12500TE</a>	6	16,584	3,385	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-1250P</a>	12	19,736	3,531	28	BGA1700	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i5-12600</a>	6	21,406	3,836	65	LGA 1700	Desktop
<a href="#">Intel Core i5-12600H</a>	12	23,180	3,599	45	FCBGA1744	Laptop
<a href="#">Intel Core i5-12600HX</a>	12	24,651	3,764	55	FCBGA1964	Laptop
<a href="#">Intel Core i5-12600K</a>	10	27,794	3,975	150	FCLGA1700	Desktop
<a href="#">Intel Core i5-12600KF</a>	10	27,421	3,949	150	FCLGA1700	Desktop
<a href="#">Intel Core i5-12600T</a>	6	17,147	3,327	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-13400</a>	10	26,474	3,780	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-13400F</a>	10	26,041	3,737	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-13500</a>	14	32,593	3,961	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-13500H</a>	12	24,074	3,671	45	Unknown	Laptop
<a href="#">Intel Core i5-13600</a>	14	33,246	4,141	65	FCLGA1700	Desktop
<a href="#">Intel Core i5-13600K</a>	14	38,488	4,190	125	FCLGA1700	Desktop
<a href="#">Intel Core i5-13600KF</a>	14	38,397	4,183	125	FCLGA1700	Desktop
<a href="#">Intel Core i5-13600T</a>	14	28,014	3,931	35	FCLGA1700	Desktop
<a href="#">Intel Core i5-2300 @ 2.80GHz</a>	4	3,383	1,427	95	LGA1155	Desktop
<a href="#">Intel Core i5-2310 @ 2.90GHz</a>	4	3,642	1,497	95	LGA1155	Desktop
<a href="#">Intel Core i5-2320 @ 3.00GHz</a>	4	3,657	1,517	95	LGA1155	Desktop
<a href="#">Intel Core i5-2380P @ 3.10GHz</a>	4	3,797	1,607	95	LGA1155	Desktop
<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2	2,375	1,391	35	LGA1155	Desktop
<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	4	3,852	1,580	95	LGA1155	Desktop
<a href="#">Intel Core i5-2400S @ 2.50GHz</a>	4	3,162	1,466	65	LGA1155	Desktop
<a href="#">Intel Core i5-24050S @ 2.50GHz</a>	4	3,061	1,397	65	LGA1155, FCLGA11	Desktop
<a href="#">Intel Core i5-2405S @ 2.50GHz</a>	4	2,980	1,485	65	LGA1155	Desktop
<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	2	1,953	1,218	35	FCBGA1023, PPG	Laptop
<a href="#">Intel Core i5-2415M @ 2.30GHz</a>	2	2,089	1,264	35	BGA1023	Desktop
<a href="#">Intel Core i5-2430M @ 2.40GHz</a>	2	2,006	1,243	35	PGA988B	Laptop
<a href="#">Intel Core i5-2435M @ 2.40GHz</a>	2	2,045	1,279	35	BGA1023	Laptop
<a href="#">Intel Core i5-2450M @ 2.50GHz</a>	2	2,053	1,271	35	BGA1023	Laptop
<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	4	4,175	1,680	95	LGA1155	Desktop
<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	2	1,444	833	17	BGA1023	Laptop
<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4	4,111	1,705	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500K @ 3.30GHz</a>	4	4,111	1,702	95	LGA1155	Desktop
<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	4	3,365	1,639	65	LGA1155	Desktop
<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	4	2,942	1,489	45	LGA1155	Desktop
<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	2	1,889	1,183	35	PGA988B	Laptop
<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	2	1,882	1,189	35	BGA1023	Desktop
<a href="#">Intel Core i5-2520M @ 2.50GHz</a>	2	2,234	1,357	35	PGA988B	Laptop
<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	2	1,224	925	17	BGA1023	Laptop
<a href="#">Intel Core i5-2540M @ 2.60GHz</a>	2	2,324	1,390	35	BGA1023	Laptop
<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4	4,184	1,762	95	LGA1155	Desktop
<a href="#">Intel Core i5-2557M @ 1.70GHz</a>	2	1,806	1,107	17	BGA1023	Laptop
<a href="#">Intel Core i5-2560M @ 2.70GHz</a>	2	2,131	1,259	NA	Unknown	Unknown
<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	4	8,882	2,510	NA	Unknown	Unknown
<a href="#">Intel Core i5-3210M @ 2.50GHz</a>	2	2,472	1,539	35	PGA988B	Laptop
<a href="#">Intel Core i5-3230M @ 2.60GHz</a>	2	2,527	1,563	35	PGA988	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Core i5-3317U @ 1.70GHz	2	1,989	1,247	17	BGA1023	Laptop
Intel Core i5-3320M @ 2.60GHz	2	2,640	1,609	35	BGA1023	Laptop
Intel Core i5-3330 @ 3.00GHz	4	4,091	1,719	77	LGA1155	Desktop
Intel Core i5-3330S @ 2.70GHz	4	3,840	1,690	65	LGA1155	Desktop
Intel Core i5-3335S @ 2.70GHz	4	3,982	1,785	65	LGA1155	Desktop
Intel Core i5-3337U @ 1.80GHz	2	2,090	1,281	17	BGA1023	Laptop
Intel Core i5-3339Y @ 1.50GHz	2	1,583	913	13	BGA1023	Desktop
Intel Core i5-3340 @ 3.10GHz	4	4,242	1,781	77	LGA1155	Desktop
Intel Core i5-3340M @ 2.70GHz	2	2,675	1,644	35	BGA1023	Laptop
Intel Core i5-3340S @ 2.80GHz	4	3,918	1,755	65	LGA1155	Desktop
Intel Core i5-3350P @ 3.10GHz	4	4,260	1,785	69	LGA1155	Desktop
Intel Core i5-3360M @ 2.80GHz	2	2,885	1,765	35	BGA1023	Laptop
Intel Core i5-3380M @ 2.90GHz	2	2,939	1,784	35	FCPGA988, FCBGA1	Laptop
Intel Core i5-3427U @ 1.80GHz	2	2,225	1,360	17	BGA1023	Laptop
Intel Core i5-3437U @ 1.90GHz	2	2,298	1,406	17	BGA1023	Laptop
Intel Core i5-3439Y @ 1.50GHz	2	1,907	1,197	13	BGA1023	Desktop
Intel Core i5-3450 @ 3.10GHz	4	4,470	1,870	77	LGA1155	Desktop
Intel Core i5-3450S @ 2.80GHz	4	4,328	1,857	65	LGA1155	Desktop
Intel Core i5-3470 @ 3.20GHz	4	4,680	1,943	77	LGA1155	Desktop
Intel Core i5-3470S @ 2.90GHz	4	4,383	1,894	65	LGA1155	Desktop
Intel Core i5-3470T @ 2.90GHz	2	2,956	1,782	35	LGA1155	Desktop
Intel Core i5-3475S @ 2.90GHz	4	4,214	1,827	65	LGA1155	Desktop
Intel Core i5-3550 @ 3.30GHz	4	4,783	1,994	77	LGA1155	Desktop
Intel Core i5-3550S @ 3.00GHz	4	4,515	1,977	65	LGA1155	Desktop
Intel Core i5-3570 @ 3.40GHz	4	4,914	2,046	77	LGA1155	Desktop
Intel Core i5-3570K @ 3.40GHz	4	4,956	2,051	77	LGA1155	Desktop
Intel Core i5-3570S @ 3.10GHz	4	4,637	1,993	65	LGA1155	Desktop
Intel Core i5-3570T @ 2.30GHz	4	4,057	1,728	45	LGA1155	Desktop
Intel Core i5-3610ME @ 2.70GHz	2	2,608	1,521	35	BGA1023	Laptop
Intel Core i5-4200H @ 2.80GHz	2	3,131	1,813	47	BGA1364	Desktop
Intel Core i5-4200M @ 2.50GHz	2	2,794	1,611	37	PGA946	Laptop
Intel Core i5-4200U @ 1.60GHz	2	2,189	1,292	15	BGA1168	Laptop
Intel Core i5-4200Y @ 1.40GHz	2	1,558	944	11.5	BGA1168	Desktop
Intel Core i5-4202Y @ 1.60GHz	2	1,453	929	11.5	FCBGA1168	Desktop
Intel Core i5-4210H @ 2.90GHz	2	3,032	1,765	47	FCBGA1364	Laptop
Intel Core i5-4210M @ 2.60GHz	2	2,866	1,682	37	FCPGA946	Laptop
Intel Core i5-4210U @ 1.70GHz	2	2,307	1,382	15	FCBGA1168	Laptop
Intel Core i5-4210Y @ 1.50GHz	2	1,553	982	11	BGA1168	Desktop
Intel Core i5-4220Y @ 1.60GHz	2	1,591	952	11.5	FCBGA1364	Laptop
Intel Core i5-4230U @ 1.90GHz	2	1,853	1,620	15	FCBGA1364	Laptop
Intel Core i5-4250U @ 1.30GHz	2	2,175	1,340	15	BGA1168	Laptop
Intel Core i5-4258U @ 2.40GHz	2	2,574	1,545	28	FCBGA1168	Laptop
Intel Core i5-4260U @ 1.40GHz	2	2,350	1,484	15	FCBGA1168	Laptop
Intel Core i5-4278U @ 2.60GHz	2	2,839	1,720	28	FCBGA1168	Laptop
Intel Core i5-4288U @ 2.60GHz	2	2,659	1,644	28	FCBGA1168	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i5-4300M @ 2.60GHz</a>	2	3,051	1,769	37	PGA946	Laptop
<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2	2,502	1,488	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	2	1,485	967	11.5	BGA1168	Desktop
<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	2	1,986	1,212	11.5	FCBGA1168	Desktop
<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2	3,001	1,861	28	FCBGA1364	Laptop
<a href="#">Intel Core i5-430M @ 2.27GHz</a>	2	1,197	988	35	BGA1288	Laptop
<a href="#">Intel Core i5-430UM @ 1.20GHz</a>	2	836	630	18	BGA1288	Laptop
<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	2	3,110	1,817	37	Unknown	Laptop
<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2	2,524	1,507	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	2	3,168	1,847	37	Unknown	Laptop
<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	2	3,461	2,029	37	Unknown	Laptop
<a href="#">Intel Core i5-4350U @ 1.40GHz</a>	2	2,425	1,585	15	BGA1168	Laptop
<a href="#">Intel Core i5-4400E @ 2.70GHz</a>	2	3,251	1,804	37	BGA1364	Desktop
<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2	2,681	1,510	25	FCBGA1364	Laptop
<a href="#">Intel Core i5-4422E @ 1.80GHz</a>	2	1,907	1,048	25	FCBGA1364	Laptop
<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4	4,675	1,809	84	LGA1150	Desktop
<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	4	4,233	1,742	65	LGA1150	Desktop
<a href="#">Intel Core i5-4440 @ 3.10GHz</a>	4	4,752	1,855	84	FCLGA1150	Desktop
<a href="#">Intel Core i5-4440S @ 2.80GHz</a>	4	4,381	1,802	65	LGA1150	Desktop
<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4	4,859	1,902	84	LGA1150	Desktop
<a href="#">Intel Core i5-4460S @ 2.90GHz</a>	4	4,541	1,840	65	LGA1150	Desktop
<a href="#">Intel Core i5-4460T @ 1.90GHz</a>	4	3,611	1,470	35	LGA1150	Desktop
<a href="#">Intel Core i5-4470 @ 3.30GHz</a>	4	1,180	401	84	LGA1150	Desktop
<a href="#">Intel Core i5-4470S @ 3.00GHz</a>	4	4,742	1,756	65	LGA1150	Desktop
<a href="#">Intel Core i5-450M @ 2.40GHz</a>	2	1,209	1,037	35	PGA988A	Laptop
<a href="#">Intel Core i5-4570 @ 3.20GHz</a>	4	5,221	2,037	84	LGA1150	Desktop
<a href="#">Intel Core i5-4570R @ 2.70GHz</a>	4	4,460	1,801	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-4570S @ 2.90GHz</a>	4	4,960	1,989	65	LGA1150	Desktop
<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	2	3,170	1,896	35	LGA1150	Desktop
<a href="#">Intel Core i5-4570TE @ 2.70GHz</a>	2	3,106	1,631	35	LGA1150	Desktop
<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	4	5,352	2,086	84	LGA1150	Desktop
<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	4	5,118	2,057	65	LGA1150	Desktop
<a href="#">Intel Core i5-4590T @ 2.00GHz</a>	4	4,023	1,648	35	LGA1150	Desktop
<a href="#">Intel Core i5-460M @ 2.53GHz</a>	2	1,295	1,152	35	BGA1288	Laptop
<a href="#">Intel Core i5-4670 @ 3.40GHz</a>	4	5,507	2,153	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	4	5,541	2,142	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	4	5,034	2,042	84	LGA1150	Desktop
<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	4	5,233	2,164	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	4	5,056	2,083	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-4670T @ 2.30GHz</a>	4	4,311	1,718	45	FCLGA1150	Desktop
<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	4	5,591	2,195	84	LGA1150	Desktop
<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	4	5,655	2,189	88	LGA1150	Desktop
<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	4	5,424	2,187	65	LGA1150	Desktop
<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4	4,660	1,922	45	LGA1150	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i5-470UM @ 1.33GHz</a>	2	778	720	18	BGA1288	Laptop
<a href="#">Intel Core i5-480M @ 2.67GHz</a>	2	1,315	1,163	35	BGA1288	Laptop
<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2	2,501	1,503	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-520M @ 2.40GHz</a>	2	1,713	1,097	35	BGA1288	Laptop
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	2	849	721	18	BGA1288	Laptop
<a href="#">Intel Core i5-5250U @ 1.60GHz</a>	2	2,497	1,546	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	2	3,037	1,860	23	FCBGA1168	Laptop
<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	2	3,134	1,957	28	FCBGA1168	Laptop
<a href="#">Intel Core i5-5300U @ 2.30GHz</a>	2	2,748	1,647	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-5350U @ 1.80GHz</a>	2	2,628	1,688	15	FCBGA1168	Laptop
<a href="#">Intel Core i5-540M @ 2.53GHz</a>	2	1,805	1,162	35	BGA1288	Laptop
<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	2	1,002	818	18	BGA1288	Laptop
<a href="#">Intel Core i5-5575R @ 2.80GHz</a>	4	5,065	2,112	65	LGA1150	Desktop
<a href="#">Intel Core i5-560M @ 2.67GHz</a>	2	1,882	1,237	35	BGA1288	Laptop
<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	2	1,015	898	18	BGA1288	Laptop
<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	4	5,626	2,251	65	FCLGA1150	Desktop
<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	4	5,501	2,237	65	FCBGA1364	Desktop
<a href="#">Intel Core i5-580M @ 2.67GHz</a>	2	1,969	1,308	35	BGA1288	Laptop
<a href="#">Intel Core i5-6198DU @ 2.30GHz</a>	2	3,169	1,663	15	BGA1356	Laptop
<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	2	3,004	1,570	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	2	3,207	1,651	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6267U @ 2.90GHz</a>	2	3,484	1,881	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	2	3,829	2,025	28	FCBGA1356	Laptop
<a href="#">Intel Core i5-6300HQ @ 2.30GHz</a>	4	4,697	1,792	45	LGA 1151	Laptop
<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	2	3,245	1,676	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6350HQ @ 2.30GHz</a>	4	4,255	1,420	45	LGA 1151	Laptop
<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	2	3,164	1,779	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	4	5,171	1,965	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6400T @ 2.20GHz</a>	4	4,315	1,650	35	LGA 1151	Desktop
<a href="#">Intel Core i5-6402P @ 2.80GHz</a>	4	5,433	2,033	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6440EQ @ 2.70GHz</a>	4	5,419	2,044	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-6440HQ @ 2.60GHz</a>	4	5,109	1,987	45	LGA 1151	Laptop
<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4	4,598	1,716	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-650 @ 3.20GHz</a>	2	2,228	1,377	73	LGA1156	Desktop
<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	4	5,644	2,119	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4	4,751	1,783	35	LGA 1151	Desktop
<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	4	4,658	1,850	35	LGA 1151	Desktop
<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2	2,017	1,446	73	LGA1156	Desktop
<a href="#">Intel Core i5-660 @ 3.33GHz</a>	2	2,386	1,446	73	LGA1156	Desktop
<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	4	6,043	2,263	65	LGA 1151	Desktop
<a href="#">Intel Core i5-6600K @ 3.50GHz</a>	4	6,346	2,341	91	FCLGA1151	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i5-6600T @ 2.70GHz</a>	4	5,659	2,091	35	LGA 1151	Desktop
<a href="#">Intel Core i5-661 @ 3.33GHz</a>	2	2,449	1,449	87	LGA1156	Desktop
<a href="#">Intel Core i5-670 @ 3.47GHz</a>	2	2,513	1,533	73	LGA1156	Desktop
<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2	2,580	1,555	73	LGA1156	Desktop
<a href="#">Intel Core i5-7200U @ 2.50GHz</a>	2	3,393	1,761	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	2	3,945	1,993	15	BGA1356	Laptop
<a href="#">Intel Core i5-7267U @ 3.10GHz</a>	2	3,857	2,052	28	BGA1356	Laptop
<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	2	4,132	2,272	28	Unknown	Laptop
<a href="#">Intel Core i5-7300HQ @ 2.50GHz</a>	4	5,096	1,965	45	Unknown	Laptop
<a href="#">Intel Core i5-7300U @ 2.60GHz</a>	2	3,696	1,938	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7360U @ 2.30GHz</a>	2	3,997	2,161	15	FCBGA1356	Laptop
<a href="#">Intel Core i5-7400 @ 3.00GHz</a>	4	5,507	2,098	65	FCLGA1151	Desktop
<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4	4,752	1,781	35	LGA1151	Desktop
<a href="#">Intel Core i5-7440EQ @ 2.90GHz</a>	4	5,711	2,131	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-7440HQ @ 2.80GHz</a>	4	5,597	2,079	45	BGA1440	Laptop
<a href="#">Intel Core i5-7442EQ @ 2.10GHz</a>	4	4,834	1,819	25	FCBGA1440	Laptop
<a href="#">Intel Core i5-750 @ 2.67GHz</a>	4	2,510	1,233	95	LGA1156	Desktop
<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	4	6,033	2,270	65	LGA1151	Desktop
<a href="#">Intel Core i5-7500T @ 2.70GHz</a>	4	5,273	1,944	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-760 @ 2.80GHz</a>	4	2,606	1,290	95	LGA1156	Desktop
<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	4	6,580	2,483	65	FCLGA1151	Desktop
<a href="#">Intel Core i5-7600K @ 3.80GHz</a>	4	6,840	2,560	91	FCLGA1151	Desktop
<a href="#">Intel Core i5-7600T @ 2.80GHz</a>	4	5,921	2,201	35	FCLGA1151	Desktop
<a href="#">Intel Core i5-760S @ 2.53GHz</a>	4	5,440	1,578	NA	Unknown	Unknown
<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	4	6,791	2,529	112	FCLGA2066	Desktop
<a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>	2	2,786	1,595	4.5	FCBGA1515	Laptop
<a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>	2	2,732	1,696	4.5	FCBGA1515	Laptop
<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2	2,270	1,544	5	FCBGA1515	Laptop
<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	2	2,816	1,709	7	FCBGA1515	Laptop
<a href="#">Intel Core i5-8250U @ 1.60GHz</a>	4	5,895	1,919	15	FC-BGA1356	Laptop
<a href="#">Intel Core i5-8257U @ 1.40GHz</a>	4	7,634	2,311	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8259U @ 2.30GHz</a>	4	8,076	2,244	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-8260U @ 1.60GHz</a>	4	7,808	2,312	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	4	6,054	2,103	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8265UC @ 1.60GHz</a>	4	5,988	2,200	NA	FCBGA1528	Laptop
<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	4	8,055	2,561	28	FCBGA1528	Laptop, Mobile/Embedded
<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	4	7,768	2,368	28	FCBGA1528	Laptop
<a href="#">Intel Core i5-8300H @ 2.30GHz</a>	4	7,507	2,294	45	FCLGA1151-2	Laptop
<a href="#">Intel Core i5-8305G @ 2.80GHz</a>	4	6,840	2,097	65	BGA2270	Laptop
<a href="#">Intel Core i5-8350U @ 1.70GHz</a>	4	6,244	2,031	15	FC-BGA1356	Laptop
<a href="#">Intel Core i5-8365U @ 1.60GHz</a>	4	6,273	2,182	15	FCBGA1528	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	4	5,692	2,181	15	FCBGA1528	Laptop
<a href="#">Intel Core i5-8400 @ 2.80GHz</a>	6	9,250	2,396	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	4	7,959	2,439	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	6	7,502	1,932	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8500 @ 3.00GHz</a>	6	9,584	2,473	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	6	9,087	2,556	65	FCBGA1440	Laptop
<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	6	7,741	2,027	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600 @ 3.10GHz</a>	6	9,943	2,586	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	6	10,243	2,609	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	6	8,751	2,207	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9300H @ 2.40GHz</a>	4	7,712	2,324	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9300HF @ 2.40GHz</a>	4	7,551	2,330	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	6	9,455	2,464	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9400F @ 2.90GHz</a>	6	9,528	2,455	65	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Core i5-9400H @ 2.50GHz</a>	4	8,271	2,497	45	FCBGA1440	Laptop
<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	6	8,143	2,094	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500 @ 3.00GHz</a>	6	9,780	2,577	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500F @ 3.00GHz</a>	6	10,265	2,644	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	6	8,252	2,192	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	6	9,028	2,229	35	FCLGA1151-2	Laptop
<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	6	10,319	2,729	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600K @ 3.70GHz</a>	6	10,766	2,760	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600KF @ 3.70GHz</a>	6	10,801	2,767	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-9600T @ 2.30GHz</a>	6	9,392	2,410	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	5	3,441	1,664	7	FC-CSP1016	Laptop
<a href="#">Intel Core i7 980 @ 3.33GHz</a>	6	7,652	1,636	NA	Unknown	Unknown
<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	4	6,726	2,332	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10510Y @ 1.20GHz</a>	4	5,100	2,004	7	UTFCBGA1377	Laptop
<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	4	6,927	1,911	10	FCBGA1526	Laptop
<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	4	6,912	2,321	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>	4	8,494	2,362	15	FCBGA-1526	Laptop
<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	4	9,865	2,452	28	FCBGA1344	Laptop
<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	8	16,719	2,917	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700E @ 2.90GHz</a>	8	16,418	2,896	65	FCLGA1200	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	8	16,931	2,913	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700K @ 3.80GHz</a>	8	19,113	3,067	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700KF @ 3.80GHz</a>	8	18,963	3,051	125	FCLGA1200	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i7-10700T @ 2.00GHz</a>	8	12,882	2,610	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-10700TE @ 2.00GHz</a>	8	16,332	2,772	35	FCLGA1200	Laptop
<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	6	9,874	2,405	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10750H @ 2.60GHz</a>	6	12,160	2,692	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10810U @ 1.10GHz</a>	6	8,136	2,271	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-10850H @ 2.70GHz</a>	6	12,033	2,724	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10870H @ 2.20GHz</a>	8	14,824	2,717	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	8	15,250	2,768	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	4	11,894	2,968	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-11375H @ 3.30GHz</a>	4	12,303	3,058	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-11390H @ 3.40GHz</a>	4	10,533	2,973	35	FCBGA1449	Laptop
<a href="#">Intel Core i7-11600H @ 2.90GHz</a>	6	15,745	3,046	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-1160G7 @ 1.20GHz</a>	4	9,205	2,656	NA	FCBGA1598	Laptop
<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	4	10,430	2,850	15	BGA1526	Laptop
<a href="#">Intel Core i7-11700 @ 2.50GHz</a>	8	20,165	3,167	95	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700B @ 3.20GHz</a>	8	22,807	3,373	65	Unknown	Desktop
<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	8	21,163	3,321	65	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	8	24,660	3,424	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	8	24,078	3,401	125	FCLGA1200	Desktop
<a href="#">Intel Core i7-11700T @ 1.40GHz</a>	8	15,755	2,944	35	FCLGA1200	Desktop
<a href="#">Intel Core i7-11800H @ 2.30GHz</a>	8	21,013	3,115	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-1180G7 @ 1.30GHz</a>	4	8,332	2,472	15	FCBGA1598	Laptop
<a href="#">Intel Core i7-11850H @ 2.50GHz</a>	8	20,903	3,163	45	FCBGA1787	Laptop
<a href="#">Intel Core i7-11850HE @ 2.60GHz</a>	8	18,335	2,918	35	FCBGA1787	Mobile/Embedded
<a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>	4	10,632	2,839	15	BGA1526	Laptop
<a href="#">Intel Core i7-1185G7E @ 2.80GHz</a>	4	10,788	2,796	15	FCBGA1449	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1185GRE @ 2.80GHz</a>	4	9,142	2,793	15	FCBGA1449	Mobile/Embedded
<a href="#">Intel Core i7-1195G7 @ 2.90GHz</a>	4	11,062	3,069	28	FCBGA1449	Laptop
<a href="#">Intel Core i7-1250U</a>	10	13,519	3,102	9	FCBGA1781	Laptop
<a href="#">Intel Core i7-1255U</a>	10	13,956	3,379	15	FCBGA1744	Laptop
<a href="#">Intel Core i7-1260P</a>	12	17,140	3,324	28	FCBGA1744	Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i7-1260U</a>	10	13,759	3,306	9	FCBGA1781	Laptop
<a href="#">Intel Core i7-12650H</a>	10	24,446	3,746	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-1265U</a>	10	13,823	3,367	15	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1265UE</a>	10	9,392	2,976	28	FCBGA1744	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-12700</a>	12	31,152	3,941	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700E</a>	12	28,292	3,852	65	FCLGA1700	Desktop, Mobile/Embedded
<a href="#">Intel Core i7-12700F</a>	12	31,090	3,932	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700H</a>	14	26,791	3,660	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-12700K</a>	12	34,771	4,060	190	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700KF</a>	12	34,538	4,045	190	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700T</a>	12	21,635	3,644	35	FCLGA1700	Desktop
<a href="#">Intel Core i7-12700TE</a>	12	20,712	3,681	35	FCLGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Core i7-1270P</a>	12	17,579	3,397	28	BGA1700	Laptop
<a href="#">Intel Core i7-12800H</a>	14	24,450	3,494	45	FCBGA1744	Laptop
<a href="#">Intel Core i7-12800HE</a>	14	29,805	3,313	45	FCBGA1744	Mobile/Embedded
<a href="#">Intel Core i7-12800HX</a>	16	33,817	3,864	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-1280P</a>	14	20,484	3,327	28	FCBGA1744	Laptop
<a href="#">Intel Core i7-12850HX</a>	16	30,350	3,737	55	FCBGA1964	Laptop
<a href="#">Intel Core i7-1360P</a>	12	21,358	3,531	28	FCBGA1744	Laptop
<a href="#">Intel Core i7-13700</a>	16	40,833	4,268	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700F</a>	16	41,236	4,255	65	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700K</a>	16	47,065	4,406	125	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700KF</a>	16	46,762	4,386	125	FCLGA1700	Desktop
<a href="#">Intel Core i7-13700T</a>	16	30,304	4,051	35	FCLGA1700	Desktop
<a href="#">Intel Core i7-1370P</a>	14	25,032	3,609	28	FCBGA1744	Laptop
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	4	5,333	1,740	95	LGA1155	Desktop
<a href="#">Intel Core i7-2600K @ 3.40GHz</a>	4	5,485	1,741	95	LGA1155	Desktop
<a href="#">Intel Core i7-2600S @ 2.80GHz</a>	4	4,562	1,721	65	LGA1155	Desktop
<a href="#">Intel Core i7-2610UE @ 1.50GHz</a>	2	1,409	972	17	BGA1023	Laptop
<a href="#">Intel Core i7-2617M @ 1.50GHz</a>	2	1,687	1,092	17	BGA1023	Laptop
<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2	2,430	1,465	35	BGA1023	Laptop
<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	4	3,528	1,211	45	PGA988B	Laptop
<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	2	400	221	NA	Unknown	Laptop
<a href="#">Intel Core i7-2635QM @ 2.00GHz</a>	4	3,194	1,174	45	BGA1224	Laptop
<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	2	1,783	1,093	17	BGA1023	Laptop
<a href="#">Intel Core i7-2640M @ 2.80GHz</a>	2	2,498	1,518	35	BGA1023	Laptop
<a href="#">Intel Core i7-2655LE @ 2.20GHz</a>	2	1,999	1,231	25	BGA1023	Desktop
<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	4	3,742	1,323	45	PGA988B	Laptop
<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	4	3,884	1,322	45	BGA1224	Laptop
<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	2	1,909	1,240	17	BGA1023	Laptop
<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	4	5,683	1,808	95	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i7-2710QE @ 2.10GHz</a>	4	4,044	1,393	45	PGA988B	Laptop
<a href="#">Intel Core i7-2715QE @ 2.10GHz</a>	4	3,221	1,287	45	BGA1023	Laptop
<a href="#">Intel Core i7-2720QM @ 2.20GHz</a>	4	4,084	1,376	45	BGA1224	Laptop
<a href="#">Intel Core i7-2760QM @ 2.40GHz</a>	4	4,369	1,542	45	BGA1224	Laptop
<a href="#">Intel Core i7-2820QM @ 2.30GHz</a>	4	4,387	1,485	45	BGA1224	Laptop
<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	4	3,842	1,493	NA	rPGA988B	Laptop
<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4	4,593	1,572	45	BGA1224	Laptop
<a href="#">Intel Core i7-2920XM @ 2.50GHz</a>	4	4,350	1,480	55	FCPGA988	Laptop
<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4	4,710	1,565	55	PGA988B	Laptop
<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2	2,056	1,307	17	BGA1023	Laptop
<a href="#">Intel Core i7-3517UE @ 1.70GHz</a>	2	2,320	1,366	17	BGA1023	Laptop
<a href="#">Intel Core i7-3520M @ 2.90GHz</a>	2	2,861	1,735	35	BGA1023	Laptop
<a href="#">Intel Core i7-3537U @ 2.00GHz</a>	2	2,300	1,425	17	BGA1023	Laptop
<a href="#">Intel Core i7-3540M @ 3.00GHz</a>	2	2,931	1,770	35	rPGA988B	Laptop
<a href="#">Intel Core i7-3555LE @ 2.50GHz</a>	2	1,880	980	25	BGA1023	Laptop
<a href="#">Intel Core i7-3610QE @ 2.30GHz</a>	4	5,026	1,582	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3610QM @ 2.30GHz</a>	4	5,107	1,664	45	PGA988B	Laptop
<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4	4,929	1,678	35	BGA1224	Laptop
<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4	4,628	1,538	35	PGA988B, FCBGA12	Laptop
<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	4	5,531	1,789	45	BGA1224	Laptop
<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	4	5,153	1,699	45	BGA1224	Laptop
<a href="#">Intel Core i7-3630QM @ 2.40GHz</a>	4	5,114	1,689	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4	4,637	1,580	35	rPGA988B	Laptop
<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4	4,718	1,674	45	Unknown	Laptop
<a href="#">Intel Core i7-3667U @ 2.00GHz</a>	2	2,381	1,517	17	BGA1023	Laptop
<a href="#">Intel Core i7-3687U @ 2.10GHz</a>	2	2,628	1,597	17	BGA1023	Laptop
<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	2	1,967	1,209	13	FCBGA1023	Laptop
<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	4	5,683	1,867	45	BGA1224	Laptop
<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	4	5,730	1,885	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	4	6,402	2,073	77	LGA1155	Desktop
<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	4	6,447	2,071	77	LGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i7-3770S @ 3.10GHz</a>	4	6,172	2,042	65	LGA1155	Desktop
<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	4	5,546	1,897	45	LGA1155	Desktop
<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	4	5,779	1,737	130	LGA2011	Desktop
<a href="#">Intel Core i7-3820QM @ 2.70GHz</a>	4	5,719	1,896	45	BGA1224	Laptop
<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	4	5,909	1,930	45	rPGA988B	Laptop
<a href="#">Intel Core i7-3920XM @ 2.90GHz</a>	4	5,647	1,905	55	FCPGA988	Laptop
<a href="#">Intel Core i7-3930K @ 3.20GHz</a>	6	8,252	1,758	130	LGA2011	Desktop
<a href="#">Intel Core i7-3940XM @ 3.00GHz</a>	4	6,005	1,975	55	rPGA988B	Laptop
<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	6	8,444	1,804	130	LGA2011	Desktop
<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	6	8,408	1,839	150	LGA2011	Desktop
<a href="#">Intel Core i7-4500U @ 1.80GHz</a>	2	2,479	1,502	15	BGA1168	Laptop
<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2	2,576	1,536	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2	2,272	1,290	15	BGA1168	Laptop
<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	2	3,033	1,860	28	BGA1168	Laptop
<a href="#">Intel Core i7-4560U @ 1.60GHz</a>	2	2,950	1,782	NA	Unknown	Laptop
<a href="#">Intel Core i7-4578U @ 3.00GHz</a>	2	3,052	1,934	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	2	3,202	1,874	37	PGA946	Laptop
<a href="#">Intel Core i7-4600U @ 2.10GHz</a>	2	2,694	1,639	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	2	3,089	1,784	37	FPGA946,FPGA947	Laptop
<a href="#">Intel Core i7-4610Y @ 1.70GHz</a>	2	2,446	1,583	11.5	BGA1168	Desktop
<a href="#">Intel Core i7-4650U @ 1.70GHz</a>	2	2,372	1,523	15	BGA1168	Laptop
<a href="#">Intel Core i7-4700EQ @ 2.40GHz</a>	4	4,941	1,842	47	FCBGA1364	Desktop
<a href="#">Intel Core i7-4700HQ @ 2.40GHz</a>	4	5,640	1,803	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4700MQ @ 2.40GHz</a>	4	5,360	1,763	47	rPGA946B	Laptop
<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	4	5,503	1,692	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4702MQ @ 2.20GHz</a>	4	5,137	1,684	37	FCPGA946	Laptop
<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	4	5,514	1,779	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4710MQ @ 2.50GHz</a>	4	5,845	1,897	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	4	5,306	1,707	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4712MQ @ 2.30GHz</a>	4	5,302	1,812	37	FCPGA946	Laptop
<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	4	5,742	1,868	47	BGA1364	Laptop
<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	4	5,620	1,844	37	FCBGA1364	Laptop
<a href="#">Intel Core i7-4750HQ @ 2.00GHz</a>	4	5,612	1,726	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	4	6,300	1,944	47	FCBGA1364	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i7-4765T @ 2.00GHz</a>	4	5,081	1,600	35	FCLGA1150	Desktop
<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	4	7,072	2,170	84	LGA1150	Desktop
<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	4	6,112	1,918	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	4	7,119	2,165	84	LGA1150	Desktop
<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	4	6,549	2,174	65	FCBGA1364	Desktop
<a href="#">Intel Core i7-4770S @ 3.10GHz</a>	4	6,771	2,142	65	LGA1150	Desktop
<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	4	5,873	1,904	45	LGA1150	Desktop
<a href="#">Intel Core i7-4770TE @ 2.30GHz</a>	4	4,557	1,575	45	LGA1150	Desktop
<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	4	7,101	2,185	84	LGA1150	Desktop
<a href="#">Intel Core i7-4785T @ 2.20GHz</a>	4	5,478	1,755	35	FCLGA1150	Desktop
<a href="#">Intel Core i7-4790 @ 3.60GHz</a>	4	7,223	2,227	84	FCLGA1150	Desktop
<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	4	8,058	2,462	88	LGA1150	Desktop
<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	4	6,992	2,199	65	LGA1150	Desktop
<a href="#">Intel Core i7-4790T @ 2.70GHz</a>	4	6,333	2,066	45	LGA1150	Desktop
<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	4	5,843	1,947	47	rPGA946B	Laptop
<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	4	6,067	2,012	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4820K @ 3.70GHz</a>	4	6,506	1,954	130	FCLGA2011	Desktop
<a href="#">Intel Core i7-4850HQ @ 2.30GHz</a>	4	6,229	1,958	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4860EQ @ 1.80GHz</a>	4	5,500	1,754	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	4	6,236	1,895	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4870HQ @ 2.50GHz</a>	4	6,417	2,083	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	4	6,134	1,965	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4910MQ @ 2.90GHz</a>	4	6,259	2,036	47	FCPGA946	Laptop
<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	6	9,383	1,959	130	LGA2011	Desktop
<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	4	6,927	2,193	57	FCPGA946	Laptop
<a href="#">Intel Core i7-4940MX @ 3.10GHz</a>	4	7,123	2,271	57	FPGA946,FPGA947	Laptop
<a href="#">Intel Core i7-4960HQ @ 2.60GHz</a>	4	6,732	2,173	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-4960X @ 3.60GHz</a>	6	10,149	2,091	130	LGA2011	Desktop
<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	4	6,754	2,234	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2	2,760	1,647	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5550U @ 2.00GHz</a>	2	2,908	1,781	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	2	3,184	1,963	28	FCBGA1168	Laptop
<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2	2,995	1,757	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5650U @ 2.20GHz</a>	2	3,050	1,916	15	FCBGA1168	Laptop
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	4	6,089	2,249	65	LGA1150	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	4	5,803	2,092	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5700HQ @ 2.70GHz</a>	4	6,018	2,012	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5775C @ 3.30GHz</a>	4	7,612	2,257	65	FCLGA1150	Desktop
<a href="#">Intel Core i7-5775R @ 3.30GHz</a>	4	7,776	2,286	65	LGA1150	Desktop
<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	6	9,849	2,000	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	4	7,036	2,119	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	4	6,866	2,219	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	6	10,311	2,048	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-5950HQ @ 2.90GHz</a>	4	7,696	2,288	47	FCBGA1364	Laptop
<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	8	12,746	1,976	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-610E @ 2.53GHz</a>	2	1,818	1,400	35	BGA1288	Laptop
<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	2	1,423	1,050	25	rPGA988A	Laptop
<a href="#">Intel Core i7-620M @ 2.67GHz</a>	2	2,009	1,302	35	BGA1288	Laptop
<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	2	1,010	820	18	BGA1288	Laptop
<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	2	1,517	1,052	25	BGA1288	Laptop
<a href="#">Intel Core i7-640M @ 2.80GHz</a>	2	2,041	1,363	35	BGA1288	Laptop
<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	2	1,114	826	18	BGA1288	Laptop
<a href="#">Intel Core i7-6498DU @ 2.50GHz</a>	2	3,303	1,721	15	BGA1356	Laptop
<a href="#">Intel Core i7-6500U @ 2.50GHz</a>	2	3,278	1,701	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	2	3,315	1,694	15	Unknown	Laptop
<a href="#">Intel Core i7-6567U @ 3.30GHz</a>	2	3,827	2,111	28	FCBGA1356	Laptop
<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	2	3,467	1,826	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	2	1,284	925	18	BGA1288	Laptop
<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	2	3,599	1,815	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	2	3,753	1,948	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	4	8,094	2,301	65	LGA 1151	Desktop
<a href="#">Intel Core i7-6700HQ @ 2.60GHz</a>	4	6,522	1,912	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6700K @ 4.00GHz</a>	4	8,941	2,511	95	LGA1151	Desktop
<a href="#">Intel Core i7-6700T @ 2.80GHz</a>	4	7,239	2,080	35	LGA 1151	Desktop
<a href="#">Intel Core i7-6700TE @ 2.40GHz</a>	4	6,801	1,998	35	LGA 1151	Desktop
<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	4	7,105	1,955	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6800K @ 3.40GHz</a>	6	10,774	2,276	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	2	1,196	911	18	BGA1288	Laptop
<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	4	7,006	1,985	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6820HK @ 2.70GHz</a>	4	6,956	1,964	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	4	6,889	1,971	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	4	5,241	1,572	25	LGA 1151	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	6	11,401	2,411	140	FCLGA2011-3	Desktop
<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	8	14,401	2,333	140	FCLGA2011-3	Desktop
<a href="#">Intel Core i7-6920HQ @ 2.90GHz</a>	4	7,377	2,111	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	10	17,357	2,345	140	LGA2011-v3	Desktop
<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	4	1,651	940	45	PGA988A	Laptop
<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	4	1,813	1,022	45	PGA988A	Laptop
<a href="#">Intel Core i7-7500U @ 2.70GHz</a>	2	3,659	1,932	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	2	3,716	1,956	15	BGA1356	Laptop
<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	2	4,261	2,273	28	BGA1356	Laptop
<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	2	3,713	2,029	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	2	4,137	2,168	15	BGA1356	Laptop
<a href="#">Intel Core i7-7700 @ 3.60GHz</a>	4	8,657	2,467	65	LGA1151	Desktop
<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	4	6,959	2,071	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7700K @ 4.20GHz</a>	4	9,661	2,727	95	LGA 1151	Desktop
<a href="#">Intel Core i7-7700T @ 2.90GHz</a>	4	7,546	2,148	35	FCLGA1151	Desktop
<a href="#">Intel Core i7-7740X @ 4.30GHz</a>	4	9,834	2,781	112	FCLGA2066	Desktop
<a href="#">Intel Core i7-7800X @ 3.50GHz</a>	6	12,912	2,410	140	FCLGA2066	Desktop
<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	4	7,453	2,207	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	4	7,505	2,137	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	4	7,156	2,126	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	8	17,220	2,541	140	FCLGA2066	Desktop
<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	10	20,927	2,437	140	FCLGA2066	Desktop
<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	4	7,400	2,232	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2	2,697	1,618	4.5	FCBGA1515	Desktop, Laptop
<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	6	14,459	2,874	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	4	1,750	1,004	45	PGA988A	Laptop
<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	4	1,925	1,123	45	PGA988A	Laptop
<a href="#">Intel Core i7-8500Y @ 1.50GHz</a>	2	2,524	1,477	5	FCBGA1515	Laptop
<a href="#">Intel Core i7-8550U @ 1.80GHz</a>	4	5,949	2,061	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	4	8,012	2,547	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	4	8,701	2,574	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-8565U @ 1.80GHz</a>	4	6,211	2,198	15	FCBGA1356	Laptop
<a href="#">Intel Core i7-8565UC @ 1.80GHz</a>	4	6,187	2,527	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8569U @ 2.80GHz</a>	4	8,442	2,690	28	FCBGA1528	Laptop
<a href="#">Intel Core i7-860 @ 2.80GHz</a>	4	2,954	1,328	95	LGA1156	Desktop
<a href="#">Intel Core i7-860S @ 2.53GHz</a>	4	2,796	1,363	82	LGA1156	Desktop
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	4	6,300	2,140	15	FC-BGA1356	Laptop
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	4	6,263	2,206	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	4	5,261	1,703	15	FCBGA1528	Laptop
<a href="#">Intel Core i7-870 @ 2.93GHz</a>	4	3,100	1,390	95	LGA1156	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	6	12,966	2,655	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8700B @ 3.20GHz</a>	6	12,096	2,755	65	FCBGA1440	Laptop
<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	6	13,756	2,748	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8700T @ 2.40GHz</a>	6	10,376	2,331	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	4	7,784	2,262	65	BGA2270	Laptop
<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	4	8,128	2,468	65	BGA2270	Laptop
<a href="#">Intel Core i7-8709G @ 3.10GHz</a>	4	7,926	2,292	100	BGA2270	Laptop
<a href="#">Intel Core i7-870S @ 2.67GHz</a>	4	2,786	1,270	82	LGA1156	Desktop
<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	6	10,027	2,313	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-875K @ 2.93GHz</a>	4	3,089	1,357	95	LGA1156	Desktop
<a href="#">Intel Core i7-880 @ 3.07GHz</a>	4	3,081	1,372	95	LGA1156	Desktop
<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	4	8,646	2,424	100	BGA2270	Laptop
<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	6	10,332	2,403	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-920 @ 2.67GHz</a>	4	2,798	1,222	130	LGA1366	Desktop
<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	4	1,955	985	55	PGA988B	Laptop
<a href="#">Intel Core i7-930 @ 2.80GHz</a>	4	2,902	1,270	130	LGA1366	Desktop
<a href="#">Intel Core i7-940 @ 2.93GHz</a>	4	2,932	1,306	130	LGA1366	Desktop
<a href="#">Intel Core i7-940XM @ 2.13GHz</a>	4	2,211	1,172	55	PGA988	Laptop
<a href="#">Intel Core i7-950 @ 3.07GHz</a>	4	3,182	1,386	130	LGA1366	Desktop
<a href="#">Intel Core i7-960 @ 3.20GHz</a>	4	3,275	1,458	130	LGA1366	Desktop
<a href="#">Intel Core i7-965 @ 3.20GHz</a>	4	3,341	1,468	130	LGA1366	Desktop
<a href="#">Intel Core i7-970 @ 3.20GHz</a>	6	6,505	1,456	130	LGA1366	Desktop
<a href="#">Intel Core i7-9700 @ 3.00GHz</a>	8	13,318	2,766	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700E @ 2.60GHz</a>	8	12,751	2,567	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700F @ 3.00GHz</a>	8	13,379	2,772	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700K @ 3.60GHz</a>	8	14,556	2,890	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700KF @ 3.60GHz</a>	8	14,408	2,903	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700T @ 2.00GHz</a>	8	10,794	2,440	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	8	10,740	2,304	35	FCLGA1151-2	Desktop, Laptop
<a href="#">Intel Core i7-975 @ 3.33GHz</a>	4	3,400	1,489	130	LGA1366	Desktop
<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	6	11,071	2,462	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-9750HF @ 2.60GHz</a>	6	11,052	2,509	45	FCBGA1440	Laptop
<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6	6,871	1,532	130	LGA1366	Desktop
<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	8	18,113	2,596	165	FCLGA2066	Desktop
<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6	6,827	1,534	130	LGA1366	Desktop
<a href="#">Intel Core i7-985 @ 3.47GHz</a>	4	3,928	1,579	NA	LGA1366	Unknown
<a href="#">Intel Core i7-9850H @ 2.60GHz</a>	6	11,357	2,539	45	Unknown	Laptop
<a href="#">Intel Core i7-9850HL @ 1.90GHz</a>	6	9,112	2,139	25	FCBGA1440	Desktop, Laptop
<a href="#">Intel Core i7-990X @ 3.47GHz</a>	6	7,035	1,571	130	LGA1366	Desktop
<a href="#">Intel Core i7-995X @ 3.60GHz</a>	6	7,297	1,659	NA	Unknown	Desktop
<a href="#">Intel Core i9-10850K @ 3.60GHz</a>	10	22,761	3,089	125	FCLGA1200	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i9-10880H @ 2.30GHz</a>	8	14,736	2,784	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	8	15,439	2,782	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10900 @ 2.80GHz</a>	10	20,223	3,049	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900E @ 2.80GHz</a>	10	19,705	2,941	65	FCLGA1200	Desktop, Mobile/Embedded
<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	10	20,525	3,063	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900K @ 3.70GHz</a>	10	23,356	3,152	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900KF @ 3.70GHz</a>	10	23,038	3,135	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	10	15,146	2,463	35	FCLGA1200	Desktop
<a href="#">Intel Core i9-10900TE @ 1.80GHz</a>	10	17,888	2,684	35	FCLGA1200	Mobile/Embedded
<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	10	22,512	2,688	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	10	21,813	3,176	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	12	26,360	2,741	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	14	28,098	2,686	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-10980HK @ 2.40GHz</a>	8	15,907	2,837	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	18	33,065	2,656	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-11900 @ 2.50GHz</a>	8	22,987	3,448	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	8	22,951	3,441	65	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900H @ 2.50GHz</a>	8	21,125	3,169	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-11900K @ 3.50GHz</a>	8	25,528	3,532	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900KB @ 3.30GHz</a>	8	23,156	3,350	65	FCBGA1787	Desktop
<a href="#">Intel Core i9-11900KF @ 3.50GHz</a>	8	25,424	3,565	125	FCLGA1200	Desktop
<a href="#">Intel Core i9-11900T @ 1.50GHz</a>	8	18,436	3,323	35	FCLGA1200	Desktop
<a href="#">Intel Core i9-11950H @ 2.60GHz</a>	8	21,868	3,242	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-11980HK @ 2.60GHz</a>	8	23,341	3,314	45	FCBGA1787	Laptop
<a href="#">Intel Core i9-12900</a>	16	34,881	4,087	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900E</a>	16	31,530	3,926	65	FCLGA1700	Mobile/Embedded
<a href="#">Intel Core i9-12900F</a>	16	37,404	4,089	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900H</a>	14	29,022	3,869	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-12900HK</a>	14	28,830	3,754	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-12900HX</a>	16	35,826	3,983	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-12900K</a>	16	41,581	4,206	241	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900KF</a>	16	41,388	4,191	241	FCLGA1700	Desktop
<a href="#">Intel Core i9-12900KS</a>	16	44,532	4,374	150	LGA 1700	Desktop
<a href="#">Intel Core i9-12900T</a>	16	31,560	3,947	35	FCLGA1700	Desktop
<a href="#">Intel Core i9-12950HX</a>	16	32,788	3,876	55	FCBGA1964	Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core i9-13900</a>	16	52,136	4,581	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900F</a>	24	56,140	4,532	65	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900H</a>	14	32,844	3,718	45	FCBGA1744	Laptop
<a href="#">Intel Core i9-13900HX</a>	24	50,108	4,350	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-13900K</a>	24	60,040	4,683	125	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900KF</a>	24	59,781	4,694	125	FCLGA1700	Desktop
<a href="#">Intel Core i9-13900KS</a>	24	62,299	4,815	125	Unknown	Desktop
<a href="#">Intel Core i9-13900T</a>	24	44,273	4,199	35	FCLGA1700	Desktop
<a href="#">Intel Core i9-13950HX</a>	24	39,326	4,303	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-13980HX</a>	24	48,411	4,443	55	FCBGA1964	Laptop
<a href="#">Intel Core i9-7900X @ 3.30GHz</a>	10	21,155	2,570	140	FCLGA2066	Desktop
<a href="#">Intel Core i9-7920X @ 2.90GHz</a>	12	23,634	2,499	140	FCLGA2066	Desktop
<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	14	26,334	2,506	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	16	27,016	2,504	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-7980XE @ 2.60GHz</a>	18	30,513	2,506	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-8950HK @ 2.90GHz</a>	6	10,730	2,471	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	10	19,663	2,447	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	8	13,959	2,555	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	8	16,769	2,854	65	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	8	18,548	2,947	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	8	18,521	2,948	95	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900KS @ 4.00GHz</a>	8	19,575	3,040	127	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900T @ 2.10GHz</a>	8	13,498	2,491	35	FCLGA1151-2	Desktop
<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	10	21,870	2,588	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9920X @ 3.50GHz</a>	12	25,293	2,633	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9940X @ 3.30GHz</a>	14	28,402	2,632	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	16	30,539	2,613	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	8	14,477	2,577	45	FCBGA1440	Laptop
<a href="#">Intel Core i9-9980XE @ 3.00GHz</a>	18	32,261	2,572	165	FCLGA2066	Desktop
<a href="#">Intel Core i9-9990XE @ 4.00GHz</a>	14	30,162	2,970	255	LGA2066	Desktop
<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	2	1,878	1,100	4.5	Unknown	Laptop
<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	2	1,905	993	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	2	1,918	1,125	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y31 @ 0.90GHz</a>	2	1,979	1,280	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	2	2,141	1,379	4.5	FCBGA1234	Laptop
<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	2	1,791	1,052	4.5	BGA1234	Laptop
<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2	2,013	1,264	4.5	FCBGA1234	Laptop
<a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>	2	2,167	1,174	4.5	FCBGA1515	Laptop
<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2	2,607	1,405	4.5	FCBGA1515	Laptop
<a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>	2	2,736	1,625	4.5	FCBGA1515	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core m3-8100Y @ 1.10GHz</a>	2	2,913	1,751	5	FCBGA1515	Laptop
<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2	2,305	1,309	7	FCBGA1515	Laptop
<a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>	2	2,351	1,357	7	FCBGA1515	Laptop
<a href="#">Intel Core m5-7Y54 @ 1.20GHz</a>	2	1,475	746	NA	Unknown	Unknown
<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2	2,343	1,383	7	FCBGA1515	Laptop
<a href="#">Intel Core Solo T1300 @ 1.66GHz</a>	1	210	518	27	PGA478	Laptop
<a href="#">Intel Core Solo T1350 @ 1.86GHz</a>	1	194	413	31	Unknown	Laptop
<a href="#">Intel Core Solo T1400 @ 1.83GHz</a>	1	253	525	27	PGA478	Laptop
<a href="#">Intel Core Solo U1300 @ 1.06GHz</a>	1	127	340	6	PBGA479	Laptop
<a href="#">Intel Core Solo U1400 @ 1.20GHz</a>	1	130	365	5.5	PBGA479	Laptop
<a href="#">Intel Core Solo U1500 @ 1.33GHz</a>	1	164	375	5.5	Unknown	Laptop
<a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a>	2	564	651	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a>	2	650	760	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a>	2	745	831	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	2	854	933	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a>	2	802	953	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a>	2	595	681	65	LGA775, PLGA775	Desktop
<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	2	717	712	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>	2	756	836	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>	2	741	776	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a>	2	808	969	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>	2	870	904	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	2	935	957	65	PLGA775	Desktop
<a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>	2	987	1,031	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	2	1,002	1,033	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>	2	1,136	1,194	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>	2	979	1,070	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	2	945	1,080	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>	2	997	1,109	65	LGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	2	1,118	1,204	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	2	1,126	1,264	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	2	973	1,028	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>	2	1,112	1,127	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	2	1,089	1,131	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	2	1,053	1,175	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>	2	1,408	1,302	65	LGA775	Unknown
<a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>	2	1,051	1,169	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	2	1,186	1,133	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8335 @ 2.93GHz</a>	2	1,075	1,167	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>	2	1,179	1,236	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	2	1,157	1,257	NA	Socket P	Laptop
<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	2	1,239	1,321	65	LGA775	Desktop
<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	2	1,379	1,414	65	LGA775	Desktop
<a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>	2	467	484	NA	BGA956	Laptop
<a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>	2	513	541	17	BGA479	Laptop
<a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>	2	516	555	17	BGA479	Laptop
<a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>	2	589	625	17	BGA479	Laptop
<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	2	607	748	17	Unknown	Laptop
<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	2	680	622	NA	Unknown	Unknown
<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	2	690	703	17	BGA956	Laptop
<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	2	788	849	17	BGA956	Laptop
<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	2	756	802	25	BGA479	Laptop
<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	2	790	793	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	2	784	834	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	2	866	961	25	PGA478	Laptop
<a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>	2	804	915	25	PGA478	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Core2 Duo P8400 @ 2.26GHz	2	831	918	25	BGA479	Laptop
Intel Core2 Duo P8600 @ 2.40GHz	2	850	941	25	BGA479	Laptop
Intel Core2 Duo P8700 @ 2.53GHz	2	965	1,041	25	BGA479	Laptop
Intel Core2 Duo P8800 @ 2.66GHz	2	959	1,090	25	BGA479	Laptop
Intel Core2 Duo P9300 @ 2.26GHz	2	952	950	NA	Unknown	Laptop
Intel Core2 Duo P9500 @ 2.53GHz	2	993	1,067	25	BGA479	Laptop
Intel Core2 Duo P9600 @ 2.53GHz	2	1,040	1,082	25	PGA478	Laptop
Intel Core2 Duo P9600 @ 2.66GHz	2	1,078	1,116	25	PGA478	Laptop
Intel Core2 Duo P9700 @ 2.80GHz	2	1,120	1,138	28	PGA478	Laptop
Intel Core2 Duo SL9400 @ 1.86GHz	2	782	800	17	BGA956	Laptop
Intel Core2 Duo SP9400 @ 2.40GHz	2	857	883	25	BGA956	Laptop
Intel Core2 Duo SU9400 @ 1.40GHz	2	509	588	10	BGA956	Laptop
Intel Core2 Duo T5200 @ 1.60GHz	2	454	576	34	Socket M	Laptop
Intel Core2 Duo T5250 @ 1.50GHz	2	535	566	35	PGA478	Laptop
Intel Core2 Duo T5270 @ 1.40GHz	2	468	571	35	PGA478	Laptop
Intel Core2 Duo T5300 @ 1.73GHz	2	569	505	34	PGA478	Laptop
Intel Core2 Duo T5450 @ 1.66GHz	2	547	590	35	PGA478	Laptop
Intel Core2 Duo T5470 @ 1.60GHz	2	531	606	35	PGA478	Laptop
Intel Core2 Duo T5500 @ 1.66GHz	2	513	590	34	PGA478	Laptop
Intel Core2 Duo T5550 @ 1.83GHz	2	582	657	35	PGA478	Laptop
Intel Core2 Duo T5600 @ 1.83GHz	2	671	687	34	PGA478	Laptop
Intel Core2 Duo T5670 @ 1.80GHz	2	587	660	35	Socket P	Laptop
Intel Core2 Duo T5750 @ 2.00GHz	2	682	734	35	Socket P	Laptop
Intel Core2 Duo T5800 @ 2.00GHz	2	623	723	35	PGA478	Laptop
Intel Core2 Duo T5850 @ 2.16GHz	2	687	787	NA	Socket P	Laptop
Intel Core2 Duo T5870 @ 2.00GHz	2	707	754	35	PPGA478, Socket	Laptop
Intel Core2 Duo T5900 @ 2.20GHz	2	652	768	NA	Socket P	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	2	707	791	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>	2	728	839	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6570 @ 2.10GHz</a>	2	745	841	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	2	771	855	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>	2	778	867	35	PGA478	Laptop
<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	2	600	691	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>	2	727	759	34	PBGA479, PPGA478	Laptop
<a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>	2	693	765	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	2	677	763	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	2	702	774	34	BGA479	Laptop
<a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>	2	829	860	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	2	815	863	34	PBGA479, PPGA478	Laptop
<a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>	2	930	963	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	2	976	1,034	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>	2	741	828	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>	2	887	970	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	2	961	1,024	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	2	969	1,028	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	2	1,050	1,102	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	2	929	1,053	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>	2	1,041	1,102	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	2	1,194	1,229	35	BGA479	Laptop
<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	2	1,183	1,168	35	BGA479,PGA478	Laptop
<a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>	2	503	536	10	BGA956	Laptop
<a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>	2	405	425	10	BGA479	Laptop
<a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>	2	347	429	10	BGA479	Laptop
<a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>	2	354	404	10	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Core2 Duo U9300 @ 1.20GHz	2	440	502	10	BGA956	Laptop
Intel Core2 Duo U9600 @ 1.60GHz	2	578	657	10	BGA956	Laptop
Intel Core2 Extreme Q6800 @ 2.93GHz	4	2,145	1,124	75	LGA775	Desktop
Intel Core2 Extreme Q6850 @ 3.00GHz	4	2,292	1,231	130	LGA775	Desktop
Intel Core2 Extreme Q9200 @ 2.40GHz	4	2,011	1,080	NA	Unknown	Desktop
Intel Core2 Extreme Q9300 @ 2.53GHz	4	1,918	1,065	45	PGA478	Desktop
Intel Core2 Extreme X6800 @ 2.93GHz	2	823	973	75	PLGA775	Desktop
Intel Core2 Extreme X7800 @ 2.60GHz	2	1,138	1,077	44	PGA478	Laptop
Intel Core2 Extreme X7900 @ 2.80GHz	2	1,108	1,093	44	PGA478	Laptop
Intel Core2 Extreme X9000 @ 2.80GHz	2	1,157	1,114	44	PGA478	Laptop
Intel Core2 Extreme X9100 @ 3.06GHz	2	1,148	1,160	44	PGA478	Laptop
Intel Core2 Extreme X9650 @ 3.00GHz	4	2,403	1,263	130	LGA775	Desktop
Intel Core2 Extreme X9750 @ 3.16GHz	4	2,348	1,352	NA	Unknown	Unknown
Intel Core2 Extreme X9770 @ 3.20GHz	4	2,658	1,399	136	LGA775	Desktop
Intel Core2 Extreme X9775 @ 3.20GHz	4	2,780	1,451	150	LGA771	Desktop
Intel Core2 Quad Q6600 @ 2.40GHz	4	1,795	956	105	LGA775	Desktop
Intel Core2 Quad Q6700 @ 2.66GHz	4	2,072	1,076	105	LGA775	Desktop
Intel Core2 Quad Q8200 @ 2.33GHz	4	1,781	1,007	95	LGA775	Desktop
Intel Core2 Quad Q8300 @ 2.50GHz	4	1,860	1,065	95	LGA775	Desktop
Intel Core2 Quad Q8400 @ 2.66GHz	4	2,035	1,146	95	LGA775	Desktop
Intel Core2 Quad Q9000 @ 2.00GHz	4	1,543	899	45	PGA478	Laptop
Intel Core2 Quad Q9100 @ 2.26GHz	4	1,764	930	45	PGA478	Laptop
Intel Core2 Quad Q9300 @ 2.50GHz	4	1,951	1,080	95	LGA775	Desktop
Intel Core2 Quad Q9400 @ 2.66GHz	4	2,084	1,136	95	LGA775	Desktop
Intel Core2 Quad Q9450 @ 2.66GHz	4	2,148	1,129	95	LGA775	Desktop
Intel Core2 Quad Q9500 @ 2.83GHz	4	2,185	1,209	95	LGA775	Desktop
Intel Core2 Quad Q9505 @ 2.83GHz	4	1,998	1,153	95	LGA775	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>	4	2,315	1,222	95	LGA775	Desktop
<a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>	4	2,435	1,287	95	LGA775	Desktop
<a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>	1	233	258	5.5	Unknown	Laptop
<a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>	1	252	546	5.5	BGA956	Laptop
<a href="#">Intel N100</a>	4	4,192	1,775	6	Unknown	Mobile/Embedded
<a href="#">Intel N200</a>	4	3,742	1,383	6	FCBGA1264	Mobile/Embedded
<a href="#">Intel N95</a>	4	5,545	2,030	15	Unknown	Laptop, Mobile/Embedded
<a href="#">Intel Pentium 1403 @ 2.60GHz</a>	2	1,851	990	80	LGA1356	Server
<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2	2,284	1,391	80	Unknown	Server
<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	2	1,367	1,266	35	FCPGA988	Laptop
<a href="#">Intel Pentium 2030M @ 2.50GHz</a>	2	1,402	1,207	35	FCPGA988	Laptop
<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	2	1,019	938	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	2	1,019	935	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 2129Y @ 1.10GHz</a>	2	587	564	10	FCBGA1023	Laptop
<a href="#">Intel Pentium 3550M @ 2.30GHz</a>	2	1,358	1,210	37	FCPGA946	Laptop
<a href="#">Intel Pentium 3556U @ 1.70GHz</a>	2	1,040	944	15	BGA1168	Laptop
<a href="#">Intel Pentium 3558U @ 1.70GHz</a>	2	1,031	942	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	2	1,552	1,421	37	FCPGA946	Laptop
<a href="#">Intel Pentium 3560Y @ 1.20GHz</a>	2	849	700	11.5	BGA1168	Laptop
<a href="#">Intel Pentium 3805U @ 1.90GHz</a>	2	1,139	1,070	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 3825U @ 1.90GHz</a>	2	1,348	1,083	15	FCBGA1168	Laptop
<a href="#">Intel Pentium 4 1.50GHz</a>	1	86	228	57.8	PGA423	Desktop
<a href="#">Intel Pentium 4 1.60GHz</a>	1	84	225	38	PGA478	Desktop
<a href="#">Intel Pentium 4 1.70GHz</a>	1	86	254	64	PGA423	Desktop
<a href="#">Intel Pentium 4 1.80GHz</a>	1	115	318	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 1.90GHz</a>	1	104	292	69.2	PGA423	Desktop
<a href="#">Intel Pentium 4 1300MHz</a>	1	77	203	51.6	PGA423	Desktop
<a href="#">Intel Pentium 4 1400MHz</a>	1	83	180	54.7	PGA423	Desktop
<a href="#">Intel Pentium 4 1500MHz</a>	1	81	223	57.8	PGA423	Desktop
<a href="#">Intel Pentium 4 1700MHz</a>	1	100	266	64	PGA423	Desktop
<a href="#">Intel Pentium 4 1800MHz</a>	1	114	317	68.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.00GHz</a>	1	133	349	54.3	PGA478	Desktop
<a href="#">Intel Pentium 4 2.20GHz</a>	1	157	379	57.1	PGA478	Desktop
<a href="#">Intel Pentium 4 2.26GHz</a>	1	151	409	58	PGA478	Desktop
<a href="#">Intel Pentium 4 2.40GHz</a>	1	131	360	59.8	PGA478	Desktop
<a href="#">Intel Pentium 4 2.50GHz</a>	1	160	385	61	PGA478	Desktop
<a href="#">Intel Pentium 4 2.53GHz</a>	1	162	442	61.5	PGA478	Desktop
<a href="#">Intel Pentium 4 2.60GHz</a>	1	215	494	69	PGA478	Desktop
<a href="#">Intel Pentium 4 2.66GHz</a>	1	157	431	66.1	PGA478	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Pentium 4 2.80GHz</a>	1	237	509	69.7	PGA478	Desktop
<a href="#">Intel Pentium 4 2.93GHz</a>	1	150	269	NA	Unknown	Desktop
<a href="#">Intel Pentium 4 3.00GHz</a>	1	310	526	81.9	PGA478	Desktop
<a href="#">Intel Pentium 4 3.06GHz</a>	1	249	551	81.8	PGA478	Desktop
<a href="#">Intel Pentium 4 3.20GHz</a>	1	334	543	82	PGA478	Desktop
<a href="#">Intel Pentium 4 3.40GHz</a>	1	295	664	89	PGA478	Desktop
<a href="#">Intel Pentium 4 3.46GHz</a>	1	295	512	110.7	Unknown	Desktop
<a href="#">Intel Pentium 4 3.60GHz</a>	1	315	447	115	Unknown	Desktop
<a href="#">Intel Pentium 4 3.73GHz</a>	1	385	572	115	Unknown	Desktop
<a href="#">Intel Pentium 4 3.80GHz</a>	1	358	671	65	Unknown	Desktop
<a href="#">Intel Pentium 4 3.83GHz</a>	1	154	237	NA	Unknown	Desktop
<a href="#">Intel Pentium 4 Mobile 1.60GHz</a>	1	116	254	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.80GHz</a>	1	114	195	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 1.90GHz</a>	1	136	282	NA	Unknown	Laptop
<a href="#">Intel Pentium 4 Mobile 2.00GHz</a>	1	132	310	NA	Unknown	Laptop
<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2	2,107	1,213	15	FCBGA1356	Laptop
<a href="#">Intel Pentium 4405Y @ 1.50GHz</a>	2	1,526	886	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4410Y @ 1.50GHz</a>	2	1,444	777	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2	2,202	1,266	15	BGA1356	Laptop
<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	2	1,588	881	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 4417U @ 2.30GHz</a>	2	2,280	1,330	15	FCBGA1356	Laptop
<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	2	1,728	979	6	FCBGA1515	Laptop
<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2	2,268	1,322	15	FCBGA1528	Laptop
<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2	2,322	1,391	15	FCBGA1528	Laptop
<a href="#">Intel Pentium 6805 @ 1.10GHz</a>	2	4,424	1,834	15	FCBGA1526	Laptop
<a href="#">Intel Pentium 957 @ 1.20GHz</a>	2	622	574	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 967 @ 1.30GHz</a>	2	643	616	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 987 @ 1.50GHz</a>	2	664	640	17	FCBGA1023	Laptop
<a href="#">Intel Pentium 997 @ 1.60GHz</a>	2	789	729	17	BGA-1023	Unknown
<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	2	1,117	1,020	35	FCPGA988	Laptop
<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	4	1,249	726	10	FCBGA1170	Laptop
<a href="#">Intel Pentium B940 @ 2.00GHz</a>	2	856	871	35	PGA988	Laptop
<a href="#">Intel Pentium B950 @ 2.10GHz</a>	2	998	944	35	PGA988	Laptop
<a href="#">Intel Pentium B960 @ 2.20GHz</a>	2	929	951	35	PGA988	Laptop
<a href="#">Intel Pentium B970 @ 2.30GHz</a>	2	1,102	1,060	35	PGA988	Laptop
<a href="#">Intel Pentium B980 @ 2.40GHz</a>	2	1,054	1,025	35	FCPGA988	Laptop
<a href="#">Intel Pentium D 3.40GHz</a>	2	736	723	NA	Unknown	Unknown
<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	2	374	497	95	PLGA775	Desktop
<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	2	541	567	95	PLGA775	Desktop
<a href="#">Intel Pentium D 915 @ 2.80GHz</a>	2	430	513	95	PLGA775	Desktop
<a href="#">Intel Pentium D 940 @ 3.20GHz</a>	2	498	574	130	PLGA775	Desktop
<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	2	671	692	130	PLGA775	Desktop
<a href="#">Intel Pentium D 960 @ 3.60GHz</a>	2	743	775	130	PLGA775	Desktop
<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	2	3,240	1,760	25	FCBGA1667	Server
<a href="#">Intel Pentium Dual T2390 @ 1.86GHz</a>	2	745	712	35	PPGA478	Laptop



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Pentium E2140 @ 1.60GHz</a>	2	549	604	65	LGA775, PLGA775	Desktop
<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	2	646	687	65	LGA775	Desktop
<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	2	671	741	65	LGA775	Desktop
<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	2	715	810	65	LGA775	Desktop
<a href="#">Intel Pentium E2210 @ 2.20GHz</a>	2	702	946	65	LGA775	Desktop
<a href="#">Intel Pentium E2220 @ 2.40GHz</a>	2	808	894	65	LGA775	Desktop
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	2	867	1,000	65	LGA775	Desktop
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	2	907	1,031	65	LGA775	Desktop
<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	2	951	1,077	65	LGA775	Desktop
<a href="#">Intel Pentium E5500 @ 2.80GHz</a>	2	1,008	1,132	65	LGA775	Desktop
<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	2	1,059	1,191	65	LGA775	Desktop
<a href="#">Intel Pentium E5800 @ 3.20GHz</a>	2	1,142	1,266	65	LGA775	Desktop
<a href="#">Intel Pentium E6300 @ 2.80GHz</a>	2	1,029	1,147	65	LGA775	Desktop
<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	2	1,129	1,235	65	LGA775	Desktop
<a href="#">Intel Pentium E6600 @ 3.06GHz</a>	2	1,141	1,209	65	LGA775	Desktop
<a href="#">Intel Pentium E6700 @ 3.20GHz</a>	2	1,205	1,336	65	LGA775	Desktop
<a href="#">Intel Pentium E6800 @ 3.33GHz</a>	2	1,166	1,358	65	LGA775	Desktop
<a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a>	2	469	515	130	PLGA775	Desktop
<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	2	987	818	130	PLGA775	Desktop
<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	2	1,581	1,488	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	2	1,672	1,549	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	2	1,353	1,271	35	FCLGA1155	Desktop
<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	2	1,710	1,602	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	2	1,581	1,442	35	LGA1155	Desktop
<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	2	1,691	1,460	35	LGA1155	Desktop
<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	2	1,887	1,712	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2120T @ 2.70GHz</a>	2	1,613	1,493	35	FCLGA1155	Desktop
<a href="#">Intel Pentium G2130 @ 3.20GHz</a>	2	1,905	1,743	55	FCLGA1155	Desktop
<a href="#">Intel Pentium G2140 @ 3.30GHz</a>	2	2,092	1,842	55	LGA1155	Desktop
<a href="#">Intel Pentium G3220 @ 3.00GHz</a>	2	1,890	1,704	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3220T @ 2.60GHz</a>	2	1,602	1,462	35	LGA1150	Desktop
<a href="#">Intel Pentium G3240 @ 3.10GHz</a>	2	1,944	1,756	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	2	1,755	1,558	35	LGA1150	Desktop
<a href="#">Intel Pentium G3250 @ 3.20GHz</a>	2	1,954	1,803	53	LGA1150	Desktop
<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	2	1,742	1,573	35	LGA1150	Desktop
<a href="#">Intel Pentium G3258 @ 3.20GHz</a>	2	2,080	1,860	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3260 @ 3.30GHz</a>	2	2,065	1,860	53	LGA1150	Desktop
<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	2	1,755	1,568	35	LGA1150	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Pentium G3320TE @ 2.30GHz</a>	2	1,570	1,312	35	FCLGA1150	Desktop
<a href="#">Intel Pentium G3420 @ 3.20GHz</a>	2	1,966	1,796	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3420T @ 2.70GHz</a>	2	1,912	1,570	35	LGA1150	Desktop
<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2	2,127	1,912	54	FCLGA1150	Desktop
<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2	2,129	1,895	53	LGA1150	Desktop
<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2	2,107	1,615	35	LGA1150	Desktop
<a href="#">Intel Pentium G3450 @ 3.40GHz</a>	2	2,188	1,892	53	FCLGA1150	Desktop
<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2	2,016	1,135	35	LGA1150	Desktop
<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2	2,191	1,975	53	LGA1150	Desktop
<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2	2,428	2,089	53	LGA1150	Desktop
<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2	2,597	2,016	54	FCLGA1151	Desktop
<a href="#">Intel Pentium G4400T @ 2.90GHz</a>	2	2,333	1,742	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2	2,190	1,481	35	FCLGA1151	Laptop
<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2	2,754	2,140	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G4500T @ 3.00GHz</a>	2	2,378	1,867	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2	2,952	2,198	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	2	3,514	2,098	54	FCLGA1151	Desktop
<a href="#">Intel Pentium G4560T @ 2.90GHz</a>	2	2,929	1,706	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4600 @ 3.60GHz</a>	2	3,616	2,180	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G4600T @ 3.00GHz</a>	2	3,130	1,843	35	FCLGA1151	Desktop
<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	2	3,751	2,261	51	FCLGA1151	Desktop
<a href="#">Intel Pentium G620 @ 2.60GHz</a>	2	1,228	1,200	65	LGA1155	Desktop
<a href="#">Intel Pentium G620T @ 2.20GHz</a>	2	896	961	35	LGA1155	Desktop
<a href="#">Intel Pentium G630 @ 2.70GHz</a>	2	1,295	1,236	65	LGA1155	Desktop
<a href="#">Intel Pentium G630T @ 2.30GHz</a>	2	1,029	1,040	35	LGA1155	Desktop
<a href="#">Intel Pentium G640 @ 2.80GHz</a>	2	1,305	1,291	65	LGA1155	Desktop
<a href="#">Intel Pentium G640T @ 2.40GHz</a>	2	1,139	1,102	35	LGA1155	Desktop
<a href="#">Intel Pentium G645 @ 2.90GHz</a>	2	1,362	1,314	65	LGA1155	Desktop
<a href="#">Intel Pentium G645T @ 2.50GHz</a>	2	1,164	1,100	35	LGA1155	Desktop
<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	2	1,061	1,035	73	LGA1156	Desktop
<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	2	1,383	1,173	73	LGA1156	Desktop
<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	2	1,293	1,264	73	LGA1156	Desktop
<a href="#">Intel Pentium G840 @ 2.80GHz</a>	2	1,186	1,253	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G850 @ 2.90GHz</a>	2	1,405	1,351	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G860 @ 3.00GHz</a>	2	1,450	1,392	65	FCLGA1155	Desktop
<a href="#">Intel Pentium G870 @ 3.10GHz</a>	2	1,503	1,460	65	FCLGA1155	Desktop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Pentium GOLD 6500Y @ 1.10GHz</a>	2	2,973	1,733	5	Unknown	Mobile/Embedded
<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	2	5,285	2,308	15	FCBGA1449	Laptop
<a href="#">Intel Pentium Gold 8505</a>	5	7,600	2,931	15	BGA1700	Laptop, Mobile/Embedded
<a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>	2	3,750	2,224	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a>	2	3,185	1,832	35	FCLGA1151-2	Server
<a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	2	3,636	2,269	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	2	3,508	1,978	35	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	2	3,822	2,259	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	2	3,259	1,951	35	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600 @ 3.90GHz</a>	2	3,741	2,287	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a>	2	4,122	2,219	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G5600T @ 3.30GHz</a>	2	3,601	2,025	35	FCLGA1151	Desktop
<a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>	2	4,102	2,424	54	FCLGA1151-2	Desktop
<a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>	2	4,134	2,473	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6400T @ 3.40GHz</a>	2	3,587	2,110	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6405 @ 4.10GHz</a>	2	4,267	2,526	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6405T @ 3.50GHz</a>	2	3,746	2,171	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	2	4,170	2,505	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	2	4,005	2,277	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6505 @ 4.20GHz</a>	2	4,378	2,652	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6505T @ 3.60GHz</a>	2	3,698	2,271	35	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>	2	4,396	2,577	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G6605 @ 4.30GHz</a>	2	4,391	2,572	58	FCLGA1200	Desktop
<a href="#">Intel Pentium Gold G7400</a>	2	6,771	3,047	46	LGA1700,BGA1700	Desktop
<a href="#">Intel Pentium Gold G7400T</a>	2	5,816	2,583	35	Unknown	Desktop
<a href="#">Intel Pentium III 1400 @ 1400MHz</a>	1	193	272	31.2	Socket 370	Desktop
<a href="#">Intel Pentium III 1400S @ 1400MHz</a>	1	194	278	32.2	Socket 370	Desktop
<a href="#">Intel Pentium III Mobile 1066MHz</a>	1	160	210	NA	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Pentium III Mobile 1133MHz</a>	1	164	218	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 1200MHz</a>	1	156	216	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 800MHz</a>	1	119	155	NA	Unknown	Laptop
<a href="#">Intel Pentium III Mobile 866MHz</a>	1	99	132	NA	Unknown	Laptop
<a href="#">Intel Pentium J2850 @ 2.41GHz</a>	4	1,016	646	10	FCBGA1170	Desktop
<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	4	1,237	733	10	FCBGA1170	Desktop
<a href="#">Intel Pentium J3710 @ 1.60GHz</a>	4	1,464	713	6.5	Unknown	Desktop
<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	4	2,428	918	10	FCBGA1296	Desktop
<a href="#">Intel Pentium J6426 @ 2.00GHz</a>	4	4,176	1,605	10	FCBGA1493	Mobile/Embedded
<a href="#">Intel Pentium M 1.10GHz</a>	1	184	218	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.20GHz</a>	1	199	262	NA	Unknown	Unknown
<a href="#">Intel Pentium M 1.30GHz</a>	1	196	250	22	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.40GHz</a>	1	225	264	22	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.50GHz</a>	1	240	323	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.60GHz</a>	1	229	307	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.70GHz</a>	1	239	318	24.5	H-PBGA479, PPG	Laptop
<a href="#">Intel Pentium M 1.73GHz</a>	1	205	494	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1.80GHz</a>	1	280	389	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1.86GHz</a>	1	222	499	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1000MHz</a>	1	156	222	7	Unknown	Laptop
<a href="#">Intel Pentium M 1200MHz</a>	1	155	166	12	Unknown	Laptop
<a href="#">Intel Pentium M 1300MHz</a>	1	197	271	22	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1400MHz</a>	1	208	282	22	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1500MHz</a>	1	188	251	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1600MHz</a>	1	193	313	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 1700MHz</a>	1	237	361	24.5	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.00GHz</a>	1	270	363	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.10GHz</a>	1	292	353	21	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.13GHz</a>	1	271	354	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 2.26GHz</a>	1	227	508	27	H-PBGA479, PPGA4	Laptop
<a href="#">Intel Pentium M 900MHz</a>	1	141	200	7	Unknown	Laptop
<a href="#">Intel Pentium N3510 @ 1.99GHz</a>	4	878	534	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	4	1,143	664	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	4	1,187	701	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	4	1,212	714	7.5	FCBGA1170	Laptop
<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	4	1,242	635	6	FCBGA1170	Laptop
<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	4	1,373	684	6	FCBGA1170	Laptop
<a href="#">Intel Pentium N4200 @ 1.10GHz</a>	4	2,150	851	6	FCBGA1296	Laptop
<a href="#">Intel Pentium N6415 @ 1.20GHz</a>	4	3,760	1,616	6.5	FCBGA1493	Mobile/Embedded
<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	2	787	722	35	PGA988	Laptop
<a href="#">Intel Pentium P6100 @ 2.00GHz</a>	2	863	830	35	PGA988	Laptop
<a href="#">Intel Pentium P6200 @ 2.13GHz</a>	2	875	848	35	PGA988	Laptop
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	2	834	772	35	PGA988	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	4	3,065	1,206	10	FCBGA1090	Desktop
<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	4	3,443	1,400	NA	FCBGA1090	Desktop
<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	4	2,585	1,137	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N5020 @ 1.10GHz</a>	4	3,404	1,307	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	4	2,611	1,263	6	FCBGA1090	Laptop
<a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a>	4	3,160	1,439	6	FCBGA1338	Mobile/Embedded
<a href="#">Intel Pentium Silver N6005 @ 2.00GHz</a>	4	5,430	1,769	10	FCBGA1338	Laptop, Mobile/Embedded
<a href="#">Intel Pentium SU2700 @ 1.30GHz</a>	1	239	432	10	Unknown	Laptop
<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	2	485	522	10	BGA956	Laptop
<a href="#">Intel Pentium T2060 @ 1.60GHz</a>	2	330	490	31	PGA478	Laptop
<a href="#">Intel Pentium T2080 @ 1.73GHz</a>	2	348	530	31	PGA478	Laptop
<a href="#">Intel Pentium T2130 @ 1.86GHz</a>	2	382	583	31	PGA478	Laptop
<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	2	526	561	35	PPGA478	Laptop
<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	2	548	577	35	PPGA478	Laptop
<a href="#">Intel Pentium T2370 @ 1.73GHz</a>	2	555	578	35	PPGA478	Laptop
<a href="#">Intel Pentium T2390 @ 1.86GHz</a>	2	554	647	35	PPGA478	Laptop
<a href="#">Intel Pentium T2410 @ 2.00GHz</a>	2	598	726	NA	Unknown	Unknown
<a href="#">Intel Pentium T3200 @ 2.00GHz</a>	2	627	709	35	PPGA478	Laptop
<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	2	650	739	35	PPGA478	Laptop
<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	2	722	792	35	PGA478	Laptop
<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	2	773	837	35	PGA478	Laptop
<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	2	746	834	35	PGA478	Laptop
<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	2	811	911	35	PGA478	Laptop
<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	2	538	503	18	BGA1288	Laptop
<a href="#">Intel Pentium U5600 @ 1.33GHz</a>	2	624	588	18	BGA1288	Laptop
<a href="#">Intel T1400 @ 1.73GHz</a>	2	475	671	NA	Unknown	Unknown
<a href="#">Intel T1500 @ 1.86GHz</a>	2	548	661	NA	Unknown	Unknown
<a href="#">Intel T2050 @ 2.00GHz</a>	2	516	611	31	PPGA478	Unknown
<a href="#">Intel Xeon 2.00GHz</a>	1	152	259	NA	Unknown	Server
<a href="#">Intel XEON 2.20GHz</a>	1	164	351	NA	Unknown	Server
<a href="#">Intel Xeon 2.40GHz</a>	1	180	387	NA	Unknown	Server
<a href="#">Intel Xeon 2.80GHz</a>	1	260	384	103	PPGA604	Server
<a href="#">Intel Xeon 3.00GHz</a>	1	425	607	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.06GHz</a>	1	533	600	NA	Unknown	Server
<a href="#">Intel Xeon 3.20GHz</a>	1	478	696	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.20GHz</a>	1	747	661	103	PPGA604	Server
<a href="#">Intel Xeon 3.40GHz</a>	1	375	519	103	PPGA604	Server
<a href="#">[Dual CPU] Intel Xeon 3.40GHz</a>	1	843	723	103	PPGA604	Server
<a href="#">Intel Xeon 3.60GHz</a>	1	403	643	110	PPGA604	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Xeon 3.73GHz	2	901	734	NA	Unknown	Server
[Dual CPU] Intel Xeon 3.73GHz	2	1,511	776	NA	Unknown	Server
Intel Xeon 3.80GHz	1	393	594	110	PPGA604	Server
Intel Xeon 3040 @ 1.86GHz	2	790	621	65	LGA775	Server
Intel Xeon 3050 @ 2.13GHz	2	841	672	65	LGA775	Server
Intel Xeon 3060 @ 2.40GHz	2	939	942	65	LGA775	Server
Intel Xeon 3065 @ 2.33GHz	2	867	836	65	LGA775	Server
Intel Xeon 3070 @ 2.66GHz	2	1,025	1,024	65	LGA775	Server
Intel Xeon 3075 @ 2.66GHz	2	1,096	1,096	NA	Unknown	Server
Intel Xeon 3085 @ 3.00GHz	2	1,070	1,124	65	LGA775	Server
Intel Xeon 5110 @ 1.60GHz	2	600	606	65	LGA771	Server
[Dual CPU] Intel Xeon 5110 @ 1.60GHz	2	1,289	659	65	LGA771	Server
Intel Xeon 5120 @ 1.86GHz	2	763	748	65	LGA771	Server
[Dual CPU] Intel Xeon 5120 @ 1.86GHz	2	1,486	770	65	LGA771	Server
Intel Xeon 5130 @ 2.00GHz	2	795	796	65	LGA771	Server
[Dual CPU] Intel Xeon 5130 @ 2.00GHz	2	1,581	819	65	LGA771	Server
Intel Xeon 5133 @ 2.20GHz	2	887	838	40	LGA771	Server
Intel Xeon 5140 @ 2.33GHz	2	857	870	65	LGA771	Server
[Dual CPU] Intel Xeon 5140 @ 2.33GHz	2	1,752	916	65	LGA771	Server
Intel Xeon 5148 @ 2.33GHz	2	912	868	40	LGA771	Server
Intel Xeon 5150 @ 2.66GHz	2	840	999	65	LGA771	Server
[Dual CPU] Intel Xeon 5150 @ 2.66GHz	2	1,997	1,072	65	LGA771	Server
Intel Xeon 5160 @ 3.00GHz	2	963	1,134	80	LGA771	Server
[Dual CPU] Intel Xeon 5160 @ 3.00GHz	2	2,259	1,181	80	LGA771	Server
Intel Xeon @ 2.00GHz	6	7,363	939	NA	Unknown	Unknown
Intel Xeon @ 2.20GHz	1	1,324	1,383	61	PPGA603	Server
Intel Xeon Bronze 3104 @ 1.70GHz	6	4,576	1,011	85	FCLGA3647	Server
[Dual CPU] Intel Xeon Bronze 3104 @ 1.70GHz	6	8,050	1,050	85	FCLGA3647	Server
Intel Xeon Bronze 3106 @ 1.70GHz	8	5,769	1,017	85	FCLGA3647	Server
[Dual CPU] Intel Xeon Bronze 3106 @ 1.70GHz	8	10,023	1,028	85	FCLGA3647	Server
Intel Xeon Bronze 3204 @ 1.90GHz	6	4,843	1,112	85	FCLGA3647	Server
[Dual CPU] Intel Xeon Bronze 3206R @ 1.90GHz	8	10,797	1,154	85	FCLGA3647	Server
Intel Xeon D-1518 @ 2.20GHz	4	4,830	1,319	35	FCBGA1667	Server
Intel Xeon D-1520 @ 2.20GHz	4	3,324	419	45	BGA 1667	Server
Intel Xeon D-1521 @ 2.40GHz	4	5,897	1,728	45	FCBGA1667	Server
Intel Xeon D-1527 @ 2.20GHz	4	4,710	1,380	35	FCBGA1667	Server
Intel Xeon D-1528 @ 1.90GHz	6	6,396	1,381	35	FCBGA1667	Laptop, Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon D-1531 @ 2.20GHz</a>	6	7,483	1,434	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	8	7,176	1,104	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	8	7,175	1,179	35	FCBGA1667	Server
<a href="#">Intel Xeon D-1540 @ 2.00GHz</a>	8	10,040	1,607	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	8	10,154	1,700	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	8	9,075	1,647	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	12	7,118	718	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	12	7,353	957	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	12	10,447	1,156	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	16	11,645	1,319	45	FCBGA1667	Server
<a href="#">Intel Xeon D-1581 @ 1.80GHz</a>	16	13,282	1,482	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	16	9,223	835	65	FCBGA1667	Server
<a href="#">Intel Xeon D-1602 @ 2.50GHz</a>	2	2,459	1,435	27	FCBGA1667	Server
<a href="#">Intel Xeon D-1622 @ 2.60GHz</a>	4	6,205	1,875	40	FCBGA1667	Server
<a href="#">Intel Xeon D-1715TER @ 2.40GHz</a>	4	9,104	2,269	50	FCBGA2227	Server
<a href="#">Intel Xeon D-1718T @ 2.60GHz</a>	4	9,610	2,235	46	FCBGA2227	Server
<a href="#">Intel Xeon D-1726 @ 2.90GHz</a>	6	15,511	2,477	70	FCBGA2227	Server
<a href="#">Intel Xeon D-1732TE @ 1.90GHz</a>	8	14,254	2,015	52	FCBGA2227	Server
<a href="#">Intel Xeon D-1733NT @ 2.00GHz</a>	8	14,849	2,198	53	FCBGA2227	Server
<a href="#">Intel Xeon D-1736NT @ 2.70GHz</a>	8	17,826	2,392	67	FCBGA2227	Server
<a href="#">Intel Xeon D-1747NTE @ 2.50GHz</a>	10	19,822	1,995	80	FCBGA2227	Server
<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	4	6,841	1,775	60	FCBGA2518	Server
<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	8	12,117	1,713	65	FCBGA2518	Server
<a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>	8	13,107	1,812	65	FCBGA2518	Server
<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	8	11,736	1,802	80	FCBGA2518	Server
<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	12	15,105	1,751	85	FCBGA2518	Server
<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	16	18,385	1,728	100	FCBGA2518	Server
<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	16	18,070	1,425	110	FCBGA2518	Server
<a href="#">Intel Xeon D-2712T @ 1.90GHz</a>	4	7,166	1,682	65	FCBGA2579	Server
<a href="#">Intel Xeon D-2733NT @ 2.10GHz</a>	8	15,799	2,239	80	FCBGA2579	Server
<a href="#">Intel Xeon D-2796TE @ 2.00GHz</a>	20	20,806	2,182	118	FCBGA2579	Server
<a href="#">Intel Xeon D-2799 @ 2.40GHz</a>	20	33,792	2,404	129	FCBGA2579	Server
<a href="#">Intel Xeon E-2104G @ 3.20GHz</a>	4	5,944	1,960	65	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	4	6,997	2,526	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	4	7,470	2,723	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	6	10,747	2,652	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2134 @ 3.50GHz</a>	4	8,960	2,571	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2136 @ 3.30GHz</a>	6	13,411	2,700	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2144G @ 3.60GHz</a>	4	9,322	2,679	71	FCLGA1151-2	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E-2146G @ 3.50GHz</a>	6	13,251	2,676	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2174G @ 3.80GHz</a>	4	9,590	2,652	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	6	13,631	2,741	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	6	10,924	2,462	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2186G @ 3.80GHz</a>	6	13,940	2,771	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	6	11,436	2,543	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2224 @ 3.40GHz</a>	4	7,281	2,486	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2224G @ 3.50GHz</a>	4	7,621	2,730	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	6	11,036	2,824	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2234 @ 3.60GHz</a>	4	9,903	2,871	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2236 @ 3.40GHz</a>	6	14,297	2,844	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2244G @ 3.80GHz</a>	4	9,794	2,762	71	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2246G @ 3.60GHz</a>	6	14,050	2,825	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>	4	6,333	2,029	25	FCBGA1440	Server
<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	4	9,712	2,777	83	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2276G @ 3.80GHz</a>	6	13,803	2,856	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2276M @ 2.80GHz</a>	6	11,700	2,635	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2276ME @ 2.80GHz</a>	6	8,167	1,604	45	FCBGA1440	Server, Mobile/Embedded
<a href="#">Intel Xeon E-2276ML @ 2.00GHz</a>	6	6,353	1,222	25	FCBGA1440	Server
<a href="#">Intel Xeon E-2278G @ 3.40GHz</a>	8	16,964	2,958	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	8	15,895	2,631	80	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a>	8	12,024	2,428	35	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2286G @ 4.00GHz</a>	6	13,647	2,835	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	8	15,153	2,760	45	FCBGA1440	Laptop
<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	8	17,418	2,913	95	FCLGA1151-2	Server
<a href="#">Intel Xeon E-2314 @ 2.80GHz</a>	4	8,187	2,911	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2324G @ 3.10GHz</a>	4	10,603	3,223	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2334 @ 3.40GHz</a>	4	13,189	3,244	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2336 @ 2.90GHz</a>	6	16,673	3,209	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2356G @ 3.20GHz</a>	6	19,241	3,411	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2374G @ 3.70GHz</a>	4	13,860	3,347	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2378 @ 2.60GHz</a>	8	17,952	3,298	65	FCLGA1200	Server
<a href="#">Intel Xeon E-2378G @ 2.80GHz</a>	8	22,755	3,477	80	FCLGA1200	Server
<a href="#">Intel Xeon E-2386G @ 3.50GHz</a>	6	19,339	3,318	95	FCLGA1200	Server
<a href="#">Intel Xeon E-2388G @ 3.20GHz</a>	8	23,844	3,511	95	FCLGA1200	Server
<a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>	4	5,682	1,875	65	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>	4	3,877	1,558	80	LGA1155	Server
<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4	4,670	1,878	69	LGA1155	Server
<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	4	5,197	1,979	80	LGA1150	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	4	5,732	2,034	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	4	5,711	1,781	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2	2,246	1,567	20	LGA1155	Server
<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2	2,452	1,451	17	LGA1155	Server
<a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a>	2	1,407	777	13	LGA1150	Server
<a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>	4	3,815	1,570	95	LGA1155	Server
<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4	4,777	1,939	77	LGA1155	Server
<a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>	4	5,315	2,000	84	LGA1150	Server
<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	4	5,934	2,088	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>	4	6,323	2,277	73	FCLGA1151	Server
<a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>	4	5,536	2,115	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>	4	5,100	1,655	80	LGA1155	Server
<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	4	6,207	1,992	69	LGA1155	Server
<a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>	4	6,816	2,093	80	LGA1150	Server
<a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>	4	8,027	2,174	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1230 v6 @ 3.50GHz</a>	4	8,194	2,231	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4	5,268	1,623	25	LGA1150	Server
<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	4	7,022	2,146	80	FCLGA1150	Server
<a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>	4	5,030	1,618	95	LGA1155	Server
<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	4	5,013	1,761	25	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	4	5,387	1,725	80	LGA1155	Server
<a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>	4	6,336	2,041	69	LGA1155	Server
<a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>	4	7,078	2,159	80	LGA1150	Server
<a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>	4	8,320	2,316	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>	4	8,696	2,433	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a>	4	5,304	1,769	25	FCLGA1150	Server
<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	4	6,173	1,906	25	FCLGA1151	Server
<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	4	7,124	2,172	80	LGA1150	Server
<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	4	5,331	1,721	95	LGA1155	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	4	6,371	2,052	77	LGA1155	Server
<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	4	7,027	2,148	84	LGA1150	Server
<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	4	8,031	2,242	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	4	8,666	2,427	73	FCLGA1151	Server
<a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>	4	7,272	2,210	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>	4	4,040	1,452	45	LGA1155	Server
<a href="#">Intel Xeon E3-1260L v5 @ 2.90GHz</a>	4	8,208	2,326	45	FCLGA1151	Server
<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	4	3,411	1,300	45	LGA1155	Server
<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4	5,033	1,663	45	LGA1155	Server
<a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a>	4	6,179	2,075	45	FCLGA1150	Server
<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	4	6,954	2,073	35	FCLGA1150	Server
<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	4	5,475	1,678	45	LGA1150	Server
<a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a>	4	6,079	1,654	35	FCLGA1151	Laptop, Server
<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	4	5,424	1,766	80	LGA1155	Server
<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	4	6,443	2,076	69	LGA1155	Server
<a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>	4	7,322	2,204	80	LGA1150	Server
<a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>	4	8,338	2,300	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	4	8,921	2,483	72	FCLGA1151	Server
<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	4	7,662	2,378	45	LGA1150	Server
<a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>	4	7,544	2,291	80	FCLGA1150	Server
<a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>	4	5,463	1,760	95	LGA1155	Server
<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	4	6,589	2,129	77	LGA1155	Server
<a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>	4	7,183	2,211	95	LGA1150	Server
<a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>	4	8,452	2,359	80	FCLGA1151	Server
<a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>	4	9,213	2,554	73	FCLGA1151	Server
<a href="#">Intel Xeon E3-1275L v3 @ 2.70GHz</a>	4	6,074	2,151	45	LGA1150	Server
<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	4	7,364	2,258	84	FCLGA1150	Server
<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	4	5,613	1,804	95	LGA1155	Server
<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	4	6,534	2,170	69	LGA1155	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Xeon E3-1280 v3 @ 3.60GHz	4	7,356	2,263	82	LGA1150	Server
Intel Xeon E3-1280 v5 @ 3.70GHz	4	8,377	2,340	80	FCLGA1151	Server
Intel Xeon E3-1280 v6 @ 3.90GHz	4	8,940	2,492	72	FCLGA1151	Server
Intel Xeon E3-1281 v3 @ 3.70GHz	4	7,463	2,338	82	LGA1150	Server
Intel Xeon E3-1285 v3 @ 3.60GHz	4	6,974	2,213	84	LGA1150	Server
Intel Xeon E3-1285 v4 @ 3.50GHz	4	7,712	2,297	95	FCLGA1150	Server
Intel Xeon E3-1285 v6 @ 4.10GHz	4	8,536	2,579	79	FCLGA1151	Server
Intel Xeon E3-1285L v3 @ 3.10GHz	4	6,819	2,164	65	LGA1150	Server
Intel Xeon E3-1285L v4 @ 3.40GHz	4	8,074	2,350	65	LGA1150	Server
Intel Xeon E3-1286 v3 @ 3.70GHz	4	7,418	2,391	84	LGA1150	Server
Intel Xeon E3-1286L v3 @ 3.20GHz	4	6,450	2,207	65	LGA1150	Server
Intel Xeon E3-1290 @ 3.60GHz	4	4,988	1,833	95	LGA1155	Server
Intel Xeon E3-1290 V2 @ 3.70GHz	4	6,513	2,117	87	LGA1155	Server
Intel Xeon E3-1505L v5 @ 2.00GHz	4	5,301	1,590	25	FCBGA1440	Laptop, Server
Intel Xeon E3-1505L v6 @ 2.20GHz	4	6,088	1,848	25	FCBGA1440	Laptop, Server
Intel Xeon E3-1505M v5 @ 2.80GHz	4	7,059	2,025	45	FCBGA1440	Server
Intel Xeon E3-1505M v6 @ 3.00GHz	4	7,263	2,206	45	Unknown	Server
Intel Xeon E3-1515M v5 @ 2.80GHz	4	7,938	2,148	45	FCBGA1440	Server
Intel Xeon E3-1535M v5 @ 2.90GHz	4	7,520	2,120	45	FCBGA1440	Laptop, Server
Intel Xeon E3-1535M v6 @ 3.10GHz	4	8,131	2,365	35	FCBGA1440	Laptop, Server
Intel Xeon E3-1545M v5 @ 2.90GHz	4	7,943	2,113	45	FCBGA1440	Laptop, Server
Intel Xeon E3-1575M v5 @ 3.00GHz	4	7,802	2,187	45	FCBGA1440	Server
Intel Xeon E3-1585 v5 @ 3.50GHz	4	8,408	2,402	65	FCBGA1440	Server
Intel Xeon E3-1585L v5 @ 3.00GHz	4	8,021	2,179	45	FCBGA1440	Server
Intel Xeon E3110 @ 3.00GHz	2	1,242	1,331	65	LGA775	Server
Intel Xeon E3113 @ 3.00GHz	2	1,429	1,282	65	LGA775	Server
Intel Xeon E3120 @ 3.16GHz	2	1,408	1,370	65	LGA775	Server
Intel Xeon E5-1410 @ 2.80GHz	4	4,701	1,456	80	LGA1356	Server
Intel Xeon E5-1410 v2 @ 2.80GHz	4	5,436	1,681	80	LGA 1356	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a>	6	6,255	1,096	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	4	3,454	1,335	130	LGA2011	Server
<a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>	4	4,483	1,625	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>	4	4,812	1,754	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>	4	3,725	1,437	130	LGA2011	Server
<a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>	4	4,277	1,648	130	LGA 2011	Server
<a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a>	4	4,943	1,809	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>	4	5,245	1,911	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>	4	5,857	1,772	130	LGA2011	Server
<a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>	4	6,535	2,024	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	4	7,001	2,023	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>	4	7,395	2,231	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	4	7,419	2,114	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	4	7,702	2,369	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	6	8,099	1,737	130	LGA2011	Server
<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	6	9,318	2,025	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	6	10,445	2,130	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	6	11,470	2,381	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	6	8,422	1,794	130	LGA2011	Server
<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	6	10,391	2,100	130	LGA 2011	Server
<a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>	8	12,330	1,954	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	8	13,468	2,186	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	8	12,727	2,113	130	LGA 2011	Server
<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	8	13,214	2,127	140	LGA2011-v3	Server
<a href="#">Intel Xeon E5-1680 v4 @ 3.40GHz</a>	8	14,169	2,357	140	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	10	14,820	2,040	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	4	2,280	746	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>	4	2,873	991	80	FCLGA1356	Server
<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	4	2,729	924	80	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2407 @ 2.20GHz</a>	4	5,404	1,011	80	LGA 1356	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	3,504	1,068	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4	6,414	1,275	80	FCLGA1356	Server
<a href="#">Intel Xeon E5-2418L @ 2.00GHz</a>	4	3,518	977	50	LGA 1356	Server
<a href="#">Intel Xeon E5-2418L v2 @ 2.00GHz</a>	6	5,380	1,078	50	FCLGA1356	Server
<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	6	5,082	1,099	95	LGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2420 @ 1.90GHz</a>	6	9,336	999	95	LGA1356	Server
<a href="#">[Quad CPU] Intel Xeon E5-2420 @ 1.90GHz</a>	6	3,065	1,108	95	LGA1356	Server
<a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	6,330	1,381	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6	11,504	1,347	80	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2428L @ 1.80GHz</a>	6	8,500	899	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	6	5,596	1,152	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430 @ 2.20GHz</a>	6	9,418	1,239	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	7,147	1,483	80	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430 v2 @ 2.50GHz</a>	6	12,267	1,530	80	LGA 1356	Server
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	6	5,273	1,005	60	FCLGA1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430L @ 2.00GHz</a>	6	9,635	1,192	60	FCLGA1356	Server
<a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	5,903	1,211	60	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2430L v2 @ 2.40GHz</a>	6	11,738	1,348	60	LGA 1356	Server
<a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>	6	6,051	1,293	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2440 @ 2.40GHz</a>	6	10,902	1,200	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	6,927	962	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2440 v2 @ 1.90GHz</a>	8	13,818	1,313	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a>	10	6,774	1,235	70	LGA 1356	Server
<a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>	8	7,530	1,197	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450 @ 2.10GHz</a>	8	10,408	1,238	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	9,060	1,605	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450 v2 @ 2.50GHz</a>	8	15,978	1,567	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>	8	5,880	1,002	70	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2450L @ 1.80GHz</a>	8	11,287	1,035	70	LGA 1356	Server
<a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>	8	8,296	1,452	95	LGA 1356	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Dual CPU] Intel Xeon E5-2470 @ 2.30GHz</a>	8	14,771	1,431	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	10,466	1,581	95	LGA 1356	Server
<a href="#">[Dual CPU] Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10	18,357	1,535	95	LGA 1356	Server
<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	4	2,362	868	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 @ 1.80GHz</a>	4	4,433	873	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	2,751	977	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v2 @ 1.80GHz</a>	4	5,017	991	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	3,774	932	85	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v3 @ 1.60GHz</a>	6	6,626	909	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	4,695	1,046	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2603 v4 @ 1.70GHz</a>	6	7,927	1,075	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6	6,415	1,210	52	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2608L v4 @ 1.60GHz</a>	8	7,447	1,092	50	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>	4	2,741	1,091	80	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 @ 2.40GHz</a>	4	5,866	1,166	80	LGA2011	Server
<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	3,466	1,360	80	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v2 @ 2.50GHz</a>	4	6,816	1,382	80	LGA 2011	Server
<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	4,423	1,097	80	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v3 @ 1.90GHz</a>	6	8,526	1,109	80	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	5,385	1,014	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2609 v4 @ 1.70GHz</a>	8	10,061	1,068	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	8	10,881	1,905	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	10	12,816	2,013	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2620 @ 2.00GHz</a>	6	5,286	1,110	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 @ 2.00GHz</a>	6	9,602	1,123	95	LGA2011	Server
<a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	6,263	1,305	80	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6	10,733	1,265	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	7,857	1,689	85	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Dual CPU] Intel Xeon E5-2620 v3 @ 2.40GHz</a>	6	13,288	1,689	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	9,224	1,630	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2620 v4 @ 2.10GHz</a>	8	15,953	1,722	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	6,866	1,873	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2623 v3 @ 3.00GHz</a>	4	11,825	1,971	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	6,923	1,810	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2623 v4 @ 2.60GHz</a>	4	8,506	1,409	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2628 v3 @ 2.50GHz</a>	8	8,447	1,754	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	8	7,181	1,106	70	LGA 2011	Server
<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	10	9,949	1,483	75	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	12	11,079	1,433	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>	8	9,139	1,426	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6	6,093	1,258	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 @ 2.30GHz</a>	6	10,579	1,256	95	LGA2011	Server
<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	7,468	1,573	80	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v2 @ 2.60GHz</a>	6	13,610	1,576	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	10,426	1,773	85	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v3 @ 2.40GHz</a>	8	17,017	1,713	85	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	11,644	1,755	85	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630 v4 @ 2.20GHz</a>	10	19,343	1,707	85	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>	6	5,305	1,119	60	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L @ 2.00GHz</a>	6	9,622	1,066	60	LGA 2011	Server
<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	6,651	1,405	60	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6	12,366	1,374	60	LGA 2011	Server
<a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	8,869	1,531	55	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8	14,652	1,591	55	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	10,864	1,743	55	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10	19,755	1,800	55	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>	2	2,978	1,526	80	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 @ 3.00GHz</a>	2	5,855	1,656	80	FCLGA2011	Server
<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	6,390	1,888	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 v2 @ 3.50GHz</a>	4	12,022	1,923	130	LGA 2011	Server
<a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	7,455	2,069	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 v3 @ 3.50GHz</a>	4	13,118	2,048	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	7,322	2,188	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2637 v4 @ 3.50GHz</a>	4	13,862	2,152	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2640 @ 2.50GHz</a>	6	6,289	1,347	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 @ 2.50GHz</a>	6	11,607	1,346	95	LGA2011	Server
<a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	7,820	1,270	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v2 @ 2.00GHz</a>	8	13,412	1,177	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	11,330	1,882	90	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v3 @ 2.60GHz</a>	8	17,668	1,759	90	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	12,097	1,840	90	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2640 v4 @ 2.40GHz</a>	10	21,435	1,957	90	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	4	5,489	1,638	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 @ 3.30GHz</a>	4	9,812	1,582	130	LGA2011	Server
<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	9,134	1,884	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v2 @ 3.50GHz</a>	6	17,141	1,976	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	10,486	2,082	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v3 @ 3.40GHz</a>	6	17,883	2,062	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	11,088	2,240	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2643 v4 @ 3.40GHz</a>	6	19,547	2,290	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2648L @ 1.80GHz</a>	8	4,235	931	70	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2648L @ 1.80GHz</a>	8	9,940	899	70	LGA 2011	Server
<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	8,828	1,194	70	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2648L v2 @ 1.90GHz</a>	10	16,028	1,286	70	FCLGA2011	Server
<a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a>	12	9,847	1,292	75	LGA2011-v3	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	14	11,547	1,435	75	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2649 v3 @ 2.30GHz</a>	10	12,399	1,674	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650 @ 2.00GHz</a>	8	7,417	1,232	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 @ 2.00GHz</a>	8	12,979	1,244	95	LGA2011	Server
<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	9,973	1,682	95	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v2 @ 2.60GHz</a>	8	17,477	1,690	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	11,852	1,637	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v3 @ 2.30GHz</a>	10	19,532	1,616	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	14,202	1,724	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650 v4 @ 2.20GHz</a>	12	22,594	1,716	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	8	6,005	1,063	70	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650L @ 1.80GHz</a>	8	11,364	1,050	70	LGA 2011	Server
<a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	7,450	943	70	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650L v2 @ 1.70GHz</a>	10	14,482	1,091	70	FCLGA2011	Server
<a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	11,804	1,398	65	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650L v3 @ 1.80GHz</a>	12	18,861	1,272	65	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	11,436	1,385	65	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2650L v4 @ 1.70GHz</a>	14	25,440	1,643	65	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	9,211	1,126	NA	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2651 v2 @ 1.80GHz</a>	12	15,611	1,082	NA	LGA 2011	Server
<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	8	6,073	1,156	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 @ 2.10GHz</a>	8	10,053	1,096	95	LGA2011	Server
<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	10,400	1,454	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10	18,250	1,529	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	13,487	1,711	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v3 @ 2.20GHz</a>	12	21,856	1,576	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	14,434	1,583	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14	27,797	1,748	105	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-2658A v3 @ 2.20GHz</a>	12	14,879	1,688	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8	8,140	1,398	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 @ 2.20GHz</a>	8	14,134	1,353	95	LGA2011	Server
<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	10,636	1,541	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10	18,345	1,487	95	LGA 2011	Server
<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	13,104	1,809	105	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v3 @ 2.60GHz</a>	10	22,253	1,825	105	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	15,974	1,704	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14	27,377	1,925	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	11,777	2,040	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2663 v3 @ 2.80GHz</a>	10	21,671	1,958	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>	8	8,424	1,416	115	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2665 @ 2.40GHz</a>	8	14,647	1,390	115	LGA2011	Server
<a href="#">Intel Xeon E5-2666 v3 @ 2.90GHz</a>	10	14,307	1,978	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2666 v3 @ 2.90GHz</a>	10	23,416	1,927	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	6	7,477	1,571	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 @ 2.90GHz</a>	6	12,797	1,598	130	LGA2011	Server
<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	12,232	2,008	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 v2 @ 3.30GHz</a>	8	21,081	2,008	130	LGA 2011	Server
<a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	12,550	2,005	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 v3 @ 3.20GHz</a>	8	21,004	1,925	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	14,064	2,179	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2667 v4 @ 3.20GHz</a>	8	24,455	2,215	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2669 v3 @ 2.30GHz</a>	12	16,107	1,502	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8	8,949	1,476	115	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2670 @ 2.60GHz</a>	8	15,706	1,505	115	LGA2011	Server
<a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	11,530	1,647	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2670 v2 @ 2.50GHz</a>	10	20,235	1,623	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	13,812	1,694	120	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Dual CPU] Intel Xeon E5-2670 v3 @ 2.30GHz</a>	12	22,460	1,675	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	12,128	1,947	110	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2673 v2 @ 3.30GHz</a>	8	21,039	2,008	110	LGA 2011	Server
<a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	14,132	1,732	110	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2673 v3 @ 2.40GHz</a>	12	22,830	1,628	110	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	21,970	2,101	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2673 v4 @ 2.30GHz</a>	20	39,894	2,083	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>	16	11,960	1,209	NA	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	13,979	1,668	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2676 v3 @ 2.40GHz</a>	12	21,875	1,718	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>	16	18,978	1,730	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	14,669	1,747	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2678 v3 @ 2.50GHz</a>	12	24,750	1,755	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>	20	24,131	1,992	200	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	8	9,402	1,566	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 @ 2.70GHz</a>	8	15,886	1,563	130	LGA2011	Server
<a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	12,642	1,789	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v2 @ 2.80GHz</a>	10	21,339	1,787	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	15,357	1,791	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v3 @ 2.50GHz</a>	12	24,356	1,778	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	17,997	1,938	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2680 v4 @ 2.40GHz</a>	14	29,195	1,969	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	14	16,865	1,877	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	19,702	1,871	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2682 v4 @ 2.50GHz</a>	16	30,323	1,815	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	14,596	1,638	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14	24,189	1,607	120	LGA2011-v3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	17,489	1,721	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2683 v4 @ 2.10GHz</a>	16	28,599	1,729	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	12,944	1,726	120	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12	20,233	1,522	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>	18	18,148	1,910	120	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	19,782	1,766	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2686 v4 @ 2.30GHz</a>	18	33,569	1,842	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>	8	9,949	1,670	150	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W @ 3.10GHz</a>	8	17,863	1,736	150	LGA2011	Server
<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	12,163	2,072	150	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v2 @ 3.40GHz</a>	8	20,538	1,981	150	FCLGA2011	Server
<a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	14,716	1,912	160	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v3 @ 3.10GHz</a>	10	23,853	1,941	160	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	17,809	2,060	160	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2687W v4 @ 3.00GHz</a>	12	28,941	2,095	160	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	8	9,739	1,580	115	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2689 @ 2.60GHz</a>	8	16,158	1,606	115	LGA 2011	Server
<a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	17,040	2,329	165	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2689 v4 @ 3.10GHz</a>	10	31,869	2,389	165	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	8	9,787	1,658	135	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 @ 2.90GHz</a>	8	16,794	1,676	135	LGA2011	Server
<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	13,526	1,885	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v2 @ 3.00GHz</a>	10	21,519	1,845	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	16,413	1,917	135	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v3 @ 2.60GHz</a>	12	26,498	1,896	135	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	20,008	2,031	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2690 v4 @ 2.60GHz</a>	14	33,160	2,086	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12	12,119	1,571	115	LGA 2011	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Xeon E5-2695 v2 @ 2.40GHz	12	13,156	1,637	115	LGA 2011	Server
[Dual CPU] Intel Xeon E5-2695 v2 @ 2.40GHz	12	22,409	1,567	115	LGA 2011	Server
Intel Xeon E5-2695 v3 @ 2.30GHz	14	16,455	1,784	120	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2695 v3 @ 2.30GHz	14	31,008	1,938	120	LGA2011-v3	Server
Intel Xeon E5-2695 v4 @ 2.10GHz	18	19,656	1,909	120	FCLGA2011-3	Server
[Dual CPU] Intel Xeon E5-2695 v4 @ 2.10GHz	18	34,954	1,867	120	FCLGA2011-3	Server
Intel Xeon E5-2696 v2 @ 2.50GHz	12	14,320	1,696	NA	LGA2011	Server
[Dual CPU] Intel Xeon E5-2696 v2 @ 2.50GHz	12	23,713	1,684	NA	LGA2011	Server
Intel Xeon E5-2696 v3 @ 2.30GHz	18	23,323	2,146	145	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2696 v3 @ 2.30GHz	18	35,169	2,076	145	LGA2011-v3	Server
Intel Xeon E5-2696 v4 @ 2.20GHz	22	25,324	2,208	150	FCLGA2011-3	Server
[Dual CPU] Intel Xeon E5-2696 v4 @ 2.20GHz	22	41,065	2,133	150	FCLGA2011-3	Server
Intel Xeon E5-2697 v2 @ 2.70GHz	12	14,317	1,798	130	FCLGA2011	Server
[Dual CPU] Intel Xeon E5-2697 v2 @ 2.70GHz	12	23,156	1,721	130	FCLGA2011	Server
Intel Xeon E5-2697 v3 @ 2.60GHz	14	18,860	1,999	145	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2697 v3 @ 2.60GHz	14	27,635	1,897	145	LGA2011-v3	Server
Intel Xeon E5-2697 v4 @ 2.30GHz	18	20,543	1,990	145	FCLGA2011-3	Server
[Dual CPU] Intel Xeon E5-2697 v4 @ 2.30GHz	18	36,809	1,988	145	FCLGA2011-3	Server
Intel Xeon E5-2697A v4 @ 2.60GHz	16	21,369	2,007	145	FCLGA2011-3	Server
[Dual CPU] Intel Xeon E5-2697A v4 @ 2.60GHz	16	34,054	2,160	145	FCLGA2011-3	Server
Intel Xeon E5-2697R v4 @ 2.30GHz	18	20,843	2,007	145	FCLGA2011-3	Server
Intel Xeon E5-2698 v3 @ 2.30GHz	16	18,864	1,875	135	LGA2011-v3	Server
[Dual CPU] Intel Xeon E5-2698 v3 @ 2.30GHz	16	31,965	2,030	135	LGA2011-v3	Server
Intel Xeon E5-2698 v4 @ 2.20GHz	20	22,928	2,175	135	FCLGA2011-3	Server
[Dual CPU] Intel Xeon E5-2698 v4 @ 2.20GHz	20	38,875	2,060	135	FCLGA2011-3	Server
Intel Xeon E5-2698B v3 @ 2.00GHz	16	16,633	1,638	NA	LGA2011-v3	Server
Intel Xeon E5-2698R v4 @ 2.20GHz	20	25,605	2,243	NA	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	19,981	1,880	145	LGA2011-v3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699 v3 @ 2.30GHz</a>	18	34,478	1,951	145	LGA2011-v3	Server
<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	24,667	1,963	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699 v4 @ 2.20GHz</a>	22	42,139	2,050	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	14,917	1,037	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699A v4 @ 2.40GHz</a>	22	41,598	1,976	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	20,079	1,622	145	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-2699C v4 @ 2.20GHz</a>	22	32,379	1,495	145	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>	4	3,391	953	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4603 @ 2.00GHz</a>	4	6,690	995	95	LGA 2011	Server
<a href="#">Intel Xeon E5-4607 v2 @ 2.60GHz</a>	6	6,986	1,363	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6	6,460	1,401	95	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4610 @ 2.40GHz</a>	6	23,354	1,474	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	10	7,229	1,027	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4610 v4 @ 1.80GHz</a>	10	15,084	1,144	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6	6,298	1,552	130	LGA 2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	16,902	NA	130	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4617 @ 2.90GHz</a>	6	11,387	1,640	130	LGA 2011	Server
<a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>	8	6,830	1,239	95	LGA 2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4620 @ 2.20GHz</a>	8	11,474	974	95	LGA 2011	Server
<a href="#">Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	9,540	1,620	95	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	18,048	1,511	95	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4620 v2 @ 2.60GHz</a>	8	16,841	1,554	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10	10,525	1,486	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	9,320	1,786	130	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	27,746	1,904	130	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v2 @ 3.30GHz</a>	8	15,898	1,972	130	FCLGA2011	Server
<a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	11,344	1,749	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v3 @ 2.60GHz</a>	10	20,294	1,722	135	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	12,969	2,030	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4627 v4 @ 2.60GHz</a>	10	22,162	1,852	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4640 @ 2.40GHz</a>	8	7,012	1,233	95	LGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4640 @ 2.40GHz</a>	8	21,374	1,392	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4640 @ 2.40GHz</a>	8	12,375	1,338	95	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4640 v2 @ 2.20GHz</a>	10	19,028	1,373	95	LGA 2011	Server
<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	12	10,372	1,514	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4640 v4 @ 2.10GHz</a>	12	22,559	1,573	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	12	9,061	1,317	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>	8	8,630	1,476	130	LGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	24,381	1,492	130	LGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4650 @ 2.70GHz</a>	8	14,309	1,489	130	LGA2011	Server
<a href="#">Intel Xeon E5-4650 v2 @ 2.40GHz</a>	10	11,001	1,512	95	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4650 v2 @ 2.40GHz</a>	10	32,805	1,598	95	FCLGA2011	Server
<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	12	10,838	1,384	105	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	41,126	1,628	105	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4650 v4 @ 2.20GHz</a>	14	29,181	1,556	105	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4650L @ 2.60GHz</a>	8	8,472	1,393	115	LGA 2011	Server
<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	6	9,377	1,817	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	11,353	1,477	115	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	34,499	1,542	115	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12	21,548	1,291	115	FCLGA2011	Server
<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14	14,256	1,558	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	19,390	1,875	120	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	54,621	1,786	120	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4660 v4 @ 2.20GHz</a>	16	24,421	1,575	120	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>	16	15,397	1,461	135	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4667 v4 @ 2.20GHz</a>	18	53,402	1,584	135	FCLGA2011-3	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	17,430	1,474	135	FCLGA2011-3	Server
<a href="#">[Quad CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	50,719	1,578	135	FCLGA2011-3	Server
<a href="#">[Dual CPU] Intel Xeon E5-4669 v3 @ 2.10GHz</a>	18	31,474	1,626	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	22	11,523	1,366	135	FCLGA2011-3	Server
<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	2	838	788	65	LGA771	Server
<a href="#">Intel Xeon E5240 @ 3.00GHz</a>	2	1,448	1,312	65	LGA771	Server
<a href="#">Intel Xeon E5310 @ 1.60GHz</a>	4	1,306	640	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5310 @ 1.60GHz</a>	4	2,629	641	80	LGA771	Server
<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	4	1,469	770	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5320 @ 1.86GHz</a>	4	2,817	767	80	LGA771	Server
<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	4	1,549	817	80	LGA771	Server
<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	4	1,868	954	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5345 @ 2.33GHz</a>	4	3,463	947	80	LGA771	Server
<a href="#">Intel Xeon E5405 @ 2.00GHz</a>	4	1,702	877	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5405 @ 2.00GHz</a>	4	3,352	876	80	LGA771	Server
<a href="#">Intel Xeon E5410 @ 2.33GHz</a>	4	1,947	1,021	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5410 @ 2.33GHz</a>	4	3,800	1,020	80	LGA771	Server
<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	4	2,005	1,058	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5420 @ 2.50GHz</a>	4	4,026	1,088	80	LGA771	Server
<a href="#">Intel Xeon E5430 @ 2.66GHz</a>	4	2,210	1,156	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5430 @ 2.66GHz</a>	4	4,281	1,166	80	LGA771	Server
<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	4	2,351	1,232	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5440 @ 2.83GHz</a>	4	4,440	1,241	80	LGA771	Server
<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	4	2,492	1,292	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5450 @ 3.00GHz</a>	4	4,616	1,285	80	LGA771	Server
<a href="#">Intel Xeon E5462 @ 2.80GHz</a>	4	2,067	1,130	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5462 @ 2.80GHz</a>	4	4,487	1,235	80	LGA771	Server
<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	4	2,286	1,211	80	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon E5472 @ 3.00GHz</a>	4	4,765	1,326	80	LGA771	Server
<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	2	837	799	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5502 @ 1.87GHz</a>	2	1,853	825	80	LGA1366	Server
<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	2	804	845	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5503 @ 2.00GHz</a>	2	1,707	734	80	LGA1366	Server
<a href="#">Intel Xeon E5504 @ 2.00GHz</a>	4	1,519	825	80	LGA1366	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Dual CPU] Intel Xeon E5504 @ 2.00GHz</a>	4	3,292	868	80	LGA1366	Server
<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	4	1,967	943	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5506 @ 2.13GHz</a>	4	3,763	941	80	LGA1366	Server
<a href="#">Intel Xeon E5507 @ 2.27GHz</a>	4	1,928	997	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5507 @ 2.27GHz</a>	4	4,010	1,010	80	LGA1366	Server
<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	4	2,517	1,067	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5520 @ 2.27GHz</a>	4	4,522	1,099	80	LGA1366	Server
<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	4	2,624	1,148	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5530 @ 2.40GHz</a>	4	5,152	1,151	80	LGA1366	Server
<a href="#">Intel Xeon E5540 @ 2.53GHz</a>	4	2,738	1,200	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5540 @ 2.53GHz</a>	4	4,883	1,150	80	LGA1366	Server
<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	4	1,935	712	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5603 @ 1.60GHz</a>	4	3,548	710	80	LGA1366	Server
<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	4	2,365	942	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5606 @ 2.13GHz</a>	4	4,258	882	80	LGA1366	Server
<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	4	2,686	1,002	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5607 @ 2.27GHz</a>	4	4,969	1,009	80	LGA1366	Server
<a href="#">Intel Xeon E5620 @ 2.40GHz</a>	4	3,503	1,084	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5620 @ 2.40GHz</a>	4	6,445	1,076	80	LGA1366	Server
<a href="#">Intel Xeon E5630 @ 2.53GHz</a>	4	3,730	1,180	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5630 @ 2.53GHz</a>	4	6,823	1,158	80	LGA1366	Server
<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4	3,848	1,241	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5640 @ 2.67GHz</a>	4	7,497	1,250	80	LGA1366	Server
<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	6	5,016	1,164	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5645 @ 2.40GHz</a>	6	9,066	1,149	80	LGA1366	Server
<a href="#">Intel Xeon E5649 @ 2.53GHz</a>	6	5,229	1,224	80	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon E5649 @ 2.53GHz</a>	6	9,557	1,228	80	LGA1366	Server
<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	4	2,027	559	105	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon E7- 4807 @ 1.87GHz</a>	6	6,223	721	95	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4850 @ 2.00GHz</a>	10	21,385	931	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4860 @ 2.27GHz</a>	10	20,367	1,092	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 4870 @ 2.40GHz</a>	10	23,639	1,056	130	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7- 8870 @ 2.40GHz</a>	10	24,434	1,124	130	LGA1567	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Quad CPU] Intel Xeon E7-4830 @ 2.13GHz</a>	8	19,981	1,012	105	LGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7-4880 v2 @ 2.50GHz</a>	15	39,311	1,610	130	LGA 2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-4890 v2 @ 2.80GHz</a>	15	51,359	1,749	155	LGA 2011-1	Server
<a href="#">[Dual CPU] Intel Xeon E7-4890 v2 @ 2.80GHz</a>	15	25,055	1,790	155	LGA 2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8857 v2 @ 3.00GHz</a>	12	36,304	1,935	130	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-8867 v3 @ 2.50GHz</a>	16	36,908	1,554	165	FCLGA2011	Server
<a href="#">[Dual CPU] Intel Xeon E7-8880 v2 @ 2.50GHz</a>	15	25,966	1,316	130	LGA 2011-1	Server
<a href="#">Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	18,244	1,612	150	LGA2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8880 v3 @ 2.30GHz</a>	18	50,157	1,574	150	LGA2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8890 v3 @ 2.50GHz</a>	18	51,476	1,634	165	LGA2011-1	Server
<a href="#">[Quad CPU] Intel Xeon E7-8890 v4 @ 2.20GHz</a>	24	75,539	2,204	165	LGA2011-v3	Server
<a href="#">Intel Xeon E7-8891 v3 @ 2.80GHz</a>	10	21,615	1,715	165	LGA2011-v3	Server
<a href="#">[Quad CPU] Intel Xeon E7-8893 v4 @ 3.20GHz</a>	4	28,424	2,270	140	FCLGA2011	Server
<a href="#">[Quad CPU] Intel Xeon E7-8895 v2 @ 2.80GHz</a>	15	57,307	2,010	155	FCLGA2011	Server
<a href="#">Intel Xeon E7320 @ 2.13GHz</a>	4	1,469	776	80	604	Server
<a href="#">[Quad CPU] Intel Xeon E7320 @ 2.13GHz</a>	4	5,286	811	80	604	Server
<a href="#">[Quad CPU] Intel Xeon E7330 @ 2.40GHz</a>	4	6,792	933	80	PGA604, PPGA604	Server
<a href="#">[Quad CPU] Intel Xeon E7340 @ 2.40GHz</a>	4	6,544	960	80	PGA604	Server
<a href="#">[Quad CPU] Intel Xeon E7450 @ 2.40GHz</a>	6	9,932	1,018	90	PGA604	Server
<a href="#">[Quad CPU] Intel Xeon E7530 @ 1.87GHz</a>	6	7,231	887	105	FCLGA1567	Server
<a href="#">[Quad CPU] Intel Xeon E7540 @ 2.00GHz</a>	6	10,376	986	105	FCLGA1567	Server
<a href="#">Intel Xeon Gold 5115 @ 2.40GHz</a>	10	14,649	1,841	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5115 @ 2.40GHz</a>	10	20,202	1,873	85	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	14	15,816	1,531	105	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5117 @ 2.00GHz</a>	14	26,863	1,516	105	Unknown	Server
<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	12	16,237	1,807	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5118 @ 2.30GHz</a>	12	24,723	1,818	105	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>	14	17,686	1,847	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5120 @ 2.20GHz</a>	14	31,070	1,764	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	14	18,127	1,849	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	4	8,786	2,137	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5122 @ 3.60GHz</a>	4	16,256	2,218	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>	10	15,735	1,848	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5215 @ 2.50GHz</a>	10	27,736	1,914	85	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5217 @ 3.00GHz</a>	8	15,429	2,173	115	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5217 @ 3.00GHz</a>	8	25,455	2,089	115	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	16	22,376	2,256	125	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 5218 @ 2.30GHz</a>	16	54,123	2,273	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218 @ 2.30GHz</a>	16	35,173	2,100	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218N @ 2.30GHz</a>	16	41,082	1,785	110	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	20	25,916	2,210	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218R @ 2.10GHz</a>	20	42,550	2,160	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5218T @ 2.10GHz</a>	16	21,433	2,282	105	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5218T @ 2.10GHz</a>	16	34,757	1,969	105	Unknown	Server
<a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>	18	24,736	2,364	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5220 @ 2.20GHz</a>	18	41,550	2,207	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5220R @ 2.20GHz</a>	24	33,370	2,399	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5220R @ 2.20GHz</a>	24	54,784	2,331	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>	4	9,558	2,330	105	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5222 @ 3.80GHz</a>	4	17,836	2,351	105	FCLGA3647	Server
<a href="#">Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	20,724	2,488	140	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5315Y @ 3.20GHz</a>	8	37,309	2,487	140	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5317 @ 3.00GHz</a>	12	27,402	2,358	150	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5317 @ 3.00GHz</a>	12	47,395	2,389	150	FCLGA4189	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	31,695	2,136	165	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5318Y @ 2.10GHz</a>	24	56,362	1,819	165	FCLGA4189	Server
<a href="#">Intel Xeon Gold 5320 @ 2.20GHz</a>	26	37,558	1,826	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 5320 @ 2.20GHz</a>	26	66,409	2,218	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6122 @ 1.80GHz</a>	20	23,781	2,157	120	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6122 @ 1.80GHz</a>	20	40,707	2,202	120	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>	12	19,223	2,019	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6126 @ 2.60GHz</a>	12	34,458	2,082	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>	6	13,605	2,238	115	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6128 @ 3.40GHz</a>	6	23,357	2,242	115	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	16	20,956	2,049	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6130 @ 2.10GHz</a>	16	36,030	1,988	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6130H @ 2.10GHz</a>	16	35,440	2,229	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	16	21,804	1,698	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	14	22,503	2,178	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6132 @ 2.60GHz</a>	14	32,319	2,182	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6133 @ 2.50GHz</a>	1	1,172	1,429	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	8	16,601	2,235	130	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6134 @ 3.20GHz</a>	8	28,682	2,209	130	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>	12	22,266	2,224	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6136 @ 3.00GHz</a>	12	35,402	2,201	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	16	19,365	2,499	205	FCLGA-3647	Server
<a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>	20	19,207	2,024	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6138 @ 2.00GHz</a>	20	41,638	1,966	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a>	20	24,800	2,050	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6138T @ 2.00GHz</a>	20	40,064	1,620	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6139 @ 2.30GHz</a>	18	42,137	1,789	NA	LGA 3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>	18	22,733	1,840	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6140 @ 2.30GHz</a>	18	43,224	1,972	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6142 @ 2.60GHz</a>	16	37,579	2,075	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	16	24,786	2,248	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6143 @ 2.80GHz</a>	16	46,473	2,392	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	8	18,656	2,523	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6144 @ 3.50GHz</a>	8	29,154	2,490	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>	12	23,417	2,287	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6146 @ 3.20GHz</a>	12	43,365	2,550	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	20	29,197	2,183	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6148 @ 2.40GHz</a>	20	45,268	1,996	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6149 @ 3.10GHz</a>	16	37,240	2,063	NA	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6150 @ 2.70GHz</a>	18	25,487	2,188	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6150 @ 2.70GHz</a>	18	49,007	2,133	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22	22,802	2,054	140	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6152 @ 2.10GHz</a>	22	44,185	2,040	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>	18	28,848	2,264	200	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6154 @ 3.00GHz</a>	18	51,087	2,245	200	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>	16	27,085	2,265	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>	20	28,915	2,203	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	24	27,470	2,013	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>	12	19,810	2,104	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6226 @ 2.70GHz</a>	12	32,627	2,197	125	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>	16	27,092	2,298	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6226R @ 2.90GHz</a>	16	42,802	2,291	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	20	26,920	2,277	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6230 @ 2.10GHz</a>	20	44,697	2,107	125	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon Gold 6230R @ 2.10GHz</a>	26	34,145	2,220	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6230R @ 2.10GHz</a>	26	54,605	2,402	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6234 @ 3.30GHz</a>	8	28,888	2,402	130	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	22	27,617	1,691	140	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6238R @ 2.20GHz</a>	28	37,511	2,362	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6238R @ 2.20GHz</a>	28	56,183	2,078	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6240 @ 2.60GHz</a>	18	49,416	2,223	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6240R @ 2.40GHz</a>	24	55,113	2,357	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>	16	26,288	2,196	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6242 @ 2.80GHz</a>	16	39,315	2,152	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	20	34,963	2,424	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6242R @ 3.10GHz</a>	20	49,436	2,314	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6244 @ 3.60GHz</a>	8	19,500	2,664	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6244 @ 3.60GHz</a>	8	33,310	2,568	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	12	24,446	2,450	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6246 @ 3.30GHz</a>	12	42,867	2,500	165	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	16	30,468	2,341	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	20	29,504	2,291	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	24	38,604	2,296	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6248R @ 3.00GHz</a>	24	61,470	2,351	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6250 @ 3.90GHz</a>	8	20,915	2,703	185	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6250 @ 3.90GHz</a>	8	35,164	2,705	185	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6252 @ 2.10GHz</a>	24	27,148	1,883	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6252 @ 2.10GHz</a>	24	49,891	2,255	150	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	28,549	2,311	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6253CL @ 3.10GHz</a>	18	49,872	2,401	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	18	29,356	2,381	200	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Dual CPU] Intel Xeon Gold 6254 @ 3.10GHz</a>	18	54,869	2,355	200	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Gold 6256 @ 3.60GHz</a>	12	76,542	2,681	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6256 @ 3.60GHz</a>	12	46,814	2,642	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6258R @ 2.70GHz</a>	28	63,984	2,346	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6262 @ 1.90GHz</a>	24	50,546	2,139	135	Unknown	Server
<a href="#">Intel Xeon Gold 6262V @ 1.90GHz</a>	3	3,161	1,483	135	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6266C @ 3.00GHz</a>	22	51,998	1,970	205	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6278C @ 2.60GHz</a>	26	32,835	2,019	185	FCLGA3647	Server
<a href="#">Intel Xeon Gold 6312U @ 2.40GHz</a>	24	44,275	2,432	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6314U @ 2.30GHz</a>	32	51,014	2,208	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6326 @ 2.90GHz</a>	16	35,328	2,356	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6326 @ 2.90GHz</a>	16	54,114	2,371	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6330 @ 2.00GHz</a>	28	43,056	2,034	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6330 @ 2.00GHz</a>	28	61,340	1,724	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6334 @ 3.60GHz</a>	8	22,160	2,592	165	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6334 @ 3.60GHz</a>	8	34,029	2,538	165	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	45,517	2,522	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6336Y @ 2.40GHz</a>	24	72,276	2,532	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6338 @ 2.00GHz</a>	32	68,675	2,181	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6338N @ 2.20GHz</a>	32	46,583	2,446	185	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6338N @ 2.20GHz</a>	32	61,958	1,790	185	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6342 @ 2.80GHz</a>	24	47,320	2,431	230	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6342 @ 2.80GHz</a>	24	73,897	2,348	230	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6346 @ 3.10GHz</a>	16	37,626	2,483	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6346 @ 3.10GHz</a>	16	55,882	2,442	205	FCLGA4189	Server
<a href="#">Intel Xeon Gold 6348 @ 2.60GHz</a>	28	52,276	2,459	235	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6348 @ 2.60GHz</a>	28	75,783	2,341	235	FCLGA4189	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon Gold 6354 @ 3.00GHz</a>	18	41,445	2,450	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6354 @ 3.00GHz</a>	18	65,194	2,510	205	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Gold 6430</a>	32	81,036	2,739	NA	Unknown	Server
<a href="#">Intel Xeon L3110 @ 3.00GHz</a>	2	1,338	1,279	45	LGA775	Server
<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	4	2,306	1,207	65	LGA775	Server
<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	2	928	647	30	LGA1156	Server
<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	4	2,590	1,167	45	LGA1156	Server
<a href="#">Intel Xeon L5240 @ 3.00GHz</a>	2	1,337	1,299	40	LGA771	Server
<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	4	1,385	662	50	LGA771	Server
<a href="#">Intel Xeon L5320 @ 1.86GHz</a>	4	1,118	281	50	LGA771	Server
<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	4	1,678	827	50	LGA771	Server
<a href="#">Intel Xeon L5408 @ 2.13GHz</a>	4	1,769	936	40	LGA771	Server
<a href="#">Intel Xeon L5410 @ 2.33GHz</a>	4	1,921	1,029	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5410 @ 2.33GHz</a>	4	3,974	1,009	50	LGA771	Server
<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	4	2,073	1,103	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5420 @ 2.50GHz</a>	4	4,221	1,100	50	LGA771	Server
<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	4	2,260	1,154	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5430 @ 2.66GHz</a>	4	4,269	1,131	50	LGA771	Server
<a href="#">[Dual CPU] Intel Xeon L5506 @ 2.13GHz</a>	4	4,019	967	60	LGA1366	Server
<a href="#">Intel Xeon L5520 @ 2.27GHz</a>	4	2,274	1,001	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5520 @ 2.27GHz</a>	4	4,830	1,035	60	LGA1366	Server
<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	4	2,522	1,169	60	LGA1366	Server
<a href="#">Intel Xeon L5609 @ 1.87GHz</a>	4	3,298	1,160	40	LGA1366	Server
<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	4	2,985	1,045	40	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5630 @ 2.13GHz</a>	4	4,917	926	40	LGA1366	Server
<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	6	3,707	862	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5638 @ 2.00GHz</a>	6	7,217	944	60	LGA1366	Server
<a href="#">Intel Xeon L5639 @ 2.13GHz</a>	6	4,419	1,102	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5639 @ 2.13GHz</a>	6	5,768	1,010	60	LGA1366	Server
<a href="#">Intel Xeon L5640 @ 2.27GHz</a>	6	4,692	1,151	60	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon L5640 @ 2.27GHz</a>	6	8,398	1,156	60	LGA1366	Server
<a href="#">Intel Xeon L7455 @ 2.13GHz</a>	6	2,494	601	65	PGA604	Server
<a href="#">Intel Xeon MV 3.20GHz</a>	2	582	378	90	mPGA604	Server
<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	27,336	2,091	NA	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8124M @ 3.00GHz</a>	18	48,423	2,018	NA	FCLGA3647	Server



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>	2	6,591	2,393	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8153 @ 2.00GHz</a>	16	32,180	1,751	125	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	26,485	1,984	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8160 @ 2.10GHz</a>	24	49,956	2,166	150	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8160M @ 2.10GHz</a>	24	53,398	2,217	150	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>	26	25,396	1,455	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	32,616	2,138	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8168 @ 2.70GHz</a>	24	51,654	2,123	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	30,632	2,222	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8171M @ 2.60GHz</a>	26	57,780	2,109	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	31,837	2,143	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8173M @ 2.00GHz</a>	28	54,946	2,032	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>	24	26,659	1,903	NA	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8176 @ 2.10GHz</a>	28	23,179	2,048	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	35,208	1,996	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8180 @ 2.50GHz</a>	28	61,751	2,289	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8180M @ 2.50GHz</a>	28	47,880	2,178	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8252C @ 3.80GHz</a>	12	47,757	2,717	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8253 @ 2.20GHz</a>	16	28,165	1,768	125	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8256 @ 3.80GHz</a>	4	16,787	2,336	105	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	33,279	1,931	210	LGA 3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8259CL @ 2.50GHz</a>	24	58,279	2,108	210	LGA 3647	Server
<a href="#">Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	29,360	2,374	165	FCLGA3647	Server
<a href="#">[Quad CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	83,793	2,297	165	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8260 @ 2.40GHz</a>	24	51,932	2,128	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	33,970	2,315	165	LGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8260M @ 2.30GHz</a>	24	55,297	2,472	165	LGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	24	31,632	2,287	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8270CL @ 2.70GHz</a>	26	52,386	2,382	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8273CL @ 2.20GHz</a>	28	50,348	2,144	165	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	40,794	2,386	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8275CL @ 3.00GHz</a>	24	66,812	2,375	NA	Unknown	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8276L @ 2.20GHz</a>	28	60,188	2,427	NA	Unknown	Server
<a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	37,575	2,011	205	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8280 @ 2.70GHz</a>	28	64,291	2,356	205	FCLGA3647	Server
<a href="#">Intel Xeon Platinum 8347C @ 2.10GHz</a>	36	49,386	2,445	210	LGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8352Y @ 2.20GHz</a>	32	68,643	1,913	205	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	54,416	2,382	250	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8358 @ 2.60GHz</a>	32	82,565	2,331	250	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8368 @ 2.40GHz</a>	38	90,457	2,400	270	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	51,836	2,439	300	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8375C @ 2.90GHz</a>	32	86,346	2,465	300	FCLGA4189	Server
<a href="#">Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	62,318	2,385	270	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Platinum 8380 @ 2.30GHz</a>	40	91,485	2,384	270	FCLGA4189	Server
<a href="#">Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	22,674	2,059	240	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Platinum P-8124 @ 3.00GHz</a>	18	43,913	2,096	240	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>	8	8,736	1,466	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4108 @ 1.80GHz</a>	8	15,754	1,576	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	8	10,348	1,445	70	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>	8	9,990	1,574	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4110 @ 2.10GHz</a>	8	17,100	1,663	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4112 @ 2.60GHz</a>	4	6,379	1,700	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4112 @ 2.60GHz</a>	4	12,317	1,763	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>	10	12,883	1,667	85	FCLGA3647	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Dual CPU] Intel Xeon Silver 4114 @ 2.20GHz</a>	10	21,327	1,705	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	12	15,052	1,672	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4116 @ 2.10GHz</a>	12	24,050	1,648	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	12	15,187	1,781	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	8	14,405	1,967	105	Unknown	Server
<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	8	11,161	1,821	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4208 @ 2.10GHz</a>	8	19,634	1,816	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4209T @ 2.20GHz</a>	8	11,080	1,693	70	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4210 @ 2.20GHz</a>	10	13,908	1,817	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4210 @ 2.20GHz</a>	10	23,615	1,829	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	10	15,191	1,830	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4210R @ 2.40GHz</a>	10	23,570	1,846	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214 @ 2.20GHz</a>	12	16,074	1,734	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4214 @ 2.20GHz</a>	12	25,863	1,820	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>	12	18,242	1,965	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4214R @ 2.40GHz</a>	12	29,618	2,019	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	12	15,248	1,790	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	8	14,439	2,060	85	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4215 @ 2.50GHz</a>	8	22,379	1,810	85	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4215R @ 3.20GHz</a>	8	15,056	2,290	130	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4215R @ 3.20GHz</a>	8	24,295	1,951	130	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>	16	20,380	1,794	100	FCLGA3647	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4216 @ 2.10GHz</a>	16	31,603	1,762	100	FCLGA3647	Server
<a href="#">Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	19,253	2,343	105	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4309Y @ 2.80GHz</a>	8	34,948	2,525	105	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4310 @ 2.10GHz</a>	12	23,372	2,217	120	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4310 @ 2.10GHz</a>	12	38,609	2,232	120	FCLGA4189	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon Silver 4310T @ 2.30GHz</a>	10	20,973	2,288	105	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4314 @ 2.40GHz</a>	16	29,347	2,207	135	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4314 @ 2.40GHz</a>	16	46,702	2,234	135	FCLGA4189	Server
<a href="#">Intel Xeon Silver 4316 @ 2.30GHz</a>	20	37,264	2,380	150	FCLGA4189	Server
<a href="#">[Dual CPU] Intel Xeon Silver 4316 @ 2.30GHz</a>	20	53,881	2,068	150	FCLGA4189	Server
<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	6	12,916	2,780	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon W-10885M @ 2.40GHz</a>	8	15,945	2,793	45	FCBGA1440	Laptop, Server
<a href="#">Intel Xeon W-11555MLE @ 1.90GHz</a>	6	12,505	2,497	25	FCBGA1787	Server
<a href="#">Intel Xeon W-11855M @ 3.20GHz</a>	6	18,387	3,280	45	FCBGA1787	Laptop, Server
<a href="#">Intel Xeon W-11865MLE @ 1.50GHz</a>	8	15,958	2,808	25	FCBGA1787	Server, Mobile/Embedded
<a href="#">Intel Xeon W-11865MRE @ 2.60GHz</a>	8	23,702	3,310	45	FCBGA1787	Server, Mobile/Embedded
<a href="#">Intel Xeon W-11955M @ 2.60GHz</a>	8	23,056	3,351	45	FCBGA1787	Laptop, Server
<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	6	13,801	2,849	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1250E @ 3.50GHz</a>	6	13,888	2,960	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1250P @ 4.10GHz</a>	6	14,440	2,978	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	8	17,906	3,028	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1270E @ 3.40GHz</a>	8	18,635	2,990	80	FCLGA1200	Server, Mobile/Embedded
<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	8	19,245	3,074	95	FCLGA1200	Server
<a href="#">Intel Xeon W-1270TE @ 2.00GHz</a>	8	13,553	2,796	35	FCLGA1200	Server
<a href="#">Intel Xeon W-1290 @ 3.20GHz</a>	10	20,100	3,085	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1290E @ 3.50GHz</a>	10	18,455	2,789	95	FCLGA1200	Server
<a href="#">Intel Xeon W-1290P @ 3.70GHz</a>	10	22,785	3,194	125	FCLGA1200	Server
<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	10	18,409	2,974	35	FCLGA1200	Server
<a href="#">Intel Xeon W-1350 @ 3.30GHz</a>	6	19,015	3,494	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1350P @ 4.00GHz</a>	6	20,032	3,557	65	FCLGA1200	Server
<a href="#">Intel Xeon W-1370 @ 2.90GHz</a>	8	23,908	3,538	80	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1370P @ 3.60GHz</a>	8	24,961	3,533	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-1390 @ 2.80GHz</a>	8	23,902	3,414	80	FCLGA1200	Server
<a href="#">Intel Xeon W-1390P @ 3.50GHz</a>	8	25,451	3,591	125	FCLGA1200	Desktop, Server
<a href="#">Intel Xeon W-2102 @ 2.90GHz</a>	4	5,118	1,745	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	4	5,726	1,896	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	4	8,510	2,209	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2125 @ 4.00GHz</a>	4	9,995	2,568	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2133 @ 3.60GHz</a>	6	12,585	2,266	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	6	14,177	2,563	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	8	17,290	2,546	NA	FCLGA2066	Server
<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	8	18,069	2,606	140	FCLGA2066	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Intel Xeon W-2150B @ 3.00GHz</a>	10	20,392	2,680	NA	FCLGA2066	Server
<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	10	21,096	2,586	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	14	23,964	2,227	NA	FCLGA-2066	Server
<a href="#">Intel Xeon W-2175 @ 2.50GHz</a>	14	22,962	2,461	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2191B @ 2.30GHz</a>	18	28,745	2,555	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2195 @ 2.30GHz</a>	18	28,367	2,465	140	FCLGA2066	Server
<a href="#">Intel Xeon W-2223 @ 3.60GHz</a>	4	8,663	2,246	120	FCLGA2066	Server
<a href="#">Intel Xeon W-2225 @ 4.10GHz</a>	4	10,702	2,658	105	FCLGA2066	Server
<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	6	14,337	2,673	130	FCLGA2066	Server
<a href="#">Intel Xeon W-2245 @ 3.90GHz</a>	8	19,478	2,745	155	FCLGA2066	Server
<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	10	22,224	2,727	165	FCLGA2066	Desktop, Server
<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	12	26,052	2,829	165	FCLGA2066	Server
<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	14	28,037	2,741	165	FCLGA2066	Desktop
<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	18	31,112	2,668	165	FCLGA2066	Server
<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	28	37,167	2,148	255	FCLGA3647	Desktop
<a href="#">Intel Xeon W-3223 @ 3.50GHz</a>	8	17,373	2,468	160	FCLGA3647	Server
<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	12	26,063	2,660	180	FCLGA3647	Server
<a href="#">Intel Xeon W-3245 @ 3.20GHz</a>	16	29,944	2,521	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3245M @ 3.20GHz</a>	16	27,503	2,596	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3265 @ 2.70GHz</a>	24	30,105	2,572	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3265M @ 2.70GHz</a>	24	39,115	2,628	205	FCLGA3647	Desktop, Server
<a href="#">Intel Xeon W-3275M @ 2.50GHz</a>	28	40,444	2,702	205	FCLGA3647	Server
<a href="#">Intel Xeon W-3323 @ 3.50GHz</a>	12	25,875	2,617	220	FCLGA4189	Desktop, Server
<a href="#">Intel Xeon W-3335 @ 3.40GHz</a>	16	39,183	2,662	250	FCLGA4189	Server
<a href="#">Intel Xeon W-3345 @ 3.00GHz</a>	24	48,261	2,621	250	FCLGA4189	Server
<a href="#">Intel Xeon W-3365 @ 2.70GHz</a>	32	59,038	2,625	270	FCLGA4189	Server
<a href="#">Intel Xeon W-3375 @ 2.50GHz</a>	38	56,403	2,425	270	FCLGA4189	Server
<a href="#">Intel Xeon W3503 @ 2.40GHz</a>	2	1,065	1,018	130	LGA1366	Server
<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	2	1,153	1,105	130	LGA1366	Server
<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	4	2,818	1,256	130	LGA1366	Server
<a href="#">Intel Xeon W3530 @ 2.80GHz</a>	4	3,033	1,337	130	LGA1366	Server
<a href="#">Intel Xeon W3540 @ 2.93GHz</a>	4	3,031	1,311	130	LGA1366	Server
<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	4	3,211	1,409	130	LGA1366	Server
<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	4	3,350	1,492	130	LGA1366	Server
<a href="#">Intel Xeon W3570 @ 3.20GHz</a>	4	3,185	1,458	130	LGA1366	Server
<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	4	3,554	1,561	130	LGA1366	Server
<a href="#">Intel Xeon W3670 @ 3.20GHz</a>	6	6,485	1,499	130	LGA1366	Server
<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6	6,905	1,558	130	LGA1366	Server
<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	6	7,229	1,615	130	LGA1366	Server
<a href="#">Intel Xeon W5580 @ 3.20GHz</a>	4	3,386	1,503	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon W5580 @ 3.20GHz</a>	4	6,279	1,482	130	LGA1366	Server
<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	4	3,239	1,571	130	LGA1366	Server
<a href="#">[Dual CPU] Intel Xeon W5590 @ 3.33GHz</a>	4	6,640	1,612	130	LGA1366	Server
<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	4	1,293	816	105	LGA775	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Xeon X3220 @ 2.40GHz	4	1,937	963	105	LGA775	Server
Intel Xeon X3230 @ 2.66GHz	4	2,052	1,091	95	LGA775	Server
Intel Xeon X3320 @ 2.50GHz	4	1,986	1,097	95	LGA775	Server
Intel Xeon X3323 @ 2.50GHz	4	1,837	1,059	80	LGA775	Server
Intel Xeon X3330 @ 2.66GHz	4	2,069	1,147	95	LGA775	Server
Intel Xeon X3350 @ 2.66GHz	4	2,151	1,156	95	LGA775	Server
Intel Xeon X3353 @ 2.66GHz	4	2,229	1,173	80	LGA775	Server
Intel Xeon X3360 @ 2.83GHz	4	2,351	1,238	95	LGA775	Server
Intel Xeon X3363 @ 2.83GHz	4	2,307	1,241	80	LGA771	Server
Intel Xeon X3370 @ 3.00GHz	4	2,417	1,240	95	LGA775	Server
Intel Xeon X3380 @ 3.16GHz	4	2,308	1,335	95	LGA775	Server
Intel Xeon X3430 @ 2.40GHz	4	2,307	1,023	95	LGA1156	Server
Intel Xeon X3440 @ 2.53GHz	4	2,730	1,155	95	LGA1156	Server
Intel Xeon X3450 @ 2.67GHz	4	2,818	1,228	95	LGA1156	Server
Intel Xeon X3460 @ 2.80GHz	4	2,870	1,234	95	LGA1156	Server
Intel Xeon X3470 @ 2.93GHz	4	3,223	1,409	95	LGA1156	Server
Intel Xeon X3480 @ 3.07GHz	4	3,255	1,406	95	LGA1156	Server
Intel Xeon X5260 @ 3.33GHz	2	1,238	1,406	80	LGA771	Server
[Dual CPU] Intel Xeon X5260 @ 3.33GHz	2	2,389	NA	80	LGA771	Server
Intel Xeon X5270 @ 3.50GHz	2	1,524	1,485	80	LGA771	Server
Intel Xeon X5272 @ 3.40GHz	2	1,451	1,411	80	LGA771	Server
Intel Xeon X5355 @ 2.66GHz	4	1,979	1,060	120	LGA771	Server
[Dual CPU] Intel Xeon X5355 @ 2.66GHz	4	3,883	1,079	120	LGA771	Server
Intel Xeon X5365 @ 3.00GHz	4	2,331	1,223	150	LGA771	Server
[Dual CPU] Intel Xeon X5365 @ 3.00GHz	4	4,302	1,214	150	LGA771	Server
Intel Xeon X5450 @ 3.00GHz	4	2,437	1,275	120	LGA771	Server
[Dual CPU] Intel Xeon X5450 @ 3.00GHz	4	4,699	1,287	120	LGA771	Server
Intel Xeon X5460 @ 3.16GHz	4	2,572	1,361	120	LGA771	Server
[Dual CPU] Intel Xeon X5460 @ 3.16GHz	4	4,932	1,351	120	LGA771	Server
Intel Xeon X5470 @ 3.33GHz	4	2,757	1,455	120	LGA771	Server
[Dual CPU] Intel Xeon X5470 @ 3.33GHz	4	5,129	1,451	120	LGA771	Server
Intel Xeon X5472 @ 3.00GHz	4	2,366	1,279	120	LGA771	Server
[Dual CPU] Intel Xeon X5472 @ 3.00GHz	4	4,887	1,328	120	LGA771	Server
Intel Xeon X5482 @ 3.20GHz	4	2,636	1,394	150	LGA771	Server
[Dual CPU] Intel Xeon X5482 @ 3.20GHz	4	5,154	1,396	150	LGA771	Server
Intel Xeon X5492 @ 3.40GHz	4	2,912	1,464	150	LGA771	Server
[Dual CPU] Intel Xeon X5492 @ 3.40GHz	4	5,279	1,489	150	LGA771	Server
Intel Xeon X5550 @ 2.67GHz	4	2,974	1,272	95	LGA1366	Server
[Dual CPU] Intel Xeon X5550 @ 2.67GHz	4	5,669	1,269	95	LGA1366	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Intel Xeon X5560 @ 2.80GHz	4	3,124	1,384	95	LGA1366	Server
[Dual CPU] Intel Xeon X5560 @ 2.80GHz	4	5,774	1,389	95	LGA1366	Server
Intel Xeon X5570 @ 2.93GHz	4	3,246	1,393	95	LGA1366	Server
[Dual CPU] Intel Xeon X5570 @ 2.93GHz	4	6,204	1,449	95	LGA1366	Server
Intel Xeon X5647 @ 2.93GHz	4	4,431	1,372	130	LGA1366	Server
[Dual CPU] Intel Xeon X5647 @ 2.93GHz	4	8,020	1,397	130	LGA1366	Server
Intel Xeon X5650 @ 2.67GHz	6	5,701	1,299	95	LGA1366	Server
[Dual CPU] Intel Xeon X5650 @ 2.67GHz	6	10,147	1,303	95	LGA1366	Server
Intel Xeon X5660 @ 2.80GHz	6	6,074	1,379	95	LGA1366	Server
[Dual CPU] Intel Xeon X5660 @ 2.80GHz	6	10,466	1,352	95	LGA1366	Server
Intel Xeon X5667 @ 3.07GHz	4	4,551	1,453	95	LGA1366	Server
[Dual CPU] Intel Xeon X5667 @ 3.07GHz	4	8,395	1,435	95	LGA1366	Server
Intel Xeon X5670 @ 2.93GHz	6	6,106	1,399	95	LGA1366	Server
[Dual CPU] Intel Xeon X5670 @ 2.93GHz	6	11,005	1,414	95	LGA1366	Server
Intel Xeon X5672 @ 3.20GHz	4	4,982	1,571	95	LGA1366	Server
[Dual CPU] Intel Xeon X5672 @ 3.20GHz	4	8,709	1,491	95	LGA1366	Server
Intel Xeon X5675 @ 3.07GHz	6	6,395	1,482	95	LGA1366	Server
[Dual CPU] Intel Xeon X5675 @ 3.07GHz	6	11,618	1,506	95	LGA1366	Server
Intel Xeon X5677 @ 3.47GHz	4	5,055	1,608	130	LGA1366	Server
[Dual CPU] Intel Xeon X5677 @ 3.47GHz	4	8,878	1,627	130	LGA1366	Server
Intel Xeon X5679 @ 3.20GHz	6	7,095	1,547	115	LGA1366	Server
[Dual CPU] Intel Xeon X5679 @ 3.20GHz	6	9,431	1,549	115	LGA1366	Server
Intel Xeon X5680 @ 3.33GHz	6	6,794	1,522	130	LGA1366	Server
[Dual CPU] Intel Xeon X5680 @ 3.33GHz	6	12,365	1,584	130	LGA1366	Server
Intel Xeon X5687 @ 3.60GHz	4	5,288	1,629	130	LGA1366	Server
[Dual CPU] Intel Xeon X5687 @ 3.60GHz	4	9,342	1,651	130	LGA1366	Server
Intel Xeon X5690 @ 3.47GHz	6	6,963	1,617	130	LGA1366	Server
[Dual CPU] Intel Xeon X5690 @ 3.47GHz	6	12,846	1,706	130	LGA1366	Server
Intel Xeon X5698 @ 4.40GHz	2	3,447	1,922	130	LGA1366	Server
Intel Xeon X6550 @ 2.00GHz	4	1,936	390	130	LGA1567	Server
[Quad CPU] Intel Xeon X7350 @ 2.93GHz	4	7,836	1,186	130	604	Server
[Dual CPU] Intel Xeon X7460 @ 2.66GHz	6	4,803	922	130	PGA604	Server
[Dual CPU] Intel Xeon X7550 @ 2.00GHz	8	7,873	1,067	130	LGA1567	Server

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">[Quad CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	15,329	1,090	130	LGA1567	Server
<a href="#">[Dual CPU] Intel Xeon X7560 @ 2.27GHz</a>	8	8,110	734	130	LGA1567	Server
<a href="#">JLQ JR510</a>	8	1,046	635	NA	Unknown	Mobile/Embedded
<a href="#">lisa based Qualcomm Technologies, Inc. SM7325</a>	8	5,483	1,891	NA	Unknown	Mobile/Embedded
<a href="#">M7221</a>	4	775	668	NA	Unknown	Mobile/Embedded
<a href="#">Manta</a>	2	356	426	NA	Unknown	Mobile/Embedded
<a href="#">Mars based on Qualcomm Technologies, Inc SM8350</a>	8	5,022	1,960	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6735</a>	4	495	305	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737</a>	4	448	266	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737M</a>	4	355	196	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6737T</a>	4	640	395	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6739WA</a>	4	393	255	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6739WW</a>	4	415	288	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750</a>	8	1,012	364	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750T</a>	8	1,161	468	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6750V/WT</a>	8	1,112	402	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6753</a>	8	984	341	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6753T</a>	8	1,149	416	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6757CD</a>	8	1,657	633	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6757V</a>	8	1,550	586	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6761V/WBB</a>	4	717	459	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6761V/WE</a>	4	701	439	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762G</a>	8	1,185	485	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CA</a>	8	1,085	415	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CB</a>	8	1,390	502	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/CN</a>	4	556	397	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WA</a>	8	1,445	479	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WB</a>	8	1,363	484	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WD</a>	8	1,518	485	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6762V/WR</a>	8	1,489	524	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6763V/CE</a>	8	2,130	1,104	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6763V/V</a>	8	1,533	552	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765G</a>	8	1,536	540	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765V/CA</a>	8	1,752	611	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6765V/CB</a>	8	1,774	590	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6768V/CA</a>	8	2,250	1,049	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769T</a>	8	2,400	1,101	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769V/CB</a>	8	2,333	1,117	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769V/CU</a>	8	2,544	1,088	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769V/WB</a>	8	2,192	1,118	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6769Z</a>	8	2,411	1,092	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/C</a>	8	2,535	885	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/CT</a>	8	2,609	937	NA	Unknown	Mobile/Embedded



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">MediaTek MT6771V/W</a>	8	2,373	873	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/WM</a>	8	2,118	798	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6771V/WT</a>	8	2,326	892	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CE</a>	8	2,902	1,233	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CU</a>	8	2,556	1,167	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6779V/CV</a>	8	2,712	1,098	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6785V/CC</a>	8	3,257	1,247	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6785V/CD</a>	8	3,523	1,311	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6789</a>	8	4,247	1,542	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797</a>	10	1,733	695	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797T</a>	10	1,504	515	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6797X</a>	10	2,082	553	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6853T</a>	8	3,307	1,484	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6873</a>	8	4,010	1,316	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6895</a>	8	7,668	2,313	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT6983</a>	8	7,564	2,365	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8163</a>	4	594	344	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8166B</a>	4	947	527	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8167B</a>	4	366	262	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8168A</a>	4	640	432	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8183</a>	8	2,052	875	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8735B</a>	4	371	214	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768CT</a>	8	1,910	621	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768WA</a>	8	1,648	543	NA	Unknown	Mobile/Embedded
<a href="#">MediaTek MT8768WT</a>	8	1,889	610	NA	Unknown	Mobile/Embedded
<a href="#">Microsoft ARM SQ1 @ 3.0 GHz</a>	8	5,100	1,856	15	Unknown	Laptop
<a href="#">Microsoft SQ2 @ 3.15 GHz</a>	8	5,872	1,913	NA	Unknown	Unknown
<a href="#">Mobile AMD Athlon 2500+</a>	1	241	365	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon 4 2400+</a>	1	233	358	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3200+</a>	1	326	400	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3400+</a>	1	333	432	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 3700+</a>	1	356	485	81.5	Unknown	Laptop
<a href="#">Mobile AMD Athlon 64 4000+</a>	1	313	338	62	Unknown	Laptop
<a href="#">Mobile AMD Athlon MP-M 1800+</a>	1	173	262	35	Unknown	Laptop
<a href="#">Mobile AMD Athlon MP-M 2400+</a>	1	192	314	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 1600+</a>	1	169	274	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 1800+</a>	1	193	291	45	Socket A	Laptop
<a href="#">Mobile AMD Athlon XP-M 2000+</a>	1	196	301	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2200+</a>	1	237	363	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2400+</a>	1	225	355	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2500+</a>	1	226	355	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2600+</a>	1	241	375	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 2800+</a>	1	238	385	NA	Unknown	Laptop
<a href="#">Mobile AMD Athlon XP-M 3000+</a>	1	238	365	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 2100+</a>	1	164	203	8	S1	Laptop, Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Mobile AMD Sempron 2600+</a>	1	256	316	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 2800+</a>	1	237	299	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3000+</a>	1	269	350	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3100+</a>	1	277	359	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3200+</a>	1	245	525	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3300+</a>	1	294	391	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3400+</a>	1	269	489	25	Socket S1 (S1g1)	Laptop
<a href="#">Mobile AMD Sempron 3500+</a>	1	237	511	NA	Unknown	Laptop
<a href="#">Mobile AMD Sempron 3600+</a>	1	302	724	25	S1	Laptop
<a href="#">Mobile AMD Sempron 3800+</a>	1	335	735	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.70GHz</a>	1	118	254	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 1.80GHz</a>	1	121	280	66.1	PPGA478	Laptop
<a href="#">Mobile Intel Celeron 1333MHz</a>	1	183	248	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.00GHz</a>	1	133	290	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.20GHz</a>	1	147	355	NA	Unknown	Laptop
<a href="#">Mobile Intel Celeron 2.40GHz</a>	1	154	376	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.70GHz</a>	1	121	297	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 1.80GHz</a>	1	119	297	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.00GHz</a>	1	138	345	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.20GHz</a>	1	143	388	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 - M 2.40GHz</a>	1	139	317	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium 4 2.66GHz</a>	1	182	425	66.1	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 2.80GHz</a>	1	205	397	69.7	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.06GHz</a>	1	220	423	81.8	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.20GHz</a>	1	232	468	82	PGA478	Desktop
<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	1	344	552	NA	Unknown	Laptop
<a href="#">Mobile Intel Pentium III - M 1200MHz</a>	1	146	185	22	BGA2, microPGA2	Laptop
<a href="#">Mobile Intel Pentium III - M 933MHz</a>	1	130	177	20.1	BGA2, microPGA2	Laptop
<a href="#">msm8960dt</a>	2	252	279	NA	Unknown	Mobile/Embedded
<a href="#">MT3561S</a>	4	723	335	NA	Unknown	Mobile/Embedded
<a href="#">MT5893</a>	4	702	641	NA	Unknown	Mobile/Embedded
<a href="#">MT6592</a>	8	521	211	NA	Unknown	Mobile/Embedded
<a href="#">MT6592T</a>	8	1,056	354	NA	Unknown	Mobile/Embedded
<a href="#">MT6735M</a>	4	308	190	NA	Unknown	Mobile/Embedded
<a href="#">MT6735P</a>	4	326	218	NA	Unknown	Mobile/Embedded
<a href="#">MT6738</a>	8	692	430	NA	Unknown	Mobile/Embedded
<a href="#">MT6739CH</a>	4	550	310	NA	Unknown	Mobile/Embedded
<a href="#">MT6739WM</a>	4	310	223	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/C</a>	8	1,375	410	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/CS</a>	8	955	384	NA	Unknown	Mobile/Embedded
<a href="#">MT6750V/DN</a>	8	1,271	437	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

🔽 <a href="#">MT6750V/W</a>	8	845	342	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6752</a>	8	1,728	486	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6755</a>	8	1,278	536	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6755BM</a>	8	1,070	520	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6755M</a>	8	1,229	501	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6755V/BM</a>	8	1,219	520	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6755V/W</a>	8	1,640	555	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6755V/MM</a>	8	1,090	361	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6755V/WS</a>	8	1,389	538	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6757W</a>	8	1,904	606	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6757WD</a>	8	1,771	632	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6757WH</a>	8	1,161	419	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6761V/CAB</a>	4	827	523	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6761V/CBB</a>	4	846	536	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6761V/CD</a>	4	784	488	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6761V/WAB</a>	4	769	472	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6761V/WD</a>	4	542	423	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6762</a>	8	1,652	553	NA	Unknown	Mobile/Embedded
🔽 <a href="#">mt6762m</a>	4	538	350	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6762V/CR</a>	8	1,194	451	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6763V/B</a>	8	1,557	550	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6763V/CT</a>	8	1,570	387	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6763V/WT</a>	8	1,313	621	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6765</a>	8	1,805	633	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6765H</a>	8	2,106	627	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6765V/WA</a>	8	1,734	620	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6765V/WB</a>	8	1,829	610	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6768G</a>	8	2,772	1,162	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6769H</a>	8	2,683	1,053	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6769V</a>	8	2,229	1,060	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6769V/CT</a>	8	2,486	1,071	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6769V/CZ</a>	8	2,697	1,104	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6771V/CL</a>	8	3,079	924	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6771V/WL</a>	8	2,322	893	NA	Unknown	Mobile/Embedded
🔽 <a href="#">mt6779</a>	8	2,255	684	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6781</a>	8	3,915	1,362	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6781V/CD</a>	8	4,052	1,480	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6785</a>	8	3,537	1,320	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6795</a>	8	1,290	461	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6795M</a>	8	968	377	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6795MM</a>	8	618	567	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6797D</a>	10	758	326	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6797M</a>	10	1,745	854	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6833</a>	8	3,776	1,397	NA	Unknown	Mobile/Embedded
🔽 <a href="#">MT6833P</a>	8	4,148	1,371	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">MT6833V/NZA</a>	8	3,602	1,419	NA	Unknown	Mobile/Embedded
<a href="#">MT6833V/PNZA</a>	8	4,120	1,512	NA	Unknown	Mobile/Embedded
<a href="#">MT6833V/ZA</a>	8	4,054	1,455	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/NZA</a>	8	3,302	1,264	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/TNZA</a>	8	3,602	1,532	NA	Unknown	Mobile/Embedded
<a href="#">MT6853V/ZA</a>	8	3,577	1,279	NA	Unknown	Mobile/Embedded
<a href="#">MT6875</a>	8	4,393	1,187	NA	Unknown	Mobile/Embedded
<a href="#">MT6877T</a>	8	4,521	1,640	NA	Unknown	Mobile/Embedded
<a href="#">MT6877V/TTZA</a>	8	5,152	2,014	NA	Unknown	Mobile/Embedded
<a href="#">MT6877V/TZA</a>	8	4,826	1,843	NA	Unknown	Mobile/Embedded
<a href="#">MT6877V/ZA</a>	8	4,809	1,987	NA	Unknown	Mobile/Embedded
<a href="#">MT6883Z/CZA</a>	8	5,665	1,694	NA	Unknown	Mobile/Embedded
<a href="#">MT6889Z/CZA</a>	8	4,504	1,798	NA	Unknown	Mobile/Embedded
<a href="#">MT6891</a>	8	5,791	1,762	NA	Unknown	Mobile/Embedded
<a href="#">MT6891Z/CZA</a>	8	6,153	1,709	NA	Unknown	Mobile/Embedded
<a href="#">MT6893</a>	8	5,102	1,902	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z/CZA</a>	8	6,446	2,144	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_A/CZA</a>	8	6,043	2,339	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_B/CZA</a>	8	6,107	1,764	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_C/CZA</a>	8	6,139	1,767	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_D/CZA</a>	8	5,701	2,262	NA	Unknown	Mobile/Embedded
<a href="#">MT6893Z_Z/CZA</a>	8	6,407	2,037	NA	Unknown	Mobile/Embedded
<a href="#">MT6969T</a>	8	2,228	1,125	NA	Unknown	Mobile/Embedded
<a href="#">MT8161A</a>	4	800	374	NA	Unknown	Mobile/Embedded
<a href="#">MT8161AA</a>	4	857	419	NA	Unknown	Mobile/Embedded
<a href="#">MT8161P</a>	4	508	261	NA	Unknown	Mobile/Embedded
<a href="#">MT8165</a>	4	916	496	NA	Unknown	Mobile/Embedded
<a href="#">MT8167A</a>	4	478	285	NA	Unknown	Mobile/Embedded
<a href="#">MT8167D</a>	4	605	330	NA	Unknown	Mobile/Embedded
<a href="#">MT8168B</a>	4	1,048	549	NA	Unknown	Mobile/Embedded
<a href="#">MT8169A</a>	6	1,828	659	NA	Unknown	Mobile/Embedded
<a href="#">MT8173</a>	4	608	438	NA	Unknown	Mobile/Embedded
<a href="#">MT8176</a>	6	1,380	1,027	NA	Unknown	Mobile/Embedded
<a href="#">MT8195AV/ZA</a>	8	5,735	1,840	NA	Unknown	Mobile/Embedded
<a href="#">MT8365</a>	4	889	489	NA	Unknown	Mobile/Embedded
<a href="#">MT8696</a>	4	738	535	NA	Unknown	Mobile/Embedded
<a href="#">MT8735</a>	4	495	299	NA	Unknown	Mobile/Embedded
<a href="#">MT8735A</a>	4	527	343	NA	Unknown	Mobile/Embedded
<a href="#">MT8735M</a>	4	358	243	NA	Unknown	Mobile/Embedded
<a href="#">MT8735P</a>	4	405	191	NA	Unknown	Mobile/Embedded
<a href="#">MT8735T</a>	4	704	356	NA	Unknown	Mobile/Embedded
<a href="#">MT8765WA</a>	4	570	315	NA	Unknown	Mobile/Embedded
<a href="#">MT8765WB</a>	4	411	238	NA	Unknown	Mobile/Embedded
<a href="#">MT8766A</a>	4	935	477	NA	Unknown	Mobile/Embedded
<a href="#">MT8766B</a>	4	774	502	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">MT8768WD</a>	8	979	404	NA	Unknown	Mobile/Embedded
<a href="#">MT8768WE</a>	8	1,317	512	NA	Unknown	Mobile/Embedded
<a href="#">MT8783</a>	8	1,039	353	NA	Unknown	Mobile/Embedded
<a href="#">MT8786V/CA</a>	8	3,095	1,162	NA	Unknown	Mobile/Embedded
<a href="#">MT8786V/N</a>	8	2,980	1,168	NA	Unknown	Mobile/Embedded
<a href="#">MT8788</a>	8	2,849	925	NA	Unknown	Mobile/Embedded
<a href="#">MT8789V/CT</a>	8	4,060	1,431	NA	Unknown	Mobile/Embedded
<a href="#">MT8789V/T</a>	8	4,102	1,466	NA	Unknown	Mobile/Embedded
<a href="#">MT8797Z/CNZA</a>	8	6,071	1,402	NA	Unknown	Mobile/Embedded
<a href="#">MT9950</a>	4	845	653	NA	Unknown	Mobile/Embedded
<a href="#">MTK6757</a>	8	1,158	709	NA	Unknown	Mobile/Embedded
<a href="#">Nvidia Tegra T132</a>	2	1,200	1,049	NA	Unknown	Mobile/Embedded
<a href="#">Nvidia Tegra T210</a>	4	1,635	722	NA	Unknown	Mobile/Embedded
<a href="#">Odin based on Qualcomm Technologies, Inc SM8350</a>	8	6,471	1,744	NA	Unknown	Mobile/Embedded
<a href="#">P22</a>	8	1,802	541	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	2	1,472	1,542	NA	Unknown	Unknown
<a href="#">Pentium Dual-Core T4200 @ 2.00GHz</a>	2	775	824	NA	Unknown	Mobile/Embedded
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	2	921	950	NA	Unknown	Unknown
<a href="#">QCT APQ8064 AWIFI</a>	4	382	276	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 DEB</a>	4	453	278	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 FLO</a>	4	452	288	NA	Unknown	Mobile/Embedded
<a href="#">QCT APQ8064 MAKO</a>	4	399	254	NA	Unknown	Unknown
<a href="#">QCT APQ8064 MTP</a>	4	389	330	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm</a>	8	1,354	358	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>	4	628	436	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm APQ8026</a>	4	291	180	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm APQ8084</a>	4	558	325	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	8	1,088	351	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L24</a>	8	1,065	344	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8939 HUAWEI TEXAS-A1</a>	8	1,085	383	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tre</a>	4	566	219	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8226</a>	4	308	213	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8228</a>	4	332	214	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8626</a>	4	294	185	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8916</a>	4	424	314	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8917</a>	4	626	373	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8926</a>	4	300	190	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8928</a>	4	337	206	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8937</a>	8	1,020	347	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Qualcomm MSM8939</a>	8	1,105	411	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8953</a>	8	1,589	486	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974</a>	4	683	411	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AA</a>	4	587	352	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AB</a>	4	636	355	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8974PRO-AC</a>	4	609	378	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8992</a>	6	1,255	431	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8994</a>	8	805	440	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8996</a>	4	1,322	714	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm MSM8996PRO-AB</a>	4	1,589	932	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc 450</a>	8	1,978	459	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8009</a>	4	286	182	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8016</a>	4	361	233	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8017</a>	4	476	309	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8053</a>	8	1,992	571	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8076</a>	8	1,636	586	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8094</a>	8	2,182	824	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8096</a>	4	1,682	1,093	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc APQ8096pro</a>	4	730	435	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc ATOLL-AB</a>	8	3,468	1,598	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc BENGAL</a>	8	2,402	885	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc BENGAL-IOT</a>	8	1,771	733	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc BENGALP</a>	8	2,476	953	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc KHAJE</a>	8	3,328	1,130	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc KONA</a>	8	5,615	2,337	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc KONA-IOT</a>	8	7,592	2,540	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc LAGOON</a>	8	3,333	1,635	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc LITO</a>	8	3,292	1,568	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8216</a>	4	292	155	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8909</a>	4	271	178	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8916</a>	4	385	243	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Qualcomm Technologies, Inc MSM8917</a>	4	502	304	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8920</a>	4	436	272	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8929</a>	8	560	252	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8937</a>	8	1,076	380	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8939</a>	8	949	348	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8952</a>	8	872	367	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8953</a>	8	1,766	528	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8956</a>	6	1,439	755	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8976</a>	8	1,613	693	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	8	1,961	730	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8992</a>	6	817	567	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8994</a>	8	932	535	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8996</a>	4	1,373	869	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8996pro</a>	4	1,514	823	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc MSM8998</a>	8	2,737	1,045	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QCM2150</a>	4	409	295	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QCM6125</a>	8	2,775	979	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc QM215</a>	4	459	303	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SA8195P</a>	8	6,554	1,741	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SCUBAPIIOT</a>	4	1,123	522	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA450</a>	8	1,520	472	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDA660</a>	8	2,494	912	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM429</a>	4	942	544	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM439</a>	8	1,427	511	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM450</a>	8	1,284	421	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM460</a>	8	1,963	751	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SDM630</a>	8	1,846	609	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## 🏠 CPU Benchmarks ▼

Qualcomm Technologies, Inc <a href="#">SDM632</a>	8	1,982	763	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM636</a>	8	2,103	815	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM660</a>	8	2,334	967	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM662</a>	8	2,166	938	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM665</a>	8	2,319	898	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM670</a>	8	2,462	1,088	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM710</a>	8	2,569	1,180	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM712</a>	8	2,451	1,204	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM720G</a>	8	3,244	1,618	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM730G AIE</a>	8	3,298	1,484	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM750G</a>	8	4,350	1,869	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM765G 5G</a>	8	3,370	1,635	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM778G</a>	8	5,542	2,070	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDM845</a>	8	3,244	1,342	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDMMAGPIE</a>	8	3,124	1,437	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SDMMAGPIEP</a>	8	3,398	1,520	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM4250</a>	8	2,103	734	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM4350</a>	8	3,070	1,345	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM6125</a>	8	2,161	868	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM6150</a>	8	2,780	1,269	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM6225</a>	8	2,637	1,070	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM6375</a>	8	4,205	1,871	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM7125</a>	8	3,302	1,577	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM7150</a>	8	3,225	1,414	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM7225</a>	8	3,341	1,760	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM7250</a>	8	3,401	1,547	NA	Unknown	Mobile/Embedded
Qualcomm Technologies, Inc <a href="#">SM8150</a>	8	4,532	1,779	NA	Unknown	Mobile/Embedded



CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Qualcomm Technologies, Inc SM8150_Plus</a>	8	4,113	1,620	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8150P</a>	8	4,472	1,911	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8250</a>	8	5,806	2,238	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8250_AC</a>	8	6,385	2,618	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8350</a>	8	6,073	2,156	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc SM8350AC</a>	8	6,588	2,758	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc TRINKET</a>	8	2,373	899	NA	Unknown	Mobile/Embedded
<a href="#">Qualcomm Technologies, Inc. MSM8940-PMI8940 MTP</a>	8	1,426	404	NA	Unknown	Mobile/Embedded
<a href="#">Renoir based on Qualcomm Technologies, Inc SM7350</a>	8	4,827	1,815	NA	Unknown	Mobile/Embedded
<a href="#">RK30board</a>	4	198	226	NA	Unknown	Mobile/Embedded
<a href="#">ROC-RK3568-PC HDMI (Android)</a>	4	1,197	551	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip (Device Tree)</a>	4	623	459	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK</a>	8	1,704	819	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3229</a>	4	234	141	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3288</a>	4	708	766	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3288 (Flattened Device Tree)</a>	4	508	403	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3326</a>	4	281	204	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip rk3326 863 rkisp1 board</a>	4	386	350	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip rk3326 evb board</a>	4	328	326	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3328</a>	4	319	204	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3328 box liantong avb</a>	4	491	239	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3368</a>	8	705	323	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3399</a>	8	3,090	1,134	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3399 Excavator Board edp avb (Android)</a>	6	1,143	847	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 BOX DEMO V10 ANDROID Board</a>	4	1,058	516	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB1 DDR4 V10 Board</a>	4	751	466	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB2 LP4X V10 Board</a>	4	889	478	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 EVB3 DDR3 V10 Board</a>	4	1,003	497	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 RK817 TABLET LP4X Board</a>	4	967	489	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 RK817 TABLET RKG11 LP4 Board</a>	8	686	314	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3566 RK817 ZIDOO TABLET LP4X Board</a>	4	795	508	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Rockchip RK3568 EVB1 DDR4 V10 Board</a>	4	1,189	556	NA	Unknown	Mobile/Embedded
<a href="#">Rockchip RK3588</a>	8	6,039	1,632	NA	Unknown	Mobile/Embedded
<a href="#">rockchip,rk3328</a>	4	761	356	NA	Unknown	Mobile/Embedded
<a href="#">rockchip,rk3368</a>	8	870	347	NA	Unknown	Mobile/Embedded
<a href="#">Samsung A04S EUR OPEN REV03C board based on EXYNOS</a>	8	2,452	688	NA	Unknown	Mobile/Embedded
<a href="#">Samsung A13 EUR OPEN REV02B board based on EXYNOS8</a>	8	1,230	470	NA	Unknown	Mobile/Embedded
<a href="#">Samsung A13 USA SINGLE REV02B board based on EXYNO</a>	8	1,528	459	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 2100</a>	8	5,253	2,025	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7420</a>	8	1,612	812	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7570</a>	4	426	292	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7580</a>	8	878	308	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7870</a>	8	951	318	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7880</a>	8	1,741	470	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7884</a>	8	1,518	655	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7885</a>	8	1,788	871	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 7904</a>	8	1,798	755	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 8890</a>	8	2,481	923	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 8895</a>	8	3,036	985	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9610</a>	8	2,213	955	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9611</a>	8	1,908	1,007	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9810</a>	8	3,654	1,321	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9820</a>	8	3,776	1,664	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Exynos 9825</a>	8	3,675	1,620	NA	Unknown	Mobile/Embedded
<a href="#">Samsung EXYNOS5420</a>	4	648	440	NA	Unknown	Mobile/Embedded
<a href="#">Samsung EXYNOS5433</a>	8	1,105	491	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG Exynos7420</a>	8	1,968	711	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG Exynos7580</a>	8	851	254	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a>	4	312	213	NA	Unknown	Mobile/Embedded
<a href="#">Samsung GrandPrimePlus LTE LTN OPEN rev04 board ba</a>	4	415	179	NA	Unknown	Mobile/Embedded
<a href="#">Samsung J7 Max LTE SWA board based on MT6757V/WL</a>	8	930	288	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG JF</a>	4	516	334	NA	Unknown	Mobile/Embedded
<a href="#">Samsung M13 EUR OPEN REV02 board based on EXYNOS85</a>	8	1,425	516	NA	Unknown	Mobile/Embedded
<a href="#">Samsung M13 SWA INS 00 board based on EXYNOS850</a>	8	1,269	492	NA	Unknown	Mobile/Embedded
<a href="#">SAMSUNG SERRANO</a>	2	247	327	NA	Unknown	Mobile/Embedded
<a href="#">Samsung Technologies, Inc Exynos E1080</a>	8	4,846	2,029	NA	Unknown	Mobile/Embedded
<a href="#">SM7325</a>	8	6,152	2,147	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">SM8325</a>	8	4,596	1,677	NA	Unknown	Mobile/Embedded
<a href="#">SM8350</a>	8	6,115	2,445	NA	Unknown	Mobile/Embedded
<a href="#">SM8450</a>	8	4,896	1,278	NA	Unknown	Mobile/Embedded
<a href="#">SMDK4x12</a>	8	3,006	1,271	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 435</a>	8	990	335	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 662</a>	8	2,434	920	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 7325</a>	8	5,516	2,019	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 7c @ 1.96 GHz</a>	8	3,457	1,500	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 7c @ 2.40 GHz</a>	8	3,074	1,238	9	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 7c Gen 2 @ 2.55 GHz</a>	8	3,547	1,492	7	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8 Gen2 Mobile Platform for Galaxy</a>	8	9,353	3,085	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 835</a>	8	1,905	1,028	9	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8350</a>	8	4,599	2,482	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 845 @ 2.8 GHz</a>	8	3,073	1,350	NA	Unknown	Mobile/Embedded
<a href="#">Snapdragon 850 @ 2.96 GHz</a>	8	2,649	1,392	5	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8c @ 2.46 GHz</a>	8	5,230	1,544	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	8	4,660	1,718	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 2 @ 3.0 GHz</a>	8	6,448	1,945	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 2 @ 3.15 GHz</a>	8	6,462	1,983	7	Unknown	Laptop, Mobile/Embedded
<a href="#">Snapdragon 8cx Gen 3 @ 3.0 GHz</a>	8	11,786	2,540	NA	Unknown	Laptop, Mobile/Embedded
<a href="#">Sony Mobile fusion3</a>	4	428	234	NA	Unknown	Unknown
<a href="#">Spreadtrum SC7731e</a>	4	294	200	NA	Unknown	Unknown
<a href="#">Spreadtrum SC9853I-IA</a>	8	734	465	NA	Unknown	Mobile/Embedded
<a href="#">Spreadtrum SC9863A Board</a>	8	1,607	517	NA	Unknown	Mobile/Embedded
<a href="#">Star based on Qualcomm Technologies, Inc SM8350</a>	8	5,241	1,962	NA	Unknown	Mobile/Embedded
<a href="#">T610-Unisoc</a>	8	2,498	1,067	NA	Unknown	Mobile/Embedded
<a href="#">T610S-Unisoc</a>	8	2,728	1,194	NA	Unknown	Mobile/Embedded
<a href="#">T618</a>	8	2,737	1,181	NA	Unknown	Mobile/Embedded
<a href="#">T700-Unisoc</a>	8	2,305	1,032	NA	Unknown	Mobile/Embedded
<a href="#">taoyao based Qualcomm Technologies, Inc. Yupik IDP</a>	8	6,359	1,818	NA	Unknown	Mobile/Embedded
<a href="#">tn8</a>	4	1,020	622	NA	Unknown	Mobile/Embedded
<a href="#">UGOOS UT8 Board</a>	4	894	543	NA	Unknown	Mobile/Embedded
<a href="#">UIS7862A</a>	8	2,411	1,037	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC7731e</a>	4	330	235	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC9832e</a>	4	473	306	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC9863a</a>	8	1,387	484	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc SC9863A1</a>	8	1,257	492	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T310</a>	4	1,371	1,095	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T606</a>	8	2,556	987	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T610</a>	8	2,824	1,095	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T612</a>	8	2,851	1,094	NA	Unknown	Mobile/Embedded

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
<a href="#">Unisoc T616</a>	8	3,165	1,184	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T618</a>	8	2,418	1,161	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc T700</a>	8	2,449	1,059	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc UIS8581A</a>	8	1,633	511	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc UIS8581E</a>	8	1,279	498	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums312</a>	4	891	1,073	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums512</a>	8	2,576	1,123	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230</a>	8	2,383	927	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230H</a>	8	2,908	1,086	NA	Unknown	Mobile/Embedded
<a href="#">Unisoc ums9230T</a>	8	2,906	1,108	NA	Unknown	Mobile/Embedded
<a href="#">UNIVERSAL3475</a>	4	297	194	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin710</a>	8	2,749	936	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin810</a>	8	4,215	1,579	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin820</a>	8	4,715	1,673	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin9000</a>	8	6,914	2,592	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin9000E</a>	8	6,235	2,653	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin970</a>	8	3,132	916	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin980</a>	8	5,370	1,737	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin985</a>	8	5,417	1,861	NA	Unknown	Mobile/Embedded
<a href="#">vendor Kirin990</a>	8	5,873	1,990	NA	Unknown	Mobile/Embedded
<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	8	5,368	2,165	NA	Unknown	Mobile/Embedded
<a href="#">VIA C7-D 1800MHz</a>	1	150	147	20	BGA400	Desktop
<a href="#">VIA C7-M 1200MHz</a>	1	112	93	NA	Unknown	Unknown
<a href="#">VIA C7-M 1600MHz</a>	1	116	124	15	BGA400	Laptop
<a href="#">VIA C7-M 6300MHz</a>	1	145	121	NA	Unknown	Unknown
<a href="#">VIA Eden 1000MHz</a>	1	80	83	5	NanoBGA2	Laptop
<a href="#">VIA Eden 1200MHz</a>	1	93	97	7	NanoBGA2	Laptop
<a href="#">VIA Eden C1050@1.06GHz</a>	1	263	283	NA	Unknown	Unknown
<a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>	2	315	281	NA	Unknown	Unknown
<a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>	4	904	482	NA	Unknown	Unknown
<a href="#">VIA Esther 1000MHz</a>	1	95	82	NA	Unknown	Unknown
<a href="#">VIA Esther 1500MHz</a>	1	135	112	NA	Unknown	Unknown
<a href="#">VIA Nano L2007@1600MHz</a>	1	238	273	25	BGA400	Laptop
<a href="#">VIA Nano L2100@1800MHz</a>	1	279	182	25	BGA400	Laptop
<a href="#">VIA Nano L2207@1600MHz</a>	1	165	191	17	BGA400	Laptop
<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	1	187	256	8	BGA400	Laptop
<a href="#">VIA Nano U2250@1300+MHz</a>	1	179	156	10	BGA400	Laptop
<a href="#">VIA Nano U2500@1200MHz</a>	1	199	184	7	BGA400	Laptop
<a href="#">VIA Nano U3500@1000MHz</a>	1	184	286	5	BGA400	Laptop
<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	2	393	213	NA	BGA400	Laptop
<a href="#">VIA Nehemiah</a>	1	101	75	NA	Unknown	Unknown
<a href="#">VIA QuadCore C4650@2.0GHz</a>	4	1,352	559	NA	Unknown	Unknown
<a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>	4	773	355	27.5	Unknown	Laptop

CPU Name	Cores	CPU Mark	Thread Mark	TDP (W)	Socket	Category
----------	-------	----------	-------------	---------	--------	----------

## [CPU Benchmarks](#) ▼

<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	4	666	296	27.5	Unknown	Desktop
<a href="#">Vili based on Qualcomm Technologies, Inc SM8350</a>	8	5,299	1,598	NA	Unknown	Mobile/Embedded
<a href="#">Virtual @ 2.55GHz</a>	8	2,332	914	NA	Unknown	Unknown
<a href="#">Virtual @ 2.99GHz</a>	8	6,419	1,327	NA	Unknown	Unknown
<a href="#">Virtual @ 3.14GHz</a>	8	3,703	1,119	NA	Unknown	Unknown
<a href="#">Z3-6540M@2.1GHz</a>	4	1,599	788	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-6640MA@2.2+GHz</a>	4	1,549	729	70	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>	8	3,227	745	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>	8	3,881	783	NA	Unknown	Unknown
<a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>	4	1,547	556	NA	Unknown	Unknown
<a href="#">天玑900</a>	8	5,158	2,067	NA	Unknown	Mobile/Embedded

Showing 1 to 4,557 of 4,557 entries

[Previous](#) **1** [Next](#)

### Notes:

- Price is obtained from our affiliates. "\*" after the price denotes the last seen price for products that are no longer available.
- CPU Value is calculated by taking CPU Mark / Price.
- Single Thread Value is calculated by taking Single Thread CPU Mark / Price.
- Power Performance is calculated by taking CPU Mark / TDP.
- Test Date is the date of our first benchmark submission.

### Software

- [BurnInTest](#)
- [PerformanceTest](#)
- [OSForensics](#)
- [MemTest86](#)
- [WirelessMon](#)
- [Management Console](#)
- [Zoom Search Engine](#)
- [Free Software](#)

### Benchmarks

- [CPU Benchmarks](#)
- [Video Card Benchmarks](#)
- [Hard Drive Benchmarks](#)
- [RAM Benchmarks](#)
- [PC Systems Benchmarks](#)
- [Android Benchmarks](#)

### Hardware

- [USB3.0 Loopback Plugs](#)
- [USB2.0 Loopback Plugs](#)
- [PCIe Test Cards](#)
- [USB Power Delivery Tester](#)
- [Serial and Parallel Loopback Plugs](#)
- [USB Short Circuit Testers](#)

### About Us

- [Company](#)
- [Contact Us](#)
- [The Press Room](#)

[> iOS / iPhone Benchmarks](#)

[> Software Marketshare](#)

[🏠 CPU Benchmarks](#) ▼

[Services](#)

[International](#)

[Store](#)

[Disclaimer](#)

[Support](#)

[Refunds](#)

[Forums](#)

[Privacy](#)

Social



Copyright © 2023 PassMark® Software

